



Since 1990

1-800-783-5272

Sorbents & Containment Products Catalog

SPILLS HAPPEN









info@ASAenviro.com

Service with a smile 24/7










With distributors located in over 40 states in the U.S. and over 25 different countries throughout the world, we've got you covered for spills of all sizes.

WE'RE MANUFACTURING GREAT PRODUCTS FOR THE SPILL CONTROL INDUSTRY!





Chemtex's new facility in Georgia uses an Exxon-patented extrusion die for the manufacturing of all of its meltblown polypropylene absorbent products.







Safety First! Companies are responsible for maintaining a clean and safe workplace for their employees. They are also responsible for protecting our environment, especially when working with petroleum liquids and hazardous chemicals. This means having a proper spill control plan in place at all times. Chemtex helps companies comply with all of the above by manufacturing a variety of premium meltblown polypropylene sorbent products, including sorbent pads, rolls, booms, socks, pillows and spill kits. These items and more are used in day-to-day MRO applications for catching drips and leaks and for major catastrophic incidents by oil spill response organizations all over the world.

In our 90,000 ft² factory located in Milledgeville, Georgia, we maintain an automated manufacturing process which includes polypropylene extrusion, thermal bonding, bidirectional perforating, sheeting, stacking and rewinding. We also have a scrap converting operation, where we reprocess over 95% of our post-industrial waste into accessory absorbent products, such as booms, socks, pillows and spill kits. By reprocessing our own waste, we are eliminating what goes to the landfills and manufacturing useful products at the same time. We offer Superior Service and High-Quality Products at Fair Prices.

This is what we do best!

With three stocking locations on the East Coast of North America—two in the U.S. and one in Canada—Chemtex has what you want when you need it. We know oil spills don't punch a time clock, so for that reason we carry a huge variety of inventory at all times. When it comes to cleaning oil or chemical spills, we want you to think Chemtex!



Universal Absorbents7
Oil-Only Absorbents11
Hazmat Absorbents18
Absorbents – Other20
Spill Kits29
Marine Spill Response38
Wipers & Rags44
Granulars, Neutralizers & Bioremediation48
Cleaners & Degreasers56
Storm Water Management59
Personal Protection64
Secondary Containment67
Specialty Products78



NEW PRODUCTS



BR200G New Universal Bonded Meltblown Roll in a compact size that fits on a new Dispenser on Wheels Page 9



Universal Dimpled Meltblown Pads & Rolls are an economical alternative to our Bonded SM Pads & Rolls Page 10



BR200W New Oil-Only Bonded Meltblown Roll in a compact size that fits on a new Dispenser on Wheels



Oil-Only Dimpled Meltblown Pads & Rolls are an economical alternative to our Bonded SM Pads & Rolls

Page 13





Hazmat Fine Fiber Meltblown Pads & Rolls Page 19



A new, more economical version of our Poly-backed Sorbent Pads Page 21



SMP Track Mat is a more economical version from our original track matting Page 23



Spaghetti Pillows are ideal for the pick-up of hydrocarbons in fast-flowing waters

Page 24



New version of our Drip Pans with removable replacement pillows that allow re-use Page 28



New Vertical Roll Rack on Wheels replaces our OILM5005 freestanding roll rack Page 28



New Mercury Spill Kit replaces both the large & small kits from our last catalog. One kit does it all.

Page 37



NWP381 Red Spunlace Wipers on a roll with available roll rack on wheels

Page 45




New packaging for WIP500 Polo Rags. A compressed dispenser box allows double the quantity/pallet. Page 47



New Flood Control Kit. You can never be too prepared for flood waters.

Page 63



Spill Nests are an economical alternative to hard plastic spill pallets for temporary containment.

Page 70

SORBENTS: CLAY VS POLY

Are you still using clay to clean your leaks, drips and spills?

You may think you're saving money because the cost of a bag of clay is so cheap, but in reality you are spending more—a lot more! In addition to the financial savings that we list below, these are a few other reasons not to use clav:

- > Clay is very messy; cleanup is difficult and labor-intensive.
- > Clay is an abrasive, which causes damage to machinery and moving parts.
- > Silica is considered a serious health hazard by OSHA.
- > Clay is heavy to work with compared to polypropylene pads.
- > Clay is not a good absorbent.

To learn more details about clay vs. polypropylene, please call our office and ask to speak with a customer service representative.



CLAY MINERAL

POLYPROPYLENE

PRODUCT QUANTITY AND COST





 $9.50/bag \times 10 bags = 95$



 $58/bale \times 1 bale = 58$

DISPOSAL CONTAINERS REQUIRED



\$75/drum x 2 drums = \$150



 $75.00/drum \times 1 drum = 75$

LABOR AND TIME REQUIRED





3 People x 2 hours

\$45/hour @ \$15/hour x 2 hours = \$90



1 Person x 1 hour

 $15/hour \times 1 hour = 15$

ACCESSORY SPILL CLEANUP MATERIALS



 $20/\text{shovel} \times 3 + 15/\text{broom} \times 3 = 105$



AVERAGE DISPOSAL COST PER DRUM





 $150/drum \times 2 drums = 300$





 $150/drum \times 1 drum = 150$


Quality Rating of Pads & Rolls











$\star\star$ Standard Meltblown Pads & Rolls

- > Fast-absorbing with an economical price
- > Contractor Grade
- > No perforations
- > For short-term use

*** **Dimpled Meltblown** Pads & Rolls

- > Stronger than Contractor Grade pads & rolls
- > The dimples reduce linting in pads & rolls
- > Perforated to waste less

*** **Bonded-SM** Pads & Rolls

- > Stronger tensile strength than the dimpled pads & rolls
- > One side is lint-free that can be used for wiping
- > Perforated every 7.5" vertically and 19" horizontally to waste less

**** **Fine Fiber Meltblown** Pads & Rolls

- > Super-strong tensile strength
- > Very low lint
- > Grips floors
- > Perforated every 7.5" vertically and 19" horizontally to waste less

**** **SMS Bonded** Pads & Rolls

- > Super-strong tensile strength
- > No lint
- > Perforated every 7.5" vertically and 19" horizontally to waste less

UNIVERSAL ABSORBENTS

Ideal for use in maintenance and repair operations, MRO.

These pads and rolls will absorb, oil, water and water-based chemicals. Universal sorbents are left on the ground under and around machinery to catch drips and spills from leaking machinery or equipment. Pads and rolls come in four qualities—Fine Fiber-FMF, Bonded-SM, Dimpled and SMS Bonded Meltblown.



Fluids Absorbed For Oils, Coolants, Solvents and Water

- · Hydraulic Oil
- Fthanol
- Gasoline
- Kerosene
- Water
- Mineral Spirits
- Turpentine

Full list of fluids absorbed on page 81

Quality Rating of Pads & Rolls

DIMPLED / Stronger than Contractor Grade pads & rolls / the dimples reduce linting / perforated to waste less

BONDED—SM / Stronger tensile strength than the dimpled pads & rolls / one side is lint-free / perforated every 7.5" vertically and 19" horizontally to waste less

 $\begin{tabular}{ll} FINE FIBER / Super-strong tensile strength / very low lint / grips floors / perforated every 7.5" vertically and 19" horizontally to waste less \\ \end{tabular}$

SMS BONDED / Super-strong tensile strength / no lint / perforated every 7.5" vertically and 19" horizontally to waste less

Universal Fine Fiber Meltblown Pads & Rolls (FMF) The highest quality pads and rolls we manufacture

Our fine fiber sorbents are constructed with 3 plies of polypropylene—fine fiber/meltblown/fine fiber. These pads and rolls are universal so they are used to absorb oil, water, and water-based chemicals. Dark gray pads hide grime, which makes pads last longer. High-strength, low-linting sorbents are used where added durability is a must. The smooth, fine fiber surface adds the strength needed for high-traffic areas. Using small-diameter strands of fiber increases surface area, which enables pads and rolls to grip surfaces securely. Both pads and rolls are used to contain and absorb splashes and spills under and around machinery. These are the highest quality pads and rolls that we manufacture. The fine fiber polypropylene increases the strength and durability of the pads and rolls so they can be perforated like a paper towel. Perforations will help reduce waste and allow you to use the exact amount needed for the job.

Pads

Model #	Mfg #	Description	Absorbs	Packaging
FFP12G	PHGFF100	15" x 19", Double Wt., Gray	25 gallons	100/bale
FFP12G-BX	PHGFF100-BX	15" x 19", Double Wt., Gray	25 gallons	100/box
FFP9G	PMGFF100	15" x 19", Medium Wt., Gray	20 gallons	100/bale
FFP9G-BX	PMGFFBX100	15" x 19", Medium Wt., Gray	20 gallons	100/box
FFP6G	PSGFF200	15" x 19", Single Wt., Gray	27 gallons	200/bale
FFP12GR	PHGRFF100	15" x 19", Double Wt., Green	25 gallons	100/bale


FOR INDUSTRIAL AND AUTOMOTIVE APPLICATIONS. ABSORBS OIL, WATER AND MOST NONAGGRESSIVE FLUIDS

Rolls

Model #	Mfg #	Description	Absorbs	Packaging
FFR12G	RHGFF150	30" x 150', Double Wt., Gray	47 gallons	1 roll
FFR12G-2	RHGFF1502	15" x 150', Double Wt., Gray	47 gallons	2 rolls
FFR9G	RMGFF150	30" x 150', Medium Wt., Gray	37 gallons	1 roll
FFR9G-2	RMGFF1502	15" x 150', Medium Wt., Gray	37 gallons	2 rolls
FFR6G	RSGFF300	30" x 300', Single Wt., Gray	47 gallons	1 roll
FFR6G-2	RSGFF3002	15" x 300', Single Wt., Gray	47 gallons	2 rolls
FFR12G50	RHGFF50	6.33" x 50', Double Wt., Gray Mat	9 gallons	1 roll
FFR12GR	RHGRFF150	30" x 150', Double Wt., Green	47 gallons	1 roll







QUALITY

Universal Bonded Meltblown Pads & Rolls (SM)

Our bonded-SM sorbents are constructed with 2 plies of polypropylene—spunbond/meltblown. These pads and rolls are universal so they are used to absorb oil, water and water-based chemicals. Bonded-SM pads and rolls share the same features as our dimpled meltblown pads and rolls, plus an extra layer of spunbond polypropylene that is bonded to the top to make the pads and rolls low-

polypropylene that is bonded to the top to make the pads and rolls low-linting on one side and highly absorbent on the opposite side. The bonding process increases the strength and durability of the pads and rolls so they can be perforated like a paper towel. Perforations will help reduce waste and allow you to use the exact amount needed for the job. These pads and rolls are the best of both worlds—the lint-free top sheet side can be used to clean and wipe tanks, tools, walls, etc. without leaving lint, but you also can use the meltblown side for quick absorption of fluids. We recommend these pads as the "best bang for your buck."



Pads

Model #	Mfg #	Description	Absorbs	Packaging
BP12G	PHGS100	15" x 19", Double Wt.	28 gallons/bale	100/bale
BP9G	PMGS100	15" x 19", Medium Wt.	23 gallons/bale	100/bale
BP6G	PSGS200	15" x 19", Single Wt.	30 gallons/bale	200/bale
BP3030G*	PHGS50	30" x 30", Double Wt.	43 gallons/bale	50/bale
BP12GHPS	PGB100HL	15" x18", High Loft	25 gallons/box	100/box
BP6GHPS	PGB200HL	15" x18", High Loft	27 gallons/box	200/box
*Part # chang	ge from BP34380	G to model # BP3030G		

Rolls

Model #	Mfg #	Description	Absorbs	Packaging
BR12G	RHGS150	30" x 150', Double Wt.	52 gallons/roll	1 roll
BR12G-2	RHGS1502	15" x 150', Double Wt.	52 gallons/roll	2 rolls
BR9G	RMGS150	30" x 150', Medium Wt.	44 gallons/roll	1 roll
BR9G-2	RMGS1502	15" x 150', Medium Wt.	44 gallons/roll	2 rolls
BR6G	RSGS300	30" x 300', Single Wt.	55 gallons/roll	1 roll
BR6G-2	RSGS3002	15" x 300', Single Wt.	55 gallons/roll	2 rolls
BR200G	RHGS200	12" x 200', Double Wt.	30 gallons/roll	1 roll
OILM5041	WRRACK	Roll Rack on Wheels for	model #BR200G	



Universal Dimpled Meltblown Pads & Rolls

Our dimpled sorbents are constructed with 1 ply of meltblown polypropylene. These pads and rolls are universal so they are used to absorb oil, water and water-based chemicals. Dimpled pads and rolls share the same features as our bonded-SM pads and rolls without the added layer of spunbond. By not adding the extra layer of spunbond, it makes the pads and rolls more economical. The dimpling process increases the strength and durability of the pads and rolls so they can be perforated like a paper towel. Perforations will help reduce waste and allow you to use the exact amount needed for the job.

Universal Pads

Mfg #	Description	Absorbs	Packaging
PGS100HL	15" x 18", High Loft	18 gallons/bale	100/bale
PHGB100	15" X 18", Double Wt.	25 gallons/bale	100/bale
PMGB100	15" x 18", Medium Wt.	20 gallons/bale	100/bale
PSGB200	15" x 18", Single Wt.	29 gallons/bale	200/bale
PHGB50	30" x 30", Double Wt.	36 gallons/bale	50/bale
	PGS100HL PHGB100 PMGB100 PSGB200	PGS100HL 15" x 18", High Loft PHGB100 15" X 18", Double Wt. PMGB100 15" x 18", Medium Wt. PSGB200 15" x 18", Single Wt.	PGS100HL 15" x 18", High Loft 18 gallons/bale PHGB100 15" X 18", Double Wt. 25 gallons/bale PMGB100 15" x 18", Medium Wt. 20 gallons/bale PSGB200 15" x 18", Single Wt. 29 gallons/bale

*Part # change from BP100G to model # DP100G

Universal Rolls

Model #	Mfg #	Description	Absorbs	Packaging
DR12G	RHGB150	30" x 150', Double Wt.	44 gallons/roll	1 roll
DR12G-2	RHGB1502	15" x 150', Double Wt.	44 galllons/roll	2 rolls
DR9G	RMGB150	30" x 150', Medium Wt.	40 gallons/roll	1 roll
DR9G-2	RMGB1502	15" x 150', Medium Wt.	40 gallons/roll	2 rolls
DR6G	RSGB300	30" x 300', Single Wt.	58 gallons/roll	1 roll
DR6G-2	RSGB3002	15" x 300', Single Wt.	58 gallons/roll	2 rolls



SMS-Universal Bonded Meltblown Pads & Rolls

Our SMS bonded sorbents are constructed with 3 plies of polypropylene spunbond/meltblown/spunbond. These pads and rolls are universal so they are used to absorb oil, water and water-based chemicals. These are our most durable sorbent pad and rolls combining two technologies to form one super-strong pad. A thirsty absorbent layer of meltblown is bonded between two layers of lint-free, spunbond fabric. These lint-free pads and rolls will not contaminate your equipment. Use in areas that require a durable, long-lasting pad or roll. The spunbond polypropylene increases the strength and durability of the pads and rolls so they can be perforated like a paper towel. Perforations will help reduce waste and allow you to use the exact amount needed for the job.





SMS-Universal Pads

Model #	Mfg #	Description	Absorbs	Packaging
OILM5126	PGSS100HL	15" x 18", High Loft, Gray	19 gallons/bale	100/bale
OILM1060	PHGSS100	15" x 19", Double Wt., Gray	27 gallons/bale	100/bale

SMS-Universal Rolls

Model#	Mfg #	Description	Absorbs	Packaging
OILM5125	RGSS150HL	30" x 150', High Loft, Gray	48 gallons/roll	1 roll
OILM5026	RHGSS150	30" x 150', Double Wt., Gray	51 gallons/roll	1 roll

OIL-ONLY ABSORBENTS

Ideal for responding to petroleum-based spills on both land and water.

These pads will float on water so they are best suited for spills outdoors or on bodies of water. Can also be used indoors for any petroleum-based fluid such as oils, gasoline, diesel, etc. These pads and rolls come in 5 qualities—Fine Fiber-FMF, Bonded-SM, Dimpled, SMS Bonded and Standard Meltblown.



Fluids Absorbed For absorbing oil while repelling water

- Motor Oil
- Hydraulic Oil
- Gasoline
- Diesel Fuel
- Jet Fuel

Full list of fluids absorbed on page 81

Quality Rating for Pads & Rolls

**

STANDARD / Fast-absorbing with an economical price / Contractor Grade / no perforations / for short-term use

444

DIMPLED / Stronger than Contractor Grade pads & rolls / the dimples reduce linting / perforated to waste less

BONDED-SM / Stronger tensile strength / one side is lint-free / perforated every 7.5" vertically and 19" horizontally to waste less

 $\textbf{FINE FIBER} \ / \ Super-strong \ tensile \ strength \ / \ very \ low \ lint \ / \ grips \ floors \ / \ perforated \ every \ 7.5" \ vertically \ and \ 19" \ horizontally \ to \ waste \ less$

SMS BONDED / Super-strong tensile strength / no lint / perforated every 7.5" vertically and 19" horizontally to waste less

Oil-Only Fine Fiber Meltblown Pads & Rolls (FMF)

The highest quality pads and rolls we manufacture

Our fine fiber sorbents are constructed with 3 plies of polypropylene—fine fiber/meltblown/fine fiber. These pads and rolls are oil-only so they are used to absorb oil and other oil-based fluids. They will not absorb water or water-based chemicals. High-strength, low-linting sorbents are used where added durability is a must. The smooth, fine fiber surface adds the strength needed for high-traffic areas. Using small-diameter strands of fiber increases surface area, which enables pads and rolls to grip surfaces securely. Both pads and rolls are used to contain and absorb splashes and spills under and around machinery.



Pads

Model #	Mfg #	Description	Absorbs	Packaging
FFP12W	PHWFF100	15" x 19", Double Wt., White	25 gallons/bale	100/bale
FFP9W	PMWFF100	15" x 19", Medium Wt., White	20 gallons/bale	100/bale
FFP6W	PSWFF200	15" x 19", Single Wt., White	27 gallons/bale	200/bale
FFP12B	PHBFF100	15" x 19", Double Wt., Blue	25 gallons/bale	100/bale
FFP6B	PSBFF200	15" x 19", Single Wt., Blue	27 gallons/bale	200/bale

Rolls

Model #	Mfg #	Description	Absorbs	Packaging
FFR12W	RHWFF150	30" x 150', Double Wt., White	47 gallons/roll	1 roll
FFR12W-2	RHWFF1502	15" x 150', Double Wt., White	47 gallons/roll	2 rolls
FFR9W	RMWFF150	30" x 150', Medium Wt., White	38 gallons/roll	1 roll
FFR9W-2	RMWFF1502	15" x 150', Medium Wt., White	38 gallons/roll	2 rolls
FFR6W	RSWFF300	30" x 300', Single Wt., White	51 gallons/roll	1 roll
FFR12B	RHBFF150	30" x 150', Double Wt., Blue	47 gallons/roll	1 roll





Oil-Only Bonded Meltblown Pads & Rolls (SM)

Versatility that gives you the best bang for your buck

Our bonded-SM sorbents are constructed with 2 plies of polypropylene—spunbond/meltblown. These pads and rolls are oil-only so they are used to absorb oil, gasoline and other hydrocarbon-based liquids. These pads will not absorb water so they can be used to remove oil off water. SM bonded pads and rolls share the same features as our dimpled meltblown pads and rolls, plus an extra layer of spunbond polypropylene that is bonded to the top to make the pads and rolls low-linting on one side and highly absorbent on the opposite side. The bonding process increases the strength and durability of the pads and rolls so they can be perforated like a paper towel.

Perforations will help reduce waste and allow you to use the exact amount needed for the job. These pads and rolls are the best of both worlds—the lint-free top sheet side can be used to clean and wipe tanks, tools, walls, etc. without leaving lint, but you also can use the meltblown side for quick absorption of fluids. We recommend these pads as the "best bang for your buck."

Pads

Model #	Mfg #	Description	Absorbs	Packaging
BP12W	PHWS100	15" x 19", Double Wt.	30 gallons/bale	100/bale
BP9W	PMWS100	15" x 19", Medium Wt.	25 gallons/bale	100/bale
BP6W	PSWS200	15" x 19", Single Wt.	32 gallons/bale	200/bale
BP3030W	PHWS50	30" x 30" Double Wt	43 nallons/hale	50/hale

Rolls

Vlodel #	Mfg #	Description	Absorbs	Packaging
BR12W	RHWS150	30" x 150', Double Wt.	52 gallons/roll	1 roll
3R12W-2	RHWS1502	15" x 150', Double Wt.	52 gallons/roll	2 rolls
BR9W	RMWS150	30" x 150', Medium Wt.	44 gallons/roll	1 roll
3R9W-2	RMWS1502	15" x 150', Medium Wt.	44 gallons/roll	2 rolls
BR6W	RSWS300	30" x 300', Single Wt.	55 gallons/roll	1 roll
BR6W-2	RSWS3002	15" x 300', Single Wt.	55 gallons/roll	2 rolls
3R200W	RHWS200	12" x 200', Double Wt.	30 gallons/roll	1 roll
3R200W	RHWS200	12" x 200', Double Wt.	30 gallons/roll	1



Distributed By: ASA Environmental Products, Inc. 1-800-783-5272 info@ASAenvironmental.com

Oil-Only Dimpled Meltblown Pads & Rolls

Our dimpled sorbents are constructed with 1 ply of meltblown polypropylene. These pads and rolls are oil-only so they are used to absorb oil, gasoline and other oil-based fluids. Dimpled pads and rolls share the same features as our SM bonded pads and rolls without the added layer of spunbond. By not adding the extra layer of spunbond, it makes the pads and rolls more economical. The dimpling process still increases the strength and durability of the pads and rolls so they can be perforated like a paper towel. Perforations will help reduce waste and allow you to use the exact amount needed for the job.



Oil-Only Pads

Model #	Mfg #	Description	Absorbs	Packaging
DP12W-HP*	PWB100HL	15" x 18", High Loft	26 gallons/bale	100/bale
DP6W-HP*	PWB200HL	15" x 18", High Loft	28 gallons/bale	200/bale
DP12W	PHWB100	15" X 18", Double Wt.	25 gallons/bale	100/bale
DP9W	PMWB100	15" X 18", Medium Wt.	20 gallons/bale	100/bale
DP6W	PSWB200	15" x 18", Single Wt.	29 gallons/bale	200/bale
DP3030W	PHWB50	30" x 30", Double Wt.	32 gallons/bale	50/bale

^{*}Part # changes from BP12WHP to model # DP12W-HP and BP6WHP to model # DP6W-HP

DURABLE MULTI-PERFORATIONS HELP YOU USE LESS & SAVE MONEY

Oil-Only Rolls

Model #	Mfg #	Description	Absorbs	Packaging
DR12W	RHWB150	30" x 150', Double Wt.	44 gallons/roll	1 roll
DR12W-2	RHWB1502	15" X 150', Double Wt.	44 gallons/roll	2 rolls
DR9W	RMWB150	30" x 150', Medium Wt.	40 gallons/roll	1 roll
DR9W-2	RMWB1502	15" x 150', Medium Wt.	40 gallons/roll	2 rolls
DR6W	RSWB300	30" x 300', Single Wt.	58 gallons/roll	1 roll

SMS-Oil-Only Bonded Meltblown Pads & Rolls

Our SMS bonded sorbents are constructed with 3 plies of polypropylene spunbond/meltblown/spunbond. These pads and rolls are oil-only so they are used to absorb oil, gasoline and other hydrocarbon-based fluids. These pads and rolls will not absorb water so they can be used to remove oil off water. These are our most durable sorbent pad and rolls combining two technologies to form one super-strong pad. A thirsty absorbent layer of meltblown is bonded between two layers of lint-free, spunbond fabric. These lint-free pads and rolls will not contaminate your equipment. Use in areas that require a durable, long-lasting pad or roll. The spunbond polypropylene increases the strength and durability of the pads and rolls so they can be perforated like a paper towel. Perforations will help reduce waste and allow you to use the exact amount needed for the job.






Model #	Mfg #	Description	Absorbs	Packaging
OILM5122	PWSS100HL	15" x 18", High Loft, White	19 gallons/bale	100/bale
OILM1006	PHWSS100	15" x 19", Double Wt., White	27 gallons/bale	100/bale

SMS-Oil-Only Rolls

Model #	Mfg #	Description	Absorbs	Packaging
OILM5120	RWSS150HL	30" x 150', High Loft, White	46 gallons/roll	1 roll
OILM5116	RHWSS150	30" x 150', Double Wt., White	51 gallons/roll	1 roll





Oil-Only Standard Meltblown Pads & Rolls

Quick-absorbing and highly versatile. Use standard meltblown pads and rolls for cleaning spills on land and water. These low-cost sorbents are ideal for a variety of environmental applications.

Oil-Only Standard Pads

Model #	Mfg #	Description	Absorbs	Packaging
P12W	PHW100	15" x 19", Double Wt.	32 gallons/bale	100/bale
P9W	PMW100	15" x 19", Medium Wt.	25 gallons/bale	100/bale
P6W	PSW200	15" x 19", Single Wt.	36 gallons/bale	200/bale
P9WG	PW100HL	15" x 18", High Loft	20 gallons/bale	100/bale
P3030W	PHW50	30" x 30", Double Wt.	53 gallons/bale	50/bale

Oil-Only Standard Rolls

Model #	Mfg #	Description	Absorbs	Packaging
R12W	RHW150	30" x 150', Double Wt.	60 gallons/roll	1 roll
R12W-2	RHW1502	15" x 150', Double Wt.	60 gallons/roll	2 rolls
R9W	RMW150	30" x 150', Medium Wt.	41 gallons/roll	1 roll
R9W-2	RMW1502	15" x 150', Medium Wt.	41 gallons/roll	2 rolls
R6W	RSW300	30" x 300', Single Wt.	68 gallons/roll	1 roll

Anti-Static Meltblown Pads & Rolls

Use static-resistant sorbents where static electricity poses a problem. Deploy around flammable liquids. Ideally used in dry environments with low humidity or in confined spaces where flammable vapors may be present.

Anti-Static Meltblown Pad

Model #	Mfg #	Description	Absorbs	Packaging
SRP12W	PWAS25	15" x 19", Double Wt.	9 gallons/bale	25/bale

Anti-Static Meltblown Roll

Model #	Mfg #	Description	Absorbs	Packaging
SRR12W	RHWAS150	30" x 150', Double Wt.	64 gallons/roll	1 roll



CONTRACTOR GRADE





Booms

Linkable booms are used to contain and absorb spills on or off water. The built-in steel connectors link booms together to cover large areas of water. Booms are encased with a lint-free poly sock that prevents shedding.

Booms

Model #	Mfg #	Description	Absorbs	Packaging
B8	BW8104	8" x 10', Lint-free	65 gallons/bale	4 booms/bale
B820*	BW8202	8" x 20', Lint-free	65 gallons/bale	2 booms/bale
B5	BW5104	5" x 10', Lint-free	35 gallons/bale	4 booms/bale
B520*	BW5202	5" x 20', Lint-free	35 gallons/bale	2 booms/bale
B310*	BW3104	3" x 10', Lint-free	12 gallons/bale	4 booms/bale
B3	BW3202	3" x 20', Lint-free	12 gallons/bale	2 booms/bale







Are you using sorbent boom near rocky shoreline? Does the tide go out and leave your boom lying high and dry on a rocky bottom? Rocks and barnacles will rip and tear standard sorbent booms and cause the shredded polypropylene to release, making more of a mess than when you started. Introducing the Boom XT—the Boom XT is made from HDPE netting, which is a lot stronger than traditional boom nets. The HDPE netting also is UV-treated to protect the polypropylene from the sun's damaging UV rays. If you are working in harsh marine environments, you need Boom XT.

Boom XT

Model #	Mfg #	Description	Absorbs	Packaging
B5XT	BW510XT	5" x 10', Lint-free	35 gallons/bale	4 booms/bale
B8XT	BW810XT	8" x 10', Lint-free	65 gallons/bale	4 booms/bale

Sweeps

Designed for rapid spill cleanup/containment on or off water. Reinforced nylon straps, together with laminated spunbond fabric, add the extra strength needed for towing capabilities. Sweeps are ideal for removing thin slicks off water.





Model#	Mfg #	Description	Absorbs	Packaging
SW100*	SHWS100	White, 19" x 100' w/Straps	18 gallons/bale	1/bale
SW100B	SHBS100	Blue, 19" x 100' w/Straps	18 gallons/bale	1/bale

^{*}White sweep is special order. Please call our office for ordering details.

HAZMAT ABSORBENTS

Ideal for responding to spills of unknown liquids.

These pads and rolls will absorb virtually all acid and base liquids. Hazmat sorbents are quickly deployed and recovered in hazardous spill applications. Pads and rolls come in two qualities, both Fine Fiber-FMF and Bonded-SM Meltblown.



Fluids Absorbed

- Acids & Bases
- Aggressive Chemicals
- Oils
- Solvents
- Citric Acid
- Water-based Fluids
- Sodium Hydroxide
- Other Unknown Liquids

Full list of fluids absorbed on page 81

Quality Rating of Pads & Rolls

+++4

BONDED-SM / Stronger tensile strength / one side is lint-free / perforated every 7.5" vertically and 19" horizontally to waste less

FINE FIBER / Super-strong tensile strength / very low lint / grips floors / perforated every 7.5" vertically and 19" horizontally to waste less

Hazmat Fine Fiber Meltblown Pads & Rolls (FMF)

of polypropylene—

Our fine fiber sorbents are constructed with 3 plies of polypropylene—fine fiber/meltblown/fine fiber. High-strength, low-linting sorbents are used where added durability is a must. The smooth, fine fiber surface adds the strength needed for high-traffic areas. Using small-diameter strands of fiber increases surface area, which enables pads and rolls to grip surfaces securely. These are the highest quality pads and rolls that we manufacture. The fine fiber polypropylene increases the

Perforations will help reduce waste and allow you to use the exact amount needed for the job.

strength and durability of the pads and rolls so they can be perforated like a paper towel.

FMF Hazmat Pads

Model #	Mfg #	Description	Absorbs	Packaging
FFP1113Y	PHYFF1001014	10" x 14", Double Wt.	18 gallons/bale	100/bale
FFP12Y	PHYFF100	15" x 19", Double Wt.	27 gallons/bale	100/bale
FFP6Y	PSYFF200	15" x 19", Single Wt.	28 gallons/bale	200/bale

FMF Hazmat Rolls

Model #	Mfg #	Description	Absorbs	Packaging
FFR12Y	RHYFF150	30" x 150', Double Wt.	47 gallons/bale	1 roll
FFR12Y-2	RHYFF1502	15" x 150', Double Wt.	47 gallons/bale	2 rolls

SM Hazmat Pads

Model #	Mfg #	Description	Absorbs	Packaging
BP12Y	PHYB100	15" x 19", Double Wt.	28 gallons/bale	100/bale
BP6Y	PSYB200	15" x 19", Single Wt.	30 gallons/bale	200 pads/bale

SM Hazmat Rolls

Model #	Mfg #	Description	Absorbs	Packaging
BR12Y	RHYB150	30" x 150', Double Wt.	52 gallons/roll	1 roll
BR12Y-2	RHYB1502	15" x 150', Double Wt.	52 gallons/roll	2 rolls

Hazmat Bonded Meltblown Pads & Rolls (SM)

Our bonded-SM sorbents are *** constructed with 2 plies of OUALITY polypropylene-spunbond/ meltblown. Bonded-SM pads and rolls share the same features as our dimpled meltblown pads and rolls, plus an extra layer of spunbond polypropylene that is bonded to the top to make the pads and rolls low-linting on one side and highly absorbent on the opposite side. The bonding process increases the strength and durability of the pads and rolls so they can be perforated like a paper towel. Perforations will help reduce waste and allow you to use the exact amount needed for the job. These pads and rolls are the best of both worlds—the lint-free top sheet side can be used to clean and wipe tanks, tools, walls, etc. without leaving a mess, but you also can use the meltblown side for quick absorption of fluids.

Hazmat Booms

Linkable booms are used to confine and absorb large spills on land. Absorbs hazardous or unknown liquids including oil and water based chemicals. The built-in durable connectors link booms together to cover large areas. Booms are encased with a lint-free poly sock that prevents shedding.

Hazmat Booms

Model #	Mfg #	Description	Absorbs	Packaging
B5-H	BY5104	5" x 10', Lint-free	30 gallons/bale	4/bale
B8-H	BY8104	8" x 10', Lint-free	48 gallons/bale	4/bale



Saving our Planet with "Earth Friendly" **Absorbents Gone Green**

To help save our planet, we all need to contribute. Now more than ever, we need to consider using recycled products when at all possible. We also need to cut back on our use of petroleum and petroleum-based products. Using Eco-Sop™ Sorbents will do just that. Unlike traditional meltblown polypropylene pads and rolls, these sorbents are not made from petroleum. This will not only help save our environment, but will help to keep the cost down. These products are made using 95% American-grown, natural, renewable and recycled

resources. Additives increase the sorbents' natural absorbency.

Natural White - Oil-Only — Absorbs oil only; will not absorb water.

Gray - Universal - Absorbs oil, water, and water-based chemicals.



Natural White — Oil-Only


Model #	Mfg #	Description	Absorbs	Packaging
OILM1082	PHWC100	Heavy Weight Pads, 16" x 18"	24 gallons	100/bale
OILM1083	PMWC100	Medium Weight Pads, 16" x 18"	21 gallons	100/bale
OILM1084	RWC28150H	Heavy Weight Roll, 28" x 150'	42 gallons	1 roll

Gray — Universal

Model #	Mfg #	Description	Absorbs	Packaging
OILM1087	PHGCU100	Heavy Weight Pads, 16" x 18"	26 gallons	100/bale
OILM1088	PMGCU100	Medium Weight Pads, 16" x 18"	20 gallons	100/bale
OILM1089	RHCU150	Heavy Weight Roll, 28" x 150'	45 gallons	1 roll

Aqua Lock Absorbents

Gray Universal Agua Lock Sorbents — Absorbs oil- and water-based spills. A hybrid pad combining a fine fiber polypropylene cover stock which makes this pad low-linting and very durable. Added SAF technology that turns absorbed water-based liquids into a gel and prevents leaking from used sorbent pads and rolls. These pads are super thirsty and will encapsulate absorbed fluids with ease.





Gray — Universal Aqua Lock

Model #	Mfg #	Description	Absorbs	Packaging
OILM1092	PHGSSCA100	Heavy Weight Pads, 16" x 18"	27 gallons	100/bale
OILM1093	RHGSCA150	Heavy Weight Roll, 28" x 150'	47 gallons	1 roll

Camo Matting

The camouflage design makes leaks and drips disappear. Lasts longer than the standard gray and white meltblown rolls. This allows you to leave it on the ground for longer lengths of time, which will cut back on your spending. A spunbond top sheet provides extra strength and durability. The bottom layer of fine fiber meltblown grips the floor and provides a safe, secure walkway. Multiple perforations allow you to tear off and use only what you need.

Camo Matting

Model #	Mfg #	Description	Absorbs	Packaging
OILM6013	PHCSF100	Camo Mat Pad, 15" x 18"	30 gallons/bale	100/bale
OILM6019	RHCSF1502	Camo Mat Roll, 15" x 150'	36 gallons	2 rolls
OILM6012	RHCSF150	Camo Mat Roll, 30" x 150'	36 gallons	1 roll





Poly-backed Pads

Added protection for your floors. Great strength and absorbency, combined with a nonskid poly backing to prevent liquids from seeping through to the floor.

Poly-backed Pads

Model #	Mfg #	Description	Absorbs	Packaging
DP12GPB	PHGB100PB	15" x 19" Double Wt Pads	25 gallons	50/hale





Industrial Rugs are used in place of sorbent rolls when durability is a "must." Industrial rugs are manufactured to last. These rugs can withstand foot and forklift traffic much better than traditional sorbent rolls.

Needle-Punch

Constructed of 100% polypropylene, this rug is made to withstand constant foot and forklift traffic. Will absorb oil, water, coolants and solvents. Also used in decontamination areas on job sites.

Needle-Punch

Model #	Mfg #	Description	Absorbs	Packaging
RNP	RMGNP300	36" x 300', Needle-punch Rug, Black	64 gallons/rug	1 rug
RNP-S	RMGNP300S	36" x 300', Needle-punch Rug, (seconds), Gray	60 gallons/rug	1 rug
OILM6004	RHGNP150	36" x 150', Needle-punch Rug, Gray	64 gallons/rug	1 rug



Poly-backed Needle-Punch

These are needle-punch rugs that are coated with an impermeable, nonskid backing. This prevents liquids from seeping through to the floor.

Poly-backed Needle-Punch

Model #	Mfg #	Description	Absorbs	Packaging
PBRNP	RSNPPB100	36" x 100', Poly-back Needle-punch Rug	16 gallons/rug	1 rug



Rag Rug

This rug is made from recycled textiles and is very thick and durable. Dark-colored mats absorb the grunge from oils, coolants, solvents and water without looking dirty. The tough, durable rag rug is ideal for use in high-traffic areas.

Rag Rug

Model #	Mfg #	Description	Absorbs	Packaging
RTR-1	RHRAG150	36" x 150', Rag Rug	50 gallons/rug	1 rug



Railroad Track Matting

Absorbs Oils, Fuels and Other Hydrocarbon-based Fuels

MOST DURABLE

Strong 3-ply construction—1 layer UV-resistant, extra tough needle-punch polypropylene, 1 layer oil-only cotton, and a poly backing to prevent seepage. Use the two 19" rolls outside the tracks and the 59" roll between the rails. Can be used to absorb oil, fuels and other hydrocarbon-based fuels in railroad yards.

Railroad Track Matting

Model #	Mfg #	Description	Absorbs	Packaging
OILM5997	RRT191002	RR Track Mats, 19" x 100', Outside Pieces	40 gallons	2/pack
OILM5996	RRT59100	RR Track Mat, 59" x 100', Center Pieces	60 gallons	1 roll



SMP Track Mat

The ultimate barrier sorbent used most commonly in railroad maintenance yards, but can also be used as a barrier matting in garages and service centers. The 3-ply construction consists of a tough UV-resistant spunbond top sheet, a highly absorbent oil-absorbing meltblown polypropylene on the inside, and a super strong impermeable polyurethane bottom sheet. These are sized to fit between a set of railroad tracks.

SMP Track Mat

Model #	Mfg #	Description	Absorbs	Packaging
OILM5992	RHRR59100	SMP Track Mat, 59" x 100'	68 gallons	1/bag
OILM5991	RHRR191002	SMP Track Mat, 19" x 100'	45 gallons	2/bag



Ground Guards

Ground Guards are an economical way to help keep your boatyard clean and to help protect waterways from harmful, contaminated run-off. Two sizes to choose from depending on the size of your boat. The geotextile is made from a high-quality polypropylene which will not rip or tear. Ground Guards will catch paint chips and oils that run off boats during power washing or just general maintenance or painting. Ground Guards will act as a filter for contaminants. This product is reusable.

Ground Guard

Model #	Mfg #	Description	Packaging
OILM6023	RHGNP50	15' x 50', Geotextile Ground Guard	1/pack
OILM6024	RHGNP25	15' x 25', Geotextile Ground Guard	1/pack





Used to absorb large amounts of fluids where a pad just isn't enough. Also good to use in tight, hard-to-reach areas. Use oil-only pillows on both land and water. Great in coolant tanks and sump wells. Use our universal pillows for MRO liquids and our hazmat pillows for acids, bases and unknown liquids.

Pillows

Model #	Mfg #	Description	Sorbent Capacity	Packaging	Absorbs
915-0	PILW91516	9" x 15"	17 gallons/case	16/case	oil-only
1818-0	PILW181816	18" x 18"	28 gallons/case	16/case	oil-only
1824-0	PILW182415	18" x 24"	30 gallons/case	15/case	oil-only
915-U	PILG91516	9" x 15"	17 gallons/case	16/case	universal
1818-U	PILG181816	18" x 18"	28 gallons/case	16/case	universal
1824-U	PILG182415	18" x 24"	30 gallons/case	15/case	universal
915-H	PILY91516	9" x 15"	17 gallons/case	16/case	hazmat
1818-H	PILY181816	18" x 18"	28 gallons/case	16/case	hazmat
1824-H	PILY182415	18" x 24"	30 gallons/case	15/case	hazmat

Mesh Bag Pillow

Polypropylene particulate encased in a nylon mesh bag. Used to absorb larger spills on water. Just toss it on the spill. Floats for easy retrieval, even when saturated.

Mesh Bag Pillow

Model #	lodel # Mfg # Description		Absorbs	Packaging
OILM3598	PILWMB142410	Mesh Bag Pillow, 14" x 24"	37 gallons	10/bale

Spaghetti Pillow

For oil-based liquids, not water or water-based chemicals. These pillows are filled with hydrophobic polypropylene spaghetti strips designed to absorb thick oils off water. Ideal for use in fast-flowing waters. Easily deployed into storm drains. Rope loop allows for easy retrieval from land or boat. The tough outer mesh is UV-resistant for long-term outdoor use.

Spaghetti Pillow

Model #	Mfg #	Description	Sorbent Capacity	Packaging
OILM3597	PILWMS24245	Spaghetti Pillows, 15" x 15"	31 gallons/bag	10 pillows/bag





Sturdy, absorbent socks are used to absorb and contain spills around machines or drums. Wrap socks around machinery to act as a dike. Also use socks to surround the spill, preventing liquids from spreading over the plant floor or down drains. These products are available in many types and sizes. Socks are color-coded to match our pads and rolls for safety and ease of use—choose the right one for your application.

Oil-Only Sock

These socks will not absorb water or water-based liquids. Highly absorbent and dust-free, these socks help keep a clean and safe working environment. Use these socks outdoors if needed.

Oil-Only Sock

Model #	Mfg #	Description	Sorbent Capacity	Packaging
S4B	S0CW34830	3" x 4'	30 gallons/case	30 socks/case
S4B-10	S0CW34810	3" x 4'	10 gallons/case	10 socks/case
S8B	SOCW39615	3" x 8'	30 gallons/case	15 socks/case
S12B	S0CW314410	3" x 12'	30 gallons/case	10 socks/case
S20B	S0CW32406	3" x 20'	30 gallons/case	6 socks/case



Universal/Maintenance Sock

Our most versatile sock, specially treated to absorb oils, coolants, solvents and water-based fluids. These socks also can be used for some chemicals as well, but to be extra safe when picking up caustic chemicals, we recommend using our hazmat socks, which are color-coded yellow for safety.

Universal/Maintenance Sock

Model #	Mfg #	Description	Sorbent Capacity	Packaging
S4G	S0CG34830	3" x 4'	30 gallons/case	30 socks/case
S8G	SOCG39615	3" x 8'	30 gallons/case	15 socks/case
S12G	S0CG314410	3" x 12'	30 gallons/case	10 socks/case
S20G	S0CG32406	3" x 20'	30 gallons/case	6 socks/case




Hazmat Sock

Use hazmat socks for caustic fluids or fluids of an unknown origin. These 100% polypropylene socks soak up nearly any acid, base or solvent. Color-coded, so you know what to expect when you see them being used.

Hazmat Sock

Model #	Mfg #	Description	Sorbent Capacity	Packaging
S4Y	S0CY34830	3" x 4'	30 gallons/case	30/case
S4Y-10	S0CY34810	3" x 4'	10 gallons/case	10/case
S8Y	S0CY39615	3" x 8'	30 gallons/case	15/case
S12Y	S0CY314410	3" x 12'	30 gallons/case	10/case



Corn Cob Sock

This is an excellent sock at a great value. Corn cob filler makes the socks highly flexible and easily moldable around tight corners. These socks will not absorb aggressive fluids.

Corn Cob Sock

Model #	Mfg #	Description	Sorbent Capacity	Packaging
S4CC	SOCCC34220	3" x 42"	20 gallons/case	40/case



Universal Super Sock

This sturdy, absorbent sock, filled with superabsorbent foam, will soak up gasoline, water and water-based fluids faster than any other sock. This sock also retains fluids better than any other sock.

Universal Super Sock

Model #	Mfg #	Description	Sorbent Capacity	Packaging
S4CPB	SOCCLU34830	3" x 4'	30 gallons/case	30/case




Roll-off Super Sock

These super-absorbent socks are made with a blend of recycled cellulose and SAP (super-absorbent polymer). The SAP will lock the water in place so no leaching will occur. Best used in the tail end of roll-off containers or dump trucks to prevent leakage while on the road.

Roll-off Super Sock

Model #	Mfg #	Description	Sorbent Capacity	Packaging
S7CPB	SOCXLDS7965	7" x 8'	41 gallons/bale	5/bale



Well Sock

Designed specifically for absorbing hydrocarbons from wells. The $1\frac{1}{2}$ " diameter and the loop-on end allow for easy lowering and retrieval from monitoring wells.

Well Sock

Model #	Mfg #	Description	Size	Absorbs	Packaging
OILM206	S0CW32420	Well Socks	1.5" x 2'	5.5 gallons	20/case



Bilge Sock

Prevent costly fines from oil discharge into navigable waters. Bilge socks prevent pollution by absorbing the oil, gasoline and diesel that can accumulate in the bilge of a boat. Most boats are expected to require one or two bilge socks during each boating season to capture oil and fuel leaking into their bilge compartments.

Bilge Sock

Model #	Mfg #	Description	Size	Absorbs	Packaging
OIL450	BW31820	Bilge Socks	3" x 18"	8 gallons	20/case



Bilge Boom (Mini Boom)

For use in boat bilges of all sizes. Use the 8" x 18" in commercial size boats and the 5" x 15" in smaller pleasure crafts. Like the smaller bilge sock, these highly absorbent mini booms will help prevent pollution of our marine waters. Booms will absorb oils and fuels and will float on water.

Bilge Boom

Model #	Mfg #	Description	Size	Absorbs	Packaging
OILM3017	BW51512	Mini Boom	5" x 15"	12 gallons	12/case
OILM3019	BW81810	Mini Boom	8" x 18"	28 gallons	10/case



Drip Pans

This new style drip pan comes with a removable sorbent pillow which allows you to keep the pan and just change out the pillow.

This means you spend less, and you help save the environment by not throwing out the pan every time it needs to be changed. The low profile is easy to fit in tight spaces where leaking spigots are a problem. When full, tray will hold up to three-quarters of a gallon. Replacement pillows sold separately.





Drip Pans

Model #	Mfg #	Description	Sorbent Capacity	Absorbs	Packaging
DP-U	DPU1010	Drip Pans, 10.5" x 10.5" x 3"	12 gallons/case	universal	16/case
DP-0	DP01010	Drip Pans, 10.5" x 10.5" x 3"	12 gallons/case	oil only	16/case
DPP-U	DPUR1010	Drip Pan Replacement Pillows	12 gallons/case	universal	16/case
DPP-0	DP0R1010	Drip Pan Replacement Pillows	12 gallons/case	oil only	16/case

Drum Tops

Keep your drum containment area neat and clean with pre-cut 55-gallon drum tops. Available in both oil-only and universal.



Drum Tops

Model #	Mfg #	Description	Sorbent Capacity	Absorbs	Packaging
D22-0	PHWFFDT25	Drum Tops, 22" diameter	7 gallons/bale	oil-only	25/bale
D22-U	PHDTGFF25	Drum Tops, 22" diameter	7 gallons/bale	universal	25/bale
DL22-0	PSBFFDT25	Lt. Wt. Drum Tops, 22" diameter	3.5 gallons/bale	oil-only	25/bale
DL22-U	PSDTGFF25	Lt. Wt. Drum Tops, 22" diameter	3.5 gallons/bale	universal	25/bale

Particulate

Chopped polypropylene can be used on both land and water. A dust-free alternative to clay.

Particulate

Model #	Mfg #	Description	Sorbent Capacity	Absorbs	Packaging
PT-0	PART25W	Shredded Particulate	35 gallons/bale	oil-only	1 box



Roll Rack

This freestanding vertical roll rack on wheels keeps rolls off messy floors for easy access when you need them. Fits any roll up to 30" wide.

Roll Rack

Model #	Mfg #	Description
OILM5040	SRRACK	Vertical Sorbent Roll Rack on Wheels, holds rolls up to 30" in width

SPILL KITS

Nobody wants an oil spill—

but accidents do happen. Don't be caught unprepared! Like a fire extinguisher is to a fire, a spill kit is to an oil or chemical spill. Choose the right kit for your company's needs.





30-gallon Universal Spill KitPage 32

Kit



20-gallon Universal Spill KitPage 32



5-gallon Truck Spill KitPage 33

X-Large Spill Cart on Wheels

This kit was designed for maximum mobility. Spill cart comes with all-terrain, 8" semi-pneumatic wheels. Decrease your response times by having a spill cart on site. Locking clasp is optional.

X-Large Spill Cart

Model #	Mfg #	Description	Absorbs
OILM7066	KIT01026	Oil-only	170 gallons
OILM7068	KITU1024	Universal	170 gallons
OILM7069	KITH1016	Hazmat	170 gallons

Cart only

Model #	Mfg #	Description
KIT1061	KITX1101	44" x 44" x 29.5" ID, 8" Semi-pneumatic Wheels

Kit Contents

150 Pads (15" x 19") 18 Socks (3" x 10') 55 Socks (3" x 4') 17 Pillows (18" x 18") 200 Wipes 30 Disposal Bags w/Ties 2 Pairs Nitrile Gloves 1 Emergency Response Guidebook





Large Spill Cart on Wheels

Large Spill Cart

Model #	Mfg #	Description	Absorbs
OILM7092	KIT01035	Oil-only	108 gallons
OILM7093	KITU1031	Universal	108 gallons
OILM7094	KITH1022	Hazmat	108 gallons

Cart only

Model #	Mfg #	Description
OILM7095	KITX1102	43.5" x 29" x 34", 4" Rubber Casters

Kit Contents

100 Pads (15" x 19") 24 Socks (3" x 4') 12 Socks (3" x 12') 8 Pillows (18" x 18")

- 5 Disposal Bags w/Ties
- 1 Pair Goggles
- 1 Pair Nitrile Gloves
- 1 Emergency Response Guidebook



50-Gallon Mobile Spill Kit

50-gallon polyethylene container with hinged lid helps to protect absorbents from moisture, dirt and damage; hinged lid provides easy access. Packed with a wide variety of absorbents (socks, pads, pillows and loose absorbents). Ideal for quick response to spills anywhere in your plant. Heavy-duty 8" rubber wheels roll easily over any terrain, indoors or out. Built-in handles allow you to steer this kit easily.

50-Gallon Mobile Spill Kit

Model #	Mfg #	Description	Absorbs	Packaging	Weight
KIT1040	KIT01004	Oil-only	37 gallons	1	107 lbs.
KIT1041	KITU1004	Universal	37 gallons	1	107 lbs.



Spill Kaddie Kit

Are you sick of digging through overpacks to find your pads or pillows? If so, try this convenient kaddie kit on wheels. Two barn-style doors allow you to open the kit from the front and see the total kit contents so you can grab what you need immediately. Since the kaddie is on wheels, you also can wheel over to the spill with ease.

Spill Kaddie Kit

Model #	Mfg #	Description	Absorbs
OILM6986	KIT01009	Oil-only	30 gallons
OILM6987	KITU1007	Universal	30 gallons
OILM6988	KITH1002	Hazmat	30 gallons

Cart only

Model #	Mfg #	Description
OILM6985	KITX1100	40" x 20" x 20", 4" Rubber Casters

Kit Contents

100 Pads (10" x 14")

- 6 Socks (3" x 4')
- 4 Pillows (9" x 15")
- 3 Disposal Bags w/Ties
- 1 Pair Goggles
- 1 Pair Nitrile Gloves
- 1 Epoxy Stick
- 1 Emergency Response Guidebook



Spill Kits on Wheels

Wheeled overpack spill kits are very popular in industrial plants and factories. Since you can't bring the spill to the kit, bring the kit to the spill with a wheeled salvage drum. Both the 95-gallon and 50-gallon models allow the user to maneuver ample absorbents wherever a spill occurs.

95-Gallon Spill Kit on Wheels

Model #	Mfg #	Description	Absorbs
SPK95-0-W	KIT01033	Oil-only w/Wheels	73 gallons
SPK95-U-W	KITU1029	Universal w/Wheels	73 gallons
SPK95-H-W	KITH1020	Hazmat w/Wheels	73 gallons

Kit Contents

1 95-gallon Overpack on Wheels 100 Pads (15" x 19")

- 12 Socks (3" x 4')
- 8 Socks (3" x 12')
- 8 Pillows (18" x 18") 3 Disposal Bags w/Ties
- 1 Pair Nitrile Gloves
- 1 Emergency Response Guidebook

50-Gallon Spill Kit on Wheels

	_		
Model #	Mfg #	Description	Absorbs
SPK50-0-W	KIT01016	Oil-only w/Wheels	47 gallons
SPK50-U-W	KITU1016	Universal w/Wheels	47 gallons
SPK50-H-W	KITH1008	Hazmat w/Wheels	47 gallons

Kit Contents

- 1 50-gallon Overpack on Wheels
- 100 Pads (15" x 19")
- 6 Socks (3" x 4')
- 4 Pillows (18" x 18")
- 2 Pairs Nitrile Gloves
- 10 Disposable Bags w/Ties
- 1 Emergency Response Guidebook
- 1 Jar of Plug 'n' Dike
- 1 Pair Goggles



95-Gallon Spill Kit

Model #	Mfg #	Description	Absorbs
SPK95-0	KIT01022	Oil-only	73 gallons
SPK95-U	KITU1022	Universal	73 gallons
SPK95-H	KITH1014	Hazmat	73 gallons



Kit Contents

- 1 95-gallon Overpack 100 Pads (15" x 19")
- 12 Socks (3" x 4') 8 Socks (3" x 12')
- 8 Pillows (18" x 18")
- 3 Disposal Bags w/Ties
- 1 Pair Nitrile Gloves
- 1 Emergency Response Guidebook

65-Gallon Spill Kit

Model #	Mfg #	Description	Absorbs
SPK65-0	KIT01020	Oil-only	46 gallons
SPK65-U	KITU1020	Universal	46 gallons
SPK65-H	KITH1012	Hazmat	46 gallons



Kit Contents

- 1 65-gallon Overpack 50 Pads (15" x 19")
- 10 Socks (3" x 4')
- 5 Socks (3" x 10')
- 6 Pillows (18" x 24")
- 3 Disposal Bags w/Ties
- 1 Pair Nitrile Gloves
- 1 Emergency Response Guidebook

55-Gallon Spill Kit

Model #	Mfg #	Description	Absorbs
SPK55-0	KIT01028	Oil-only	44 gallons
SPK55-U	KITU1026	Universal	44 gallons
SPK55-H	KITH1018	Hazmat	44 gallons



Kit Contents

- 1 55-gallon Drum
- 50 Pads (15" x 19")
- 12 Socks (3" x 4') 8 Pillows (18" x 18")
- 1 Pair Goggles
- 5 Disposal Bags w/Ties
- 1 Pair Nitrile Gloves
- 1 Emergency Response Guidebook

30-Gallon Spill Kit

Model #	Mfg #	Description	Absorbs
SPK30-0	KIT01018	Oil-only	18 gallons
SPK30-U	KITU1018	Universal	18 gallons
SPK30-H	KITH1010	Hazmat	18 gallons



Kit Contents

- 1 30-gallon Drum
- 25 Pads (15" x 19")
- 4 Socks (3" x 4')
- 4 Pillows (18" x 24")
- 3 Disposal Bags w/Ties
- 1 Pair Nitrile Gloves
- 1 Emergency Response Guidebook

20-Gallon Spill Kit

Model #	Mfg #	Description	Absorbs
SPK20-0	KIT01013	Oil-only	14 gallons
SPK20-U	KITU1011	Universal	14 gallons
SPK20-H	KITH1005	Hazmat	14 gallons



Kit Contents

- 1 20-gallon Lab Pack
- 15 Pads (15" x 19")
- 4 Socks (3" x 4')
- 1 Sock (3" x 12')
- 2 Pillows (18" x 18") 3 Disposal Bags w/Ties
- 1 Spill Caution Sign
- 1 Pair Nitrile Gloves
- 1 Emergency Response Guidebook

14-Gallon Spill Kit

Model #	Mfg #	Description	Absorbs	
SPK14-0	KIT01011	Oil-only	9 gallons	
SPK14-U	KITU1014	Universal	9 gallons	



Kit Contents

- 1 14-gallon Lab Pack 10 Pads (15" x 19")
- 1 Sock (3" x 4')
- 2 Socks (3" x 8')
- 1 Bag of Universal **Granular Absorbent**
- 2 Disposal Bags w/Ties

Wall Mount Cabinet Spill Kit

Spill cabinet is manufactured with rugged, welded-steel construction and easily installs on wall. The see-through front panel allows you to check absorbent inventory levels quickly and easily.

Large Wall Mount Kit Contents	Small Wall Mount Kit Contents
80 Pads (15" x 19")	10 Pads (15" x 19")
2 Socks (3" x 4')	2 Socks (3" x 4')
3 Socks (3" x 10')	2 Socks (3" x 10')
8 Pillows (18" x 24")	3 Pillows (9" x 15")
10 Disposal Bags w/Ties	5 Disposal Bags w/Ties
50 DRC Wipers	50 DRC Wipers
1 Pair Nitrile Gloves	1 Pair Nitrile Gloves
1 20"W x 12.25"D x	1 13.75"W x 12.75"D x
32.25"H Cabinet	30"H Cabinet



Model #	Mfg #	Description	Absorbs	Packaging	Weight
KIT1015	KIT01001	Oil-only, large	18 gallons	1	49 lbs.
KIT1016	KITU1001	Universal, large	18 gallons	1	49 lbs.
KIT1017	KITH1000	Hazmat, large	18 gallons	1	49 lbs.

^{*}Cabinet color is yellow only. Not available in white.

Small Wall Mount Cabinet**

Model #	Mfg #	Description	Absorbs	Packaging	Weight
KIT1012	KIT01000	Oil-only, small	12 gallons	1	15 lbs.
KIT1013	KITU1000	Universal, small	12 gallons	1	15 lbs.
KIT1014	KITH1034	Hazmat, small	12 gallons	1	15 lbs.

^{**}Cabinet color is white. Yellow is available through special order.

KIT1013



Truck Spill Kit

The compact design of our truck spill kit allows for easy storage behind the seat or in a storage compartment. The kit allows drivers to act quickly when responding to a spill. Kits also come in a plastic bucket that can be stored outside of the cab for easy access.



Model #	Mfg #	Description	Absorbs
SK5-0	KIT01007	Oil-only, in 6.5 Gallon Bucket	5 gallons
SK5-U	KITU1010	Universal, in 6.5 Gallon Bucket	5 gallons
SKB-0	KIT01006	Oil-only, in Clear Poly Bag w/Zipper	5 gallons
SKB-U	KITU1009	Universal, in Clear Poly Bag w/Zipper	5 gallons



Poly-Zip Bag and Bucket Kits Contents 10 Pads (15" x 19")

3 Socks (3" x 4')

2 Disposal Bags w/Ties 1 Pair Nitrile Gloves

Foil Bag Response Kit

Heat-sealed kits allow you to determine if the kit has been used or not. Economical and space-saving. This kit is packed in a puncture-proof, water- and UV-resistant sealed bag and is intended for single use. Packed 5 kits/case.

Model #	Mfg #	Description	Absorbs
SKFB-0	KIT01008	Oil-only Foil Kit	absorbs up to 5 gallons
SKFB-U	KITU1006	Universal Foil Kit	absorbs up to 5 gallons
SKFB-H	KITH1001	Hazmat Foil Kit	absorbs up to 5 gallons

Foil Bag Kit Contents 15 Pads (15" x 19") 3 Socks (3" x 4') 2 Disposal Bags w/Ties 1 Pair Nitrile Gloves 1 Pair Goggles

Spill Kit in High-Visibility Bag

- Durable, water-resistant bag with zipper closure
- Temporary disposal bags help make cleanup easier
- Bright yellow bag makes the kit easy to locate
- Strap for easy carrying and hanging
- Compact and easy to store makes a great truck spill kit

Model #	Mfg #	Description	Absorbs	Packaging
SKYB-0	KIT01015	Oil-only	5 gallons	1
SKYB-U	KITU1013	Universal	5 gallons	1



Kit Contents Yellow Carrying Bag 10 Pads (15" x 19") 3 Socks (3" x 4') 2 Disposal Bags w/Ties 1 Pair Nitrile Gloves

Emergency Spill Sack

Portable spill kit packed in a reusable drawstring sack.

Model #	Mfg #	Description	Absorbs
OILM7076	KITU1028	Universal Spill Sack	absorbs up to 7 gallons
OILM7077	KIT01030	Oil-only Spill Sack	absorbs up to 7 gallons



Kit Contents 1 Black Nylon Sack 10 Pads (15" x 19") 2 Socks (3" x 4') 1 Pillow (18" x 18") 2 Disposal Bags w/Ties 1 Pair Nitrile Gloves

Tote Bag Spill Response Kit

This durable tote bag kit is constructed of double-wall, vinyl-coated canvas that stands up to demanding industrial environments. Makes

and easy task.

Kit Contents

- 1 Zipper Tote Bag
- 15 Pads (15" x 19")
- 3 Socks (3" x 4')
- 1 Repair Putty Stick
- 1 Tychem QC Protective Suit
- 1 Pair Chemical Goggles
- 1 Pair Nitrile Gloves
- 5 Disposable Bags w/Ties



Model #	Mfg #	Description	Absorbs	Packaging	Weight
OILM7107	KITU1033	Universal Tote Bag Kit	absorbs up to 6 gallons	1	11 lbs.



Marine Spill Kit

Response time is crucial when it comes to cleaning a fuel or oil spill on water. The faster you respond, the easier it is to minimize damage to the environment and avoid costly fines. This kit provides you with almost everything you need to become an efficient first responder.

Model #	Mfg #	Description	Absorbs
OILM7065	KIT01024	Oil-only	62 gallons

Marine Dock Box Spill Kit

Sometimes you don't want your spill kit to stand out as much as our "safety yellow" commercial version. This kit comes packed in a high-quality dock box that can be secured to the dock.

Model #	Mfg #	Description	Absorbs
OILM7083	KIT01031	Oil-only	86 gallons

Kit Contents

- 65 Gallon Overpack
- 75 Oil-only Pads (15" x 19")
- 4 Booms (5" x 10')
- 4 Pillows (18" x 24")
- 3 Disposal Bags w/Ties

Kit Contents

- 1 Dock Box
- 100 Pads (15" x 19")
- 4 Booms (5" x 10')
- 4 Pillows (18" x 18")
- 1 Bag Absorbent W Granular (10 lbs.)
- 1 Brick of Rags (5 lbs.)
- 1 Folding Shovel
- 5 Disposal Bags w/Ties
- 1 Pair Goggles
- 2 Pairs Nitrile Gloves
- 1 Emergency Response Guidebook

Overpack Covers

Hi-viz overpack cover protects spill response supplies indoors and out. Impermeable material blocks water, dust and debris, as well as UV light that can damage polypropylene sorbents.

Model #	Mfg #	Description	Packaging
CON0210	KITX1000	Large Overpack Cover, fits 65 and 95 gallon overpacks	1/package
CON0211	KITX1001	Small Overpack Cover, fits 20, 30 and 55 gallon overpacks & drums	1/package







X-Large Spill Cart on Wheels

Model #	Mfg #	Description
OILM7066-R	KIT01027	X-Large Spill Cart on Wheels, Oil-only Refill
OILM7068-R	KITU1025	X-Large Spill Cart on Wheels, Universal Refill
OILM7069-R	KITH1017	X-Large Spill Cart on Wheels, Hazmat Refill

Large Spill Cart on Wheels

Model #	Mfg #	Description
OILM7092-R	KIT01036	Large Spill Cart on Wheels, Oil-only Refill
OILM7093-R	KITU1032	Large Spill Cart on Wheels, Universal Refill
OILM7094-R	KITH1023	Large Spill Cart on Wheels, Hazmat Refill

95-Gallon Overpack

Model #	Mfg #	Description
SPK95-0-R	KIT01023	95-Gallon Oil-only Refill
SPK95-U-R	KITU1023	95-Gallon Universal Refill
SPK95-H-R	KITH1015	95-Gallon Hazmat Refill

50-Gallon Overpack on Wheels

Model #	Mfg #	Description
SPK50-0-W-R	KIT01017	50-Gallon Overpack on Wheels, Oil-only Refill
SPK50-U-W-R	KITU1017	50-Gallon Overpack on Wheels, Universal Refill
SPK50-H-W-R	KITH1009	50-Gallon Overpack on Wheels, Hazmat Refill

Spill Kaddie Kit

Model #	Mfg #	Description	
OILM6986-R	KIT01010	Spill Kaddie Kit, Oil-only Refill	
OILM6987-R	KITU1008	Spill Kaddie Kit, Universal Refill	
OILM6988-R	KITH1003	Spill Kaddie Kit, Hazmat Refill	

50-Gallon Mobile

Model #	Mfg #	Description
KIT1040-R	KIT01005	50-Gallon Mobile Spill Kit, Oil-only Refill
KIT1041-R	KITU1005	20-Gallon Mobile Spill Kit, Universal Refill

65-Gallon Overpack

Model #	Mfg #	Description
SPK65-0-R	KIT01021	65-Gallon Oil-only Refill
SPK65-U-R	KITU1021	65-Gallon Universal Refill
SPK65-H-R	KITH1013	65-Gallon Hazmat Refill

55-Gallon Drum

Model #	Mfg #	Description
SPK55-0-R	KIT01029	55-Gallon Oil-only Refill
SPK55-U-R	KITU1027	55-Gallon Universal Refill
SPK55-H-R	KITH1019	55-Gallon Hazmat Refill

30-Gallon Drum

Model #	Mfg #	Description
SPK30-0-R	KIT01019	30-Gallon Oil-only Refill
SPK30-U-R	KITU1019	30-Gallon Universal Refill
SPK30-H-R	KITH1011	30-Gallon Hazmat Refill

20-Gallon Lab Pack

Model #	Mfg #	Description
SPK20-0-R	KIT01014	20-Gallon Oil-only Refill
SPK20-U-R	KITU1012	20-Gallon Universal Refill
SPK20-H-R	KITH1006	20-Gallon Hazmat Refill

14-Gallon Lab Pack

Model #	Mfg #	Description
SPK14-0-R	KIT01012	14-Gallon Oil-only Refill
SPK14-U-R	KITU1015	14-Gallon Universal Refill

Marine

Model #	Mfg #	Description
OILM7065-R	KIT01025	65-Gallon Oil-only Refill
OILM7083-R	KIT01032	Dock Box Oil-only Refill

Acid Spill Kit

Ideally used in battery shops or any area prone to leaking caustics. Have one on hand in case of an emergency. Absorbs up to 5 gallons.

Model #	Mfg #	Description	Weight	
OILM7005	KITA1000	Acid Spill Kit	9 lbs.	

Kit Contents

- 1 2-lb. Shaker Neutralizers
- 5 Acid-absorbing Pads
- 2 Socks
- 2 Disposal Bags w/Ties
- 1 Scoop
- 1 Pair Goggles
- 1 Pair Nitrile Gloves



Wall Mount Chemical/ Solvent Kit

This kit includes everything needed to neutralize and clean up chemicals and solvents. Mount this kit or take it with you to a spill. This spill treatment kit neutralizes and solidifies caustic spills and will absorb organic solvents.

Model #	Mfg #	Description	Weight
OILM7021	KITH1007	Wall Mount Spill Kit	30 lbs.

Kit Contents

- 1 Wall Mount Cabinet
- 5 Absorbent Pads (15" x 19")
- 1 Sock (3" x 4')
- 1 Shaker Acid Neutralizers
- 1 Shaker Base Neutralizers
- 1 Shaker Solvent Neutralizers
- 1 Scoop
- 1 Pair Goggles
- 2 Disposal Bags w/Ties
- 2 Pairs Nitrile Gloves



Mercury Spill Kit

Provides safe cleanup and vapor suppression when responding to a mercury spills

Model #	Mfg #	Description	Weight
KIT7006	KITM1000	Mercury Spill Kit	6 lbs.

Kit Contents

900 grams of Mercury Absorbent Powder


- 10-count Mercury Wipes
- 1 Pair Goggles
- 1 Pair of Gloves
- 1 Broom and Dust Pan
- 1 each Disposal Bag and Tie



Emergency Response Guidebook

Anyone responding to spills should have one. This book provides important information regarding various kinds of spilled chemicals and liquids.

Model #	Mfg #	Mfg # Description	
OILM001	KITX1003	Emergency Response Guidebook	1 lb.



3-D Spill Response Equipment Sign

Mounts on wall in your spill kit location area.

Model #	Mfg #	Description	Size
OILM7096	KITX1004	Spill Response Equipment Sign, Stand-Out Sign	14" L x 9" H



MARINE SPILL RESPONSE

The oceans cover 71 percent of the earth's surface and contain 97 percent of the earth's water.

With this in mind, we need to make sure we protect them and keep them clean for generations to come. We carry a variety of containment booms, skimmers and accessories to help aid in the protection of our waters and shorelines.



Oil Snare™

Oil Snare™ products were developed for the recovery of Bunker C, Crude Oil, and Numbers 4, 5 & 6 oil. Oil Snare utilizes the oil's natural stickiness to entrap it within thousands of plastic tentacles. Operative even in subfreezing conditions. Oil Snare products are made up of flat polypropylene ribbon yarn configured into two different products (Oil Snare Singles, Oil Snare on a Rope).

Oil Snare is hydrophobic, oleophilic, nontoxic or corrosive, non-scattering, inert, floats (will not sink) indefinitely. Oil Snare is resistant to rot and mildew after long storage and does not have a shelf life. Oil Snare products can be drained or doused with #1 or #2 oil which removes the heavy oils, allowing units to be reused if desired, and allowing recycling of extracted oil as downgraded fuel.

Model #	Mfg #	Description	Weight
OILM6050	MSRSNS30	Oil Snare Singles, 30/bag	15 lbs.
OILM6052	MSRSNR50	Oil Snare on a Rope, 30/50' rope	16 lbs.

Oil Snare will typically recover from 20 to 60 times its own weight, depending on the viscosity of the oil. The thicker the oil, the better Oil Snare adsorbent will work.

TYPICAL RECOVERY RATES (Lbs. of oil per lb. of Oil Snare adsorbent)

#6 oil – 64 lbs. @ 35°F
#6 oil – 32 lbs. @ 70°F
#5 oil – 24 lbs. @ 70°F
#5 oil – 16 lbs. @ 82°F
#4 oil – 18 lbs. @ 65°F
Alaskan crude – 40 lbs. @ -2°F

Skimmers

Skim-pak weir-type skimmers are simply the best skimmers money can buy. Skim-paks are lightweight and compact, easily deployed and operated by one person. The weir

automatically adjusts to the pump rate, continually maintaining a skim. Skim-pak skimmers can be set up for unattended operation or fitted with an operator control accessory package.



Drum Skimmers

Drum skimmers are constructed of lightweight aluminum and are designed for both portability and extreme durability on the toughest jobs. Available in 24", 36" and 48" versions. Single or multiple drum designs are also available. Ideal

for use on inland and marsh spills since it is capable of operating at water depths as shallow as 3". Recovery rates of up to 35 gallons per minute.



Call our office for further details on skimmers.




Permanent Containment Boom

The economical solution to provide continuous facility protection and containment. This permanent boom system features easy deployment, high visibility, and abrasion resistance. Permanent containment booms are designed for deployment

at permanent sites such as waterfront oil handling facilities, or around ships in repair or storage. This containment boom is more economical, lighter weight per foot, and has a higher buoyancy-to-weight ratio than other permanent booms.


Model #	Mfg #	Description	Weight
OILM092	MSRCBP1000	18" Permanent Boom, Universal Connectors, 175 oz. PVC	18" x 100'
OILM094	MSRCBP1001	18" Permanent Boom, Universal Connectors, 175 oz. PVC	18" x 50'
OILM262	MSRCBP1002	24" Permanent Boom, Universal Connectors, 175 oz. PVC	24" x 100'
OILM263	MSRCBP1003	24" Permanent Boom, Universal Connectors, 175 oz. PVC	24" x 50'



Response Boom

Use containment booms to surround and contain oil or sewage spills. Also used to retain debris. Can be used in fresh or salt water. Ideal for holding ponds, marinas, or spill response teams.

Model #	Mfg #	Description	Weight
OILM099	MSRCBR1000	6" Float, 12" Skirt, Universal Connectors, with Top Tension Cable	18" x 100'
OILM097	MSRCBR1001	6" Float, 12" Skirt, Universal Connectors, with Top Tension Cable	18" x 50'
OILM100	MSRCBR1003	6" Float, 12" Skirt, Universal Connectors	18" x 100'
OILM200	MSRCBR1004	3" Float, 5" Skirt, Slotted Tube Connectors	8" x 100'





Bulkhead Risers

Bulkhead risers are used to allow your containment booms to rise and fall with the tide. Fiberglass bulkhead riser with floats and connectors for 6" flange H beam. Easily mounted on docks or piers.

Model #	Mfg #	Description
OILM259	MSRCBA1001	24" Fiberglass Bulkhead Riser/Universal ASTM connectors
OILM267	MSRCBA1002	18" Fiberglass Bulkhead Riser/Universal ASTM connectors

Boom in a Bag

Ever find yourself needing a containment boom in a pinch, but you don't have the manpower to deploy the standard 18" containment boom? Or maybe an 18" boom is just too much for the job. Our new Boom in a Bag is the perfect solution. This highly compact, featherlight response boom is great for small spills of all kinds. Boom in a Bag has 50' of 8" containment boom, which consists of a 3" float and a 5" skirt. Made out of 22 oz. PVC, this boom uses lightweight, easy-to-use slotted tube connectors for easy connections. Stored in a PVC bag, one person is all it takes to carry and deploy. Great for marinas, because it won't take up much space. In fact, this boom could be stored in a closet or in the back of a pickup truck.

Model #	Mfg #	Description	Size
B00M1035	MSRCBS1500	Boom in a Bag, 3" Float, 5" Skirt, Slotted Tube Connectors	8" x 50'
B00M1036	MSRCBS1501	PVC Bag for storing "Boom in a Bag"*	

^{*}Bag sold separately



Danforth® Anchors

Danforth® anchors are used to secure booms to the ocean floor. This anchor has the traditional holding power which has always been associated with Danforth® anchors. The shank is made of high-strength steel. The steel flukes are strong and wide. Each anchor has a hot-dipped, galvanized coating for long-lasting protection.

Model #	Mfg #	Description	
OILM090	MSRCBA1004	22 lb. Danforth® Anchor	

Anchor Chain

Our 3/8" anchor chain is used to secure boom anchoring systems. Strengthens anchor hold and eliminates fouled anchor lines. Galvanized, oil-proof chain comes packed as 63'

packed as 63' of chain in a 5-gallon bucket.

Model #	Mfg #	Description
OILM087	MSRCBA1005	3/8" Anchor Chain, holds up 6,600 lbs.

Polyform Anchor Buoys

Polyform anchor buoys are a one-piece construction with a reinforced, rigid "rope hold" eye and unique vinyl valving system. Applications include commercial fishing, offshore oil research, and general commercial marine. Use the buoys with your containment boom anchoring system.



Model #	Mfg #	Description
OILM088	MSRCBA1003	Polyform Anchor Buoys, A-O Red

Galvanized Shackles

Galvanized shackles are used to connect anchors to chain.



Model #	Mfg #	Description
OILM089	MSRCBA1002	3/8" Screw Pin, Galvanized Shackles

Polypropylene Line

Polypropylene line is strong and resistant to mildew, rot and most chemicals. Use this in your containment boom anchoring system.



Model #	Mfg #	Description
OIL753	MSRCBA1008	Polypropylene Line, 1/2" x 600',
		3-Strand Twisted Rope

Tow Bridals

Use tow bridals to tow containment boom behind a boat. Fits all 18" booms with universal connectors.



Model #	Mfg #	Description
B00M1008	MSRCBA1007	Tow Bridal for 18" Containment Boom

WIPERS & RAGS

Maintaining a neat and clean workplace is essential for workers morale and safety.

Since the beginning of the industrial revolution, manufacturers have used knit rags to keep tools and equipment clean and looking good. Another common use is for personal hygiene while working on dirty jobs. In addition to the traditional knit rags, we also have a great selection of nonwoven wipers that are much more efficient to use in this day and age. Wipers come in a variety of sizes and put-ups. Choose the wipe best suited to your needs.





Red Spunlace Wipers on a Roll

Page 45



Blue Spunlace Wipers on a Roll

Page 46



Are you renting your shop rags from a uniform/linen rental company? Are you tired of getting overage charges on your monthly bills for lost rags? Ever wonder how you could lose so many rags? Do you find that each month there are extra charges for a damage fee, energy charge, delivery charge, replacement fee, or environmental/fuel surcharge? Rental companies are notorious for all of these extra fees. When you buy a disposal wiper that works just as well, if not better, you can eliminate all of those "add-on" charges. In addition to the obvious cost savings, there is also a real benefit that will help to ensure the safety of your employees or equipment. Metal shavings, oils and hazardous chemicals can be present on "clean" laundered rental shop towels, presenting both possible hazards to health and the possibility of machinery getting snagged. Spunlace wipers are great on heavy industrial tasks, cleaning oil, grease and grime. Also good for wiping solvents and cleaning rough surfaces.

Red Spunlace Wipers

Model #	Mfg #	Size & Description	Put-Up	Application
NWP400	WIP1100	13" x 14" Red Spunlace, Flatlay, Wiper	500/case	heavy duty
NWP401	WIP1101	13" x 20" Red Spunlace, Flatlay, Wiper	500/case	heavy duty

Red Spunlace on Roll

Model #	Mfg #	Size & Description	Put-Up	Application
NWP381	WIP1105	12" x 13" Red Spunlace on a Roll	475'/roll	heavy duty

White Spunlace Wipers

Model #	Mfg #	Size & Description	Put-Up	Application
NWP402	WIP1102	13" x 14" White Spunlace, Flatlay, Wiper	500/case	heavy duty
NWP403	WIP1103	20" x 13" White Spunlace, Flatlay, Wiper	500/case	heavy duty
NWP380	WIP1104	13" x 12" White Spunlace, Wiper	475'/roll	heavy duty

Wiper Roll Rack on Wheels

Model #	Mfg #	Size & Description
OILM5041	WRRACK	Wiper Roll Stand on Wheels



Blue Spunlace Wipers

Exceptionally clean, low-linting, absorbent, strong and durable wiping product. Soaks up to four times its weight in water; also absorbs oil and solvents. Washes easily. Can be reused again and again, yet is inexpensive enough to be disposable. Available in quarter fold or on a roll.





Blue Spunlace Wipers

Model #	Mfg #	Size & Description	Put-Up	Application
NWP398	WIP1001	12" x 15" Blue Spunlace, Wiper	440/roll	heavy duty
NWP351	WIP1000	12" x 13" Blue Spunlace, 1/4 Fold, Wiper	1,000/case	heavy duty
NWP356*	WIP1500	40" x 72" Spunlace Disposable Drop Cloths	72/case	heavy duty

All-Purpose DRC Wetlay Wipers

A cellulose-based disposable wiper offering incredible absorbency and softness with an unmatched wipe-dry ability. Made from 100% bonded cellulose, this general purpose, highly absorbent wiper is ideal for medium- to heavy-duty wiping applications and is an excellent replacement for airlay wipers. Best used for wiping up grease, oils and small spills. Used for cleaning parts and tools; soft enough for hands and face.

DRC Wetlay Wipers

Model #	Mfg #	Size & Description	Put-Up	Application
NWP02311	WIP1302	9" x 15" All-purpose Wetlay, Pop-up	8 boxes of 100	medium duty
NWP0252	WIP1301	9" x 240' Center-pull Wetlay in Box, 221 Wipes	1 box	medium duty
NWP026	WIP1300	12.5" x 13.5" All-purpose Wetlay, 1/4 Fold	20 packs of 50	medium duty

Polypropylene Wipers

Polypropylene wipers are designed for wiping tasks where low lint or use of chemicals is required. Made for critical applications involving solvents, inks and paints. Acid/base and solvent-resistant. Perfect for use with lubricants, oil and grease. Applications include: furniture finishing, engine assembly/repair, prepackaging wipe-down, LCD panel assembly, appliance assembly, printing and glass or window cleaning.

Polypropylene Wipers

Model #	Mfg #	Size & Description	Put-Up	Application
NWP395	WIP1200	9" x 17" Polypropylene Wipers	100 wipers/box, 5 boxes/case	heavy duty



Rags & Wiping Cloths

Sturdy, absorbent knit materials are used for general cleanup in maintenance and repair operations.

Model #	Mfg #	Description	Weight
WIP900	RAG1006	White T-Shirt	50 lbs.
WIP500	RAG1003	Colored T-Shirt (polo)	50 lbs.
WIP750	RAG1004	Underwear	50 lbs.
WIP60	RAG1001	Colored Sweatshirt (fleece)	50 lbs.
WIP975	RAG1000	Colored Flannel	50 lbs.

Brick of Rags (with easy access dispenser)

Model #	Mfg #	Description	Weight
WIP502	RAG1204	Polo T-Shirt Rags	5-lb. brick
WIP508	RAG1205	Polo T-Shirt Rags	25-lb. brick
WIP6008	RAG1200	Sweatshirt Rags	25-lb. brick
WIP352	RAG1202	Colored Terry Rags	5-lb. brick
WIP358	RAG1203	Colored Terry Rags	20-lb. brick







Absorbent and strong, prewashed and preshrunk red shop towels. Made with 100% heavyweight cotton fabric. Frequently used for wiping spills, grease, oil, tools, grime and fluids. Used in industrial facilities, machine shops and garages.

Red Shop Towels


Model #	Mfg #	Description	Weight
T0W802	RAG1007	New Shop Rags, red, 14" x 14"	500/case



GRANULARS/NEUTRALIZERS/BIOREMEDIATION

Granulars are used to clean the residuals from a spill that pads and rolls just won't get.

Some specialty granulars like hydrocarbon solidifiers will actually encapsulate oils, which is much better for the environment compared to being absorbed by traditional sorbents. Our large variety of specialty granulars will not only absorb hazardous chemicals, but will also neutralize them at the same time. This is something that sorbent pads and rolls won't do.





Floor-Dry Page 49



HCS PolymersPage 51

Oil-Dri™

All-purpose floor absorbent. This clay-based product is packaged in poly bags to protect against moisture.



Perlite

Perlite is a nontoxic, nonflammable, lightweight, environmentally safe and friendly absorbent that can absorb and hold most liquids, while leaving little or no residue. Less than half a pound of Perlite can completely absorb one quart of motor oil without leaving any residue to clean up. Clay, earth and sand products require 15 pounds of material to absorb the same amount and would leave a slippery residue.



Floor-Dry

Contains millions of natural microscopic diatom "sponges." Great, dust-free oil absorbent. Excellent lab pack media. A 20-lb. bag of Floor-Dry will absorb more than a 40-lb. bag of clay. All-purpose absorbent absorbs most liquids.



Vermiculite

Vermiculite is used as a lightweight filler, liquid absorbent, paint filler/texturing agent, and liquid waste solidification agent. Used during shipping and lab packing. Can be used on all liquids.



Model #	Mfg #	Description	Packaging	Bags/Pallet
OIL040	GRAN1000	Oil-Dri™ Floor Absorbent	40 lb. bag	50
OIL046	GRAN1001	Floor-Dry, Diatomaceous Earth	20 lb. bag	84
OIL051	GRAN1002	Perlite, #720 Floor Absorbent	25 lb. bag	30
OIL067	GRAN1003	Perlite, #720 Floor Absorbent	1.5 lb. handled canister	8/box, 240 boxes/pallet
OIL052	GRAN1004	Vermiculite	20 lb. bag	30

Cellulose

A universal/maintenance sorbent made from recycled cellulose. It absorbs six times more than clay. Other benefits: noncarcinogenic, lightweight, low dust and nonabrasive. Absorbs both oil and water.



Gran-sorb™

Lightweight, recycled paper waste soaks up oils, coolants, solvents, water, fuels and antifreeze. This is a safe product because paper waste is nontoxic and nonhazardous.



Model #	Mfg #	Size & Description	Packaging	Bags/Pallet
OILM7911	GRAN2000	Cellulose Floor Sweep	25 lb. bag	80
OIL057	GRAN2001	Absorbent W, Oil-only Cellulose	8 lb. bag	35
OIL041	GRAN2005	Gran-sorb™ Cellulose Absorbent	30 lb. bag	65
OIL055	GRAN2003	Dri-Zorb™ Coarse Corn Cob	40 lb. bag	50

Absorbent W

Made from 100% recycled cellulose pulp, treated to absorb oil-based liquids — not water. Hydrocarbons are absorbed into the fibers and will not leach or drain. Ideal for removing contaminants from water.



Dri-Zorb™

All-natural coarse corn cob is a great replacement for clay. Use this in most industrial applications. A great absorbent for cutting oils, greases, water, etc. This is not intended for use with aggressive fluids.





Our HCS Polymer Boom is ideal for use in the marine environment.

Perfect for use at fuel docks and marinas. The HCS Polymer Boom can be placed in scuppers on ships to prevent hydrocarbon run-off from the decks of commercial vessels, and in engine rooms or bilges to remove oil from water. Booms also can be used on land applications to prevent hydrocarbons from entering storm drains.



HCS polymers are used to solidify and suppress harmful vapors of sheen, gasoline, diesel and oils, including crudes, upon contact. The byproduct is a solid, rubber-like material that floats in water. Environmentally friendly, HCS polymer has been tested not harmful to aquatic life and waterfowl. The solidified byproduct is 100% recyclable as raw material for rubber and plastic production or asphalt, or can be burned as fuel.

Depending on your local and state regulations, HCS polymer also can be disposed of in a landfill. Other uses and applications are in the utility industry for SPCC Secondary Containment, and in oil contamination removal in underground vaults and manholes; HCS polymer also can be used to filter water in storm drains or industrial waste streams.

- > Nontoxic, noncarcinogenic, noncorrosive, nonhazardous
- > Nonbiodegradable; encapsulated waste will not produce a hazardous leachate
- > Solidifies up to 8 times its own weight
- > **Versatile** hydrophobic by nature, so you can use it to clean spills on both land and water
- > Safe and easy disposal





Model #	Mfg #	Description
OIL898	HCSP1000	HCS Polymer, 2.25" x 150' Boom, 2/drum
OIL900	HCSP1002	HCS Polymer, 2.25" x 25' Boom, 2/case
OIL940	HCSP1003	HCS Polymer, 3" x 10' Booms, 4/case
OIL899	HCSP1004	HCS Polymer, 3" x 18" Bilge Sock, 20/case
OIL941	HCSP1005	HCS Polymer, 12" x 12" Pillows, 2/case
OIL901	HCSP1006	HCS Polymer, Granular in 2.75 lb. Shaker Bottle
OIL897	HCSP1007	HCS Polymer, Granular, 20 lb. Drum
OIL915	HCSP1008	HCS Polymer, Granular, 100 lb. Drum



Super Absorbent Aqueous Polymer

Minimal Volume & Weight Increase = Lower Transportation & Disposal Costs

Used for cleaning water-based spills and sludge stabilization. Hazardous and nonhazardous industrial waste streams often must be solidified and stabilized to pass the paint filter test prior to placement in appropriately permitted landfills. Industrial solidification traditionally has involved the addition of various agents, including kiln dust, saw dust and portland cement. This significantly increases the volume of material requiring transportation and disposal. The polymers solidify industrial liquid wastes with a nominal volume increase and ensure that liquid wastes pass the paint filter liquids test. Given the capacity to retain substantial volumes of water, there is limited increase in weight of solidified mass, thereby minimizing transportation and disposal costs.

Used in the solidification and removal of hazardous, nonhazardous and radioactive waste, super absorbent polymers are finding new uses in industry. Our polymers have been proven to be more cost-effective than alternatives on the market. In fact, Super Absorbent Polymers can absorb up to 275 times their weight in liquid. (Also available in super sacks.)

Super Absorbent Aqueous Polymer

Model #	Mfg #	Description	Packaging
OIL906	AQP1000	Aqueous Polymer	50 lbs.

Aqueous Polymer/Bentonite Blend

Rapid solidification of aqueous sludge streams with residual organics and petroleum contamination

This is a blend of super absorbent aqueous polymers and bentonite and organo clay. The polymers will absorb up to 275 times their weight in water, and the bentonite clay will absorb the oil. This product is great for sludge stabilization prior to and during transportation. If you have hydrocarbons mixed in with your sludge, the aqueous polymer alone will not work; bentonite is needed to absorb the hydrocarbons.


Aqueous Polymer/Bentonite Blend

Model #	Mfg #	Description	Packaging
OIL927	AQP1001	Aqueous Polymer/Bentonite Blend	50 lbs.




Acid and Base Neutralizing Polymers: Pads, Socks, Pillows & Granulars

Used to neutralize and solidify a wide range of both acid and base spills, thus reducing the risk of possible workplace injuries. These highly effective spill control products contain a neutralizer, pH indicator and a super absorbent polymer to safely clean up aggressive chemical spills. Its unique formula reacts with the spilled chemical, converting the fluid into a gelled mass for safe, easy cleanup. A color change will appear letting you know that neutralization is taking place. Neutralizers are available in pillows, socks, pads and granular form.





Acid Neutralizer, 2 lb. Shaker



Acid Neutralizer, Sock

Model #	Mfg #	Description	Packaging	Weight
OILM280020	NEUT1000	Acid Neutralizer, 2 lb. Shaker	10/case	20 lbs.
OIL905	NEUT1001	Acid Neutralizers	5-gallon pail	40 lbs.
OILM280025	NEUT1002	Acid Pads, 11" x 12", 10 pads/pack	10 packs/case	7 lbs.
OILM280022	NEUT1003	Acid Socks, 2" x 4'	4/box	6 lbs.
OILM280023	NEUT1004	Acid Pillows, 12" x 12"	4/box	6 lbs.
OILM280030	NEUT2000	Base Neutralizer, 2 lb. Shaker	10/case	20 lbs.
OIL903	NEUT2001	Base Neutralizers	5-gallon pail	36 lbs.
OILM280031	NEUT2002	Base Pads, 11" x 12", 10 pads/pack	10 packs/case	7 lbs.
OILM280032	NEUT2003	Base Socks, 2" x 4'	4/box	6 lbs.
OILM280033	NEUT2004	Base Pillows, 12" x 12"	4/box	6 lbs.
OIL914	NEUT3000	Hydrofluoric Acid Neutralizers, 10 lb. bag	1/case	10 lbs.



Acid Neutralizer, Pillow



Acid Neutralizer, Pads

Acid Neutralizing Spill Kit

All absorbents in this specially designed kit both neutralize and soak up acidic spills; cleanups are more complete and safer. Use socks to confine spill before it can spread; use pads, pillows and granular neutralizer to soak up spill. Not for use on hydrofluoric acids.

Kit Contents

- 2 Acid Neutralizing Socks (2" x 4')
- 2 Acid Neutralizing Pillows (12" x 12")
- 2 Shaker Bottles Granular Neutralizer (2.5 lb.)
- 1 Splash Goggles
- 1 Pair Nitrile Gloves
- 1 Apron



Model #	Mfg #	Description	Sorbent Capacity	Packaging	Weight
KIT1050	KITA1001	Acid Neutralizing Spill Kit	absorbs up to 4 gallons	1	20 lbs.



Liquid Neutralizers

Liquid neutralizers generate less gas and heat during neutralization than dry formulas. Use liquid formula by spraying on vertical surfaces or pouring into tight corners and hard-to-reach areas. Use liquid HF Acid Eater for hydrofluoric acids. The standard liquid acid neutralizers cannot be used on hydrofluoric acid.

Liquid Neutralizers

	Model #	Mfg #	Description	Weight
	OIL904	NEUT1501	Acid Neutralizers in Liquid Form, 1 gallon, 4/case	36 lbs.
	OIL918	NEUT1502	Acid Neutralizers in Liquid Form, 5 gallons	45 lbs.
	OIL916	NEUT1503	Acid Neutralizers in Liquid Form, 55-gallon drum	510 lbs.
lF)	OIL928	NEUT3500	Hydrofluoric Acid Eater, 5 gallons	38 lbs.

HgX[®] Mercury Decontaminant Powder

For the reduction of toxic mercury vapor, HgX® is an inexpensive, water-soluble, nonhazardous, metallic-mercury/ sulfide-converting powder with a chelating compound and dispersing agent. It reacts rapidly, forming a film over the finely divided, nearly invisible beads of mercury and

reacting to produce a nonvaporizing sulfide. Further, HgX® keeps on working. Particles of HgX® left on cleaned surfaces are reactivated during subsequent cleaning.


HgX® is not harmful. None of its components are classified as toxic. It leaves no odor. And no allergic reactions ever have been reported, even after continuous use under various conditions.

HgX® is stable. It is supplied in polyethylene drums and can be stored safely up to one year without any loss of activity.

HgX® Mercury Decontaminant Powder

Model #	Mfg #	Description	Packaging
OILM7034	NEUT3600	Mercury Decontaminant Powder	5 lb. drum
OILM7035	NEUT3601	Mercury Decontaminant Powder	20 lb. drum
OILM7038	NEUT3602	Mercury Decontaminant Powder	1.5 lb. tub





Bioremediation is the process of using microorganisms to digest harmful contaminants and turn them into nontoxic compounds. Nature will heal itself, but it often takes a great amount of time. Using microbes helps speed up this process by concentrating the number of helpful microorganisms within a given area. Microscopic organisms digest hydrocarbons and transform them into harmless carbon dioxide and water. Bioremediation is a safe, natural process that produces no harmful byproducts. Since it can be done on site, it is often more cost-effective than having soil or water hauled away for burning or other reclamation. It is also safer for workers, because no harmful chemicals are used in the process.

Remediact™

RemediactTM is an innovative concept in the remediation of soil saturated with hydrocarbon contaminants. It is designed to allow industry to clean up and restore soil to its pre-contaminated condition. RemediactTM is a natural absorbent that has been specially treated with hydrocarbon-digesting microbes. These microbes have the ability to turn most hydrocarbons into carbon dioxide (CO²) and water. When used according to the directions, RemediactTM safely and effectively solves your contamination problems with very little labor and equipment expense, thereby making this product an essential part of your pollution control efforts.

Remediact™

Model #	Mfg #	Description	Packaging	Weight
OILM9023	BIOR1000	5-Gallon Container, Dry (no deeper than 2-3 feet)	1 each	35 lbs.
OILM9024	BIOR1001	5-Gallon Container, Liquid (used for 3 feet and deeper)	1 each	42 lbs.

CLEANERS/DEGREASERS

The title says it all—these products are used to clean and maintain your workplace, whether it be for industrial or commercial use.

We only offer products that won't harm you when in use. Our popular line of Simple Green® cleaners and degreasers helps keep your shop or plant clean at all times, and the best part about it—they won't harm the person using them, unlike some of the other hazardous cleaners that are on the market today.



Simple Green®

Page 57

Simple Green® Spray Bottle

Page 57

Original

Simple Green® is one of the most versatile all-purpose cleaners you can buy! It's nontoxic and biodegradable, without harmful bleach or ammonia. Because it is a concentrate, you can use Simple Green® full-strength or add water to clean just about anything. It replaces most cleaners, detergents, degreasers and solvents you're using now!

Simple Green®

Model #	Mfg #	Description	Packaging
SGR354	CDSG1000	24 oz. Bottle w/Sprayer	12/case
SGR353	CDSG1001	1-Gallon Bottle	6/case
SGR101	CDSG1002	5-Gallon Pail	1 each
SGR350	CDSG1003	55-Gallon Drum	1 each



Crystal

Crystal Simple Green® is formulated for critical cleaning applications that demand a fragrance-free solution. It is a highly effective, concentrated, all-purpose degreaser and cleaner. Because Crystal Simple Green® is fragrance-free, color-free, and has high rinsibility, it is an ideal and effective degreaser/cleaner for use in many industries.

Crystal Simple Green®

Model #	Mfg #	Description	Packaging
SGR200	CDSG1004	1-Gallon Bottle	6/case
SGR100	CDSG1005	5-Gallon Pail	1 each
SGR300	CDSG1006	55-Gallon Drum	1 each



Extreme

Extreme Simple Green®, Simple Green's® new aircraft and precision cleaning product, cuts through tough, built-up grease, oil, dirt, pollution, insect residue, and impact soils. We've found no other aircraft-approved product on the market that matches Extreme Simple Green's® cleaning performance. Yet it causes no harm to aircraft structural metals, plastics, paints or coatings.

Extreme Simple Green®

Model #	Mfg #	Description	Packaging
SGR450	CDSG1007	1-Gallon Bottle	4/case
SGR452	CDSG1008	5-Gallon Pail	1 each
SGR451	CDSG1009	55-Gallon Drum	1 each



Simple Green® is on the U.S. Environmental Protection Agency's National Contingency Plan schedule as a surface-washing agent for use in oil spills occurring in open waterways.

Simple Green **Safety Towels**®

Simple Green Safety Towels® are premoistened with nontoxic, biodegradable, industrial strength Crystal Simple Green.® These multi-purpose cleaning towels are the fast, easy, safe and effective way to remove soils from skin and industrial surfaces. Crystal Simple Green® is USDA-authorized for use in federally inspected meat and poultry plants. Colorless and odorless, both nonabrasive and abrasive sides.

Simple Green Safety Towels®

Model #	Mfg #	Description	Packaging
SGR1000	CDSG1010	Simple Green Safety Towels®	75 wipes/bucket, 6 buckets/case



Oil Grabber® **Oil Stain Remover**

Oil Grabber® Oil Stain Remover absorbs and lifts embedded oil stains without scrubbing!

Outperforms conventional liquid degreasers. Absorbs and lifts embedded oil stains as it dries from liquid to powder. The world's best oil stain remover. The only product proven effective on concrete. Also works on asphalt, composite/ wood decks, patios, pavers and more!

Removes stains from: antifreeze, brake fluid, cooking oils, diesel fluid, grease, hydraulic fluid, power steering fluid, tar, transmission fluid, tree sap and wax.

Use on: Asphalt (blacktop), concrete, composite decks, driveways, garage floors, masonry, patios, walkways, wood and more. A 32 oz. bottle treats 18 sq. ft.

No other single product removes really tough soils as quickly and effectively from so many different surfaces. Cuts grease, grime, oil, tar and wax fast! Removes dried latex paint — excellent tile and grout cleaner as well.

Oil Grabber®


Model #	Mfg #	Description	Packaging
KRUD1004	CDKK1004	32 oz. Bottle	6/case




STORM WATER MANAGEMENT

Clean water is essential for life on earth.

There are laws in the U.S. that prevent the discharge of pollutants into storm drains and/or directly into bodies of water. We offer a variety of products that are used in industrial, commercial and residential environments. These products protect our waters from being contaminated not only with oils and chemicals, but with loose sediments that are found on construction sites as well. You can never be over-prepared for situations like this. Check out the new Flood Control section as well. Lots of people have experienced flooding at one point in time—be prepared!





Drain ProtectorsPage 60



Drain GuardPage 62

Red Alert DrainProtector™ II

This DrainProtector™ is red in color and, unlike the Original DrainProtector,™ it's reversible. Either side can be used to form a tight seal to block out liquids. The lighter weight makes it easier to respond in an emergency and is less expensive.

Red Alert DrainProtector™ II

Model #	Mfg #	Description	Weight
OIL812	SWMDS1300	18" x 18" x 1/4" thick, square	4 lbs.
OIL813	SWMDS1301	24" x 24" x 1/4" thick, square	7 lbs.
OIL810	SWMDS1000	36" x 36" x 1/4" thick, square	15 lbs.
OIL797	SWMDS1201	42" x 42" x 1/4" thick, square	20 lbs.
OIL811	SWMDS1009	48" x 48" x 1/4" thick, square	26 lbs.
OIL824	SWMDS1006	36" x 60" x 1/4" thick, rectangle	27 lbs.
OIL816	SWMDS1002	12" diameter x 1/4" thick, round	2 lbs.
OIL815	SWMDS1003	20" diameter x 1/4" thick, round	5 lbs.
OIL818	SWMDS1004	30" diameter x 1/4" thick, round	10 lbs.
OIL819	SWMDS1005	42" diameter x 1/4" thick, round	17 lbs.



Stop spills before they go down the drain. These durable orange and yellow polyurethane drain covers are available in four different sizes. They adhere to the drain, making them virtually leak-proof. Overlap drain by at least 3".

Original DrainProtector™

_			
Model #	Mfg #	Description	Weight
OIL802	SWMDS1100	18" x 18" x 1/2" thick	8 lbs.
OIL801	SWMDS1101	24" x 24" x 1/2" thick	13 lbs.
OIL800	SWMDS1102	36" x 36" x 1/2" thick	29 lbs.
OIL803	SWMDS1103	48" x 48" x 1/2" thick	51 lbs.

DrainProtector™+

A modern version of the Original DrainProtector™. What makes this drain protector special is the extra-durable, glass fiber-reinforced top layer that allows you to drive over while being used, as well as protecting it from damaging UV rays.

DrainProtector™+

Model #	Mfg #	Description	Weight
OIL836	SWMDS1008	36" x 36" square	23 lbs.
OIL835	SWMDS1011	42" x 42" square	27 lbs.

Drain Cover Carrying Case

Store and protect your drain cover in this hard plastic carrying case.

Drain Cover Carrying Case

Model #	Mfg #	Description	Weight
OIL808	SWMDS1200	Drain Cover Carrying Case for 36" square	6 lbs.
OIL842	SWMDS1010	Drain Cover Carrying Case for 48" square	8 lbs.

Other sizes are available













Conical Plugs

Ideal for blocking circular drains before a spill, or as soon as one occurs. Kits are available and include 2", 3" and 4" plugs.

Conical Plugs

Model #	Mfg #	Description	Quantity	Weight
OIL805	SWMSS1002	2" Conical Plug	1	2 lbs.
OIL806	SWMSS1003	3" Conical Plug	1	2 lbs.
OIL804	SWMSS1004	4" Conical Plug	1	3 lbs.
OIL807	SWMSS1008	Conical Plug Kit	3	8 lbs.




Barrel Patch

Seals leaks fast on any 55-gallon drum. Use the 11' strap for larger tanks. Tough nylon belt fits around drums. Easy-to-use, ratcheting buckle ensures a tight seal. Simply place over the barrel, align patch over leak, and tighten. Cleans easily with soap and water.

Barrel Patch

Model #	Mfg #	Description	Size	Weight
OIL814	SWMSS1000	Barrel Patch	1" x 5" x 7", 11' strap	4 lbs.
011 820	SWMSS1001	Barrel Patch	1" x 5" x 7" 6' stran	3 lbs



Spill Dams

Contain and divert spills before contamination takes place. Made out of the same durable polyurethane as the drain covers, these dikes will temporarily bond to any smooth surface. Available in large and small. Use the connector to contain larger areas.

Spill Dams

Model #	Mfg #	Description	Size	Weight
OIL796	SWMSD1001	Small Connectat	ole Spill Dam 10' I x 2 1/4" w x 1 3/8"	h 13 lbs.
OIL798	SWMSD1000	Original 10' Spil	I Dam 10' I x 3 3/4" w x 2 1/4" h	30 lbs.

Spill Dam Connectors

Model #	Mfg #	Description
OIL799	SWMSD1002	Use connectors to connect original spill dams for more coverage



Tall Spill Dams

The taller version of the spill dam is used to contain and divert larger volumes of liquid. Flexible polyurethane construction is nonabsorbent and chemical-resistant. Easily cleans up with soap and water for repeated use. Built-in connectors allow you to attach them end to end.

Tall Spill Dams

Part #	Model #	Description	Size	Weight
OILM7378	SWM1211	Tall Spill Dam	5' x 4" x 4.5"	16 lbs.



Drain Guard

Storm water drain guard is designed for use in industrial facilities, construction sites and parking lots. Contains an oil-absorbent pillow that removes oils and greases from water flow as it passes through the drain guard. Nonwoven fabric removes dirt, sand and other sediments from storm water. Absorbs up to .87 gallons of oil and holds up to 40 pounds of sediment.





Model #	Mfg #	Description	Weight
OILM7322	SWM1101	Drain Guard, Oil & Sediment Model, 48" x 36" x 18"	2 lbs.


Helps comply with NPDES, 40 CFR 122.26 (1999)

Drain Guard, Curb-Insert Style

For use with combination catch basins with a street grate and curb opening. Heavy-duty tension rod secures drain guard inside curb inlet — stopping sediment and other contaminants from entering curb portion of storm drain. Fits grate sizes up to 40" x 40" and curb inlets up to 60" wide.

Model #	Mfg #	Description	Weight
OILM7326	SWM1102	Drain Guard, Curb-Insert Style, Oil & Sediment Model, Inlets 24"-42"	4 lbs.
OILM7330	SWM1103	Drain Guard, Curb-Insert Style, Oil & Sediment Model, Inlets 42"-60"	5 lbs.





Dewatering Bags

Use to remove both oils and sediment from a body of water. Attach to the end of a hose and pump water through it. The highly durable geotextile will eliminate hydrocarbons and sediment, while allowing the clean water to filter through. Choose from four different sizes.

Model #	Mfg #	Description	Capacity (cu. ft.)
OILM7396	SWM1203	3' x 4'	6
OILM7397	SWM1204	6' x 6'	18
OILM7398	SWM1205	10' x 15'	150
OILM7399	SWM1206	15' x 15'	225




Inflatable Pipe Plugs

Multi-size pipe plugs reinforced with Kevlar® have a wide application range. Plugs are made from a high-quality Neoprene rubber that will stand up to hydrocarbons. Each plug covers several pipe sizes. Multi-size ranges overlap for more user selectivity. For pipes from 8" diameter to 24" diameter. These sizes work on most municipal storm drains and sewers. Plugs are flexible and bend easily around tight corners or when installing through manholes.

Plug accessories are sold separately — please call our office for details.

Model #	Mfg #	Description	Packaging
CON2010	SWMSS1009	Inflatable Pipe Plug, 8"-16"	1 each
CON2011	SWMSS1006	Inflatable Pipe Plug, 12"-21"	1 each
CON2012	SWMSS1007	Inflatable Pipe Plug, 14"-24"	1 each
CON2013	SWM1252	Single Fitting Controller, 36 psi	1 each
CON2014	SWM1250	Inflation Lift Hose, 16"	1 each
CON2015	SWM1251	Inflation Lift Hose, 32"	1 each



H20 Dam

"Sandless" sand bags are compact and lightweight for storing, but will grow to 32 lbs. in times of need. Just add water and watch them grow. Contains super-absorbing polymers that will swell and gel with water. Contents are nontoxic, nonhazardous and biodegradable. Stagger multiple bags to build a retaining wall.

H20 Dam*

Model #	Mfg #	Description	Size	Packaging
OILM7368	SWM1210	H20 Dam, absorbs up to 4 gallons	12"W x 24"L x 3.5" H	20/case

Flood Barriers*

Model #	Mfg #	Description	Size	Packaging
OILM7387	SWM1207	Flood Barrier, absorbs up to 4 gallons	3.5" x 5'	26/case
OILM7388	SWM1208	Flood Barrier, absorbs up to 8 gallons	3.5" x 10'	12/case
OILM7389	SWM1209	Flood Barrier, absorbs up to 13.5 gallons	3.5" x 17'	8/case

*Not for use with salt water

Grab & Go Flood Protection

This kit is designed for quick and easy deployment when timing means everything. The compact container takes up minimal space and is ideal for rapid emergency deployment. Store in closets, cabinets, vehicles and more. The bucket can be used to preactivate your H20 Dams/Flood Barriers—just add water to the bucket and go!

Model #	Mfg #	Description	Absorbs
KIT8001	SWM1210	Grab & Go Flood Control Kit	up to 60 gallons

Flood Barriers

Divert problem water away from your home or business. Self-activating flood barriers—simply expose them to fresh water. They absorb water and grow to full size at 3.5" high in 5 minutes. Swelled barriers contain and divert flood water. Leave in place for ongoing protection. Lasts for up to 8 months of continuous use. Safe, nonhazardous and nontoxic, environmentally friendly and decomposes over time.

- > Ready to use, activates and grows when wet
- > Compact and lightweight
- > No sand or labor needed
- > Reusable and lasts for months, leave in place for ongoing protection

Flood Barrier

- > Reactivates when wet and evaporates when dry
- > Safe, nonhazardous and nontoxic, environmentally friendly
- > Stagger multiple H20 Dams to build a retaining wall
- Compared to heavy traditional sand bags, you can carry several of these at a time, making your job much easier



Kit Contents 5 Barriers, 5' x 3.5" 10 H20 Dams, 24" x 12" x 3.5"


HOW MUCH DO SAND BAGS COST YOU?

1 Pallet of H20 Dams:

- > 2,880 Dams
- > Activate on site with flood water

Sand bags:

- > 2,880 empty sand bags
- > 92,160 lbs. of sand, transport sand to fill site
- > labor to fill bags
- > transport filled bags to deployment site



1 Pallet (2,880 Flood Bags)

2 Flatbed Trucks (92,160 lbs. of Sand)

PERSONAL PROTECTION

Spills can not only be a very messy job when it comes to cleaning them up. Depending on the liquid, they can be life-threatening as well.

Timing is everything when responding to spills, and without the proper PPE, the time to respond could cost you thousands, if not millions of dollars. Make sure you are prepared for your worst-case scenario when it comes to your PPE. Protecting your health is first and foremost. Remember the saying: "SAFETY FIRST"



Nuke Boots

Page 65

Oilmen Gloves

Page 66

Nuke Boots

Nuke Boots are heavyweight latex shoe covers. These highly stretchable latex rubber overboots go on easily over shoes. Hazmat boots are slip-on shoe covers for controlling the spread of hazardous materials. Protect your boots and yourself against worksite debris. Economical enough for one-time use, but durable enough for repeat wear. Heavily textured soles give reliable traction on wet, slippery surfaces.

Nuke Boots

Model #	Mfg #	Description	Size	Packaging
PCL0583	PPEB1000	Latex Nuke/Chicken Boots	L	50/case
PCL0585	PPEB1001	Latex Nuke/Chicken Boots	XL	50/case
PCL0584	PPEB1002	Latex Nuke/Chicken Boots	2XL	50/case



Chemical Goggles

Designed for chemical splash application, features a clear vinyl body and a fogless lens. Meets ANSI Z87.1+ standards.

Chemical Goggles

Model #	Mfg #	Description
PCL0976	PPEH1100	Clear Goggles
PCL0978	PPEH1101	Clear Goggles, Anti-Fog Lens



Tyvek® Suits

With Tyvek®, you don't have to compromise. That's because Tyvek® delivers the best balance of protection, durability and comfort. Made using a proprietary manufacturing process, Tyvek® features an inherent barrier. So, unlike other protective apparel fabrics which have either a film or coating that can be easily scratched or worn away, Tyvek® provides a barrier through the entire fabric.



Polycoated Tychem® Suits

Tychem® QC — a DuPont™ Tyvek® protective fabric coated with 1.25 mils of polyethylene. It is reliable protection for minor chemical spills and where there is potential for mist or light splash. Bright yellow in color.



MicroMAX® Suits

The MicroMAX® pattern design features a tailored pattern cut, inset sleeves, elastic back, and a double-gusseted crotch that allows unparalleled freedom of movement. What's the difference between this suit and competitive products? Competitive, non-gusseted coveralls have a crotch dropped lower to allow



for reaching without ripping out, and yoke-style sleeves put a seam in the chest which is vulnerable to chemical penetration. MicroMAX® 3P Super B with the double-gusseted crotch and inset sleeves eliminates these flaws—the result being a garment that is designed to fit and is not just a larger bag. Perfect for general duty work environments, MicroMAX® utilizes three barrier layers to provide an excellent level of protection. Dirt, grease, grime and light liquid splashes and spills are no problem for MicroMAX®. It's an excellent, low-cost alternative that provides you with high-quality protection. This is a great alternative to Tyvek® suits.

ChemMax 1® Suits

Offering quality along with durability, this cost-effective, entry level product will please distributors, safety engineers, and plant purchasing managers. Whether you are in manufacturing, environmental cleanup, or chemical handling, you can trust the Chem-Max® family of products to protect your workers from harm. ChemMax®



is constructed with a unique polyethylene barrier film and a continuous filament polypropylene nonwoven. ChemMax 1® garments bar many harmful contaminants from penetrating to inner clothing. This is a great alternative to Tychem® suits.

AVAILABLE STYLES

- · Coverall w/Collar
- · Coverall w/Elastic Wrist & Ankles
- · Coverall w/Attached Hood
- Coverall w/Attached Hood
 Starting Writers & Applica
- & Elastic Wrists & Ankles
- Coverall w/Attached Hood & Boots & Elastic Wrists (Bunny Suit)

Available in sizes Small to 5X

Please call our office for specific part numbers and ordering details.

SpiderGrip® Work

Job-fitted for applications where dexterity, flexibility and comfort are desired! SpiderGrip® gloves will make slips a thing of the past! SpiderGrip® crinkle dip latex gloves have a textured palm to provide an excellent grip. The palm of the glove is liquid-repellent, while the back provides excellent breathability to keep hands cool on the job.

Features: seamless design, puncture-resistant, ergonomic fit, long-wearing Applications: light to medium fabrication, parts handling, general warehousing, maintenance and general purpose handling where light liquids or oils are present

SpiderGrip® Work

Model #	Mfg #	Description
GL01421	PPEG1000	SpiderGrip® Polyester Cotton Latex Dipped Gloves, L
GL01420	PPEG1001	SpiderGrip® Polyester Cotton Latex Dipped Gloves, XL



PVC

PVC-coated gloves provide durable protection from grease, liquids and abrasion. They are ideal for working outside in the rain or handling petroleum-based solvents.



Model #	Mfg #	Description
GL01217	PPEG1100	PVC, Black, 12", Rough, Jersey Lining

Oilmen

Oilmen gloves with safety cuff. Orange in color for high visibility. Rough texture for a better grip. Flock-lined for warmth in the winter. Rugged PVC material protects against oils and other hydrocarbon-based liquids.

Model #	Mfg #	Description
GL01221	PPEG1101	Oilmen Gloves w/Safety Cuff

Blue Full-Dipped Nitrile

Blue full-dipped nitrile gloves with safety cuff. Jersey-lined for added comfort. Nitrile gloves are used for oils and chemicals.



Model #	Mfg #	Description
GL01049	PPEG1200	Blue Full-Dipped Nitrile w/Safety Cuff

Leather Palm with Safety Cuff

Leather palm with safety cuff. Use for a variety of applications. Not for use with liquids.



Model #	Mfg #	Description
GL00500	PPEG1300	Leather Palm w/Safety Cuff

13" Green Nitrile Gloves

13" green nitrile unsupported gloves, unlined with straight cuff. These are used to protect against oil and chemicals.



Model #	Mfg #	Description
GI 01055	PPFG1210	13" Green Nitrile Unsupported Gloves

Disposable Nitrile Gloves


Nitrile gloves offer excellent protection against certain solvents, chemicals, caustic compounds, oils, animal fats and blood products. Disposable nitrile gloves are available in different powder formulations and mil thickness for both laboratory and industrial settings.

Model #	Mfg #	Description
GL01059	PPEG1220	Disposable Nitrile, blue, 4 mil, 100/box, XL
GL01065	PPEG1221	Disposable Nitrile, Powder-Free, blue, 4 mil, 100/box, XL
GL01062	PPEG1222	Disposable Nitrile, Powder-Free, black, 6 mil, 100/box, XL

SECONDARY CONTAINMENT

When it comes to the storage of your fuels, oils or hazardous chemicals at your facility, are you prepared should you have a release?

We offer a complete line of products that will help make your facility EPA & SPCC Compliant. Secondary containment products are used to contain your accidental leaks from entering walkways or drains, thus promoting workplace safety as well as protection of our environment.



2-Drum Spill Pallet

Page 69

4-Drum Spill PalletPage 69

Overpacks and Lab Packs

These days, the EPA requirements for secondary spill containment of hazardous materials are more stringent than ever. We stock a large selection from most of the major manufacturers. These high-quality products will help maintain a neat and clean working environment.



OILM7315 Dolly for 65- & 95-Gallon Overpacks

Model #	Mfg #	Description	Weight
OILM7304	CON5075	6-Gallon Bucket w/Screw-on Lid	3.4 lbs.
CON0176	CON5000	14-Gallon Lab Pack w/Lid & Lever Lock	10 lbs.
CON0159	CON5001	20-Gallon Lab Pack w/Lid & Lever Lock	13 lbs.
CON0158	CON5002	20-Gallon Lab Pack w/Screw-on Lid	13 lbs.
CON0217	CON5009	30-Gallon Lab Pack w/Lid and Plastic Lever Lock, Yellow	16 lbs.
CON0154	CON5005	30-Gallon Lab Pack w/Screw-on Top Lid	18 lbs.
CON0255	CON5003	55-Gallon Lab Pack w/Lid and Plastic Lever Lock, Yellow	24 lbs.
OILM7306	CON5051	55-Gallon Open Head Poly Drum, Blue	26 lbs.
OILM7318	CON5050	55-Gallon Closed Head Poly Drum, Translucent	26 lbs.
CON0160	CON5006	65-Gallon Overpack w/Screw-on Lid	47 lbs.
CON0161	CON5008	95-Gallon Overpack w/Screw-on Lid	50 lbs.
CON0171	CON5007	95-Gallon Overpack on Wheels	56 lbs.
OILM7315	CON5300	Dolly for 65- & 95-Gallon Overpacks	32 lbs.



CON0160 - CON0161 65- & 95-gallon overpacks



CON0171 95-gallon overpack on wheels



CON0255 55-gallon, CON0217 30-gallon, CON0159 20-gallon and CON0176 14-gallon lab packs w/lever lock lids



CON0154 30-gallon lab packs w/screw-on lid



OILM7304 6-gallon buckets w/screw-on lid



OILM7306 55-gallon poly drums

Spill Pallets



CON0119 2-drum spill

51" x 26.25" x 13.75"

pallet, high profile



CON0112 1-drum spill pallet 26.25" x 26" x 6.5"



CON0111 2-drum spill pallet, low profile 26.25" x 51.5" x 6.5"



CON0180 4-drum spill pallet, high profile 52.5" x 51" x 13.75"



CON0120 4-drum spill pallet, low profile 51.5" x 51.5" x 8"





CON0184 4-drum budget basin 51.5" x 51.5" x 7"



CON0115 4-drum spill pallet, in-line 103.5" x 26.25" x 6.5"

Model #	Mfg #	Description	Weight	Contains
CON0112	CON5601	1-Drum Spill Pallet	16 lbs.	12 gallons
CON0111	CON5607	2-Drum Spill Pallet, Low Profile	32 lbs.	30 gallons
CON0119	CON5606	2-Drum Spill Pallet, High Profile	52 lbs.	66 gallons
CON0120	CON5615	4-Drum Spill Pallet, Low Profile	67 lbs.	66 gallons
CON0180	CON5613	4-Drum Spill Pallet, High Profile	104 lbs.	132 gallons
CON0115	CON5614	4-Drum Spill Pallet, In-Line	64 lbs.	60.5 gallons
CON0114	CON5619	Poly Ramp for CON0120, CON0115, CON0111	32 lbs.	N/A
CON0126-3	CON5618	IBC Containment Unit	245 lbs.	400 gallons
CON0110	CON5603	2-Drum Budget Basin	20 lbs.	34 gallons
CON0184	CON5610	4-Drum Budget Basin	25 lbs.	66 gallons



CON0126-3 IBC Containment Unit 67" x 67" x 26"

Roll Top Hard Cover Spill Pallets

- > Roll top easily slides up and out of the way to allow quick access to pumps or funnels
- > Roll top covers can be padlocked (does not include padlock)
- > Protects drums and their contents while being stored outdoors
- All models are forklift accessible







Model #	Mfg #	Description	Size	Weight	Contains
CON3012	CON5600	1-Drum Roll Top Spill Pallet, no drain	36" x 36" x 66"	62 lbs.	70 gallons
CON3007	CON5604	2-Drum Roll Top Spill Pallet, no drain	67.25" x 41.25" x 74"	260 lbs.	66 gallons
CON3008	CON5611	4-Drum Roll Top Spill Pallet, w/drain	64.25" x 62" x 79"	440 lbs.	75 gallons
CON3011	CON5620	Ramp for Roll Top Spill Pallets	55.5" x 28.5" x 8.75"	43 lbs.	N/A

Spill Nest

An affordable and convenient temporary storage for drums or equipment

The flexible-sidewall Spill Nest delivers easy-to-use, affordable, temporary spill containment for drums, machine parts, tanks, generators, small equipment and other job site needs. It also can be

used as a wash-down pad or pumping station. A great alternative to hard plastic pallets. Features foam sidewalls that easily spring back into place after pressure is applied. Units are constructed of highquality PVC fabric. Units are drive-in and drive-out with hand truck or forklift—no need for a ramp. Made in the USA.

Black HDPE gratings are available and sold separately. Larger sizes are available but are not kept in stock. Some capacities may not meet EPA guidelines.



Model #	Mfg #	Description	Weight	Contains
BERM1060	BERM1060	2-Drum Spill Nest, 32.25" x 57.75"	4 lbs.	15 gallons
BERM1061	BERM1061	4-Drum Square Spill Nest, 57.75" x 57.75"	8 lbs.	30 gallons
BERM1062	BERM1062	4-Drum In-Line Spill Nest, 32.25" x 107.75"	8 lbs.	30 gallons
BERM1063	BERM1063	Grates, 25.25" x 51.25"	11 lbs.	N/A



Rugged Steel Spill Pallets

Steel pallets constructed of 11-gauge, hot-rolled steel. Galvanized steel bar grading keeps drums out of overflow and removes for easy cleaning. Large forklift pockets in front and back make relocation easy. Hot-dipped galvanized after fabrication for greater protection against rust and corrosion.

Model #	Mfg #	Description	Weight	Contains	Load Bearing
CON1011	CON5627	2-Drum Pallet, 47.25" x 31.5" x 16.31"	165 lbs.	72 gallons	1,200 lbs.
CON1012	CON5628	4-Drum Pallet, 47.25" x 47.25" x 13.06"	215 lbs.	77 gallons	2,400 lbs.



Containment Sump

Complete containment for 275-gallon up to 1,000-gallon oval tanks—indoors or outdoors. SPCC Compliant.

Model #	Mfg #	Description	Contains
CON0801	CON5608	275-Gallon Sump, No Drain, 84.5" x 43.75" x 29"	360 gallons
CON0803	CON5609	275-Gallon Sump, w/Drain, 84.5" x 43.75" x 29"	360 gallons
CON0804	CON5617	550-Gallon Sump, w/Drain, 87" x 62.25" x 32.75"	605 gallons
CON0814	CON5616	550-Gallon Sump, No Drain, 87" x 62.25" x 32.75"	605 gallons
CON0815	CON5602	1,000 Gallon Sump, w/Drain, 148" x 63" x 33"	1,100 gallons



CON0118

Single Drum Containment

Model #	Mfg #	Description	Weight	Contains
CON0118	CON5621	Single Drum Containment Unit, 31" x 33"	30 lbs.	65 gallons



Drum Funnel with Screen and Cover

Model #	Mfg #	Description	Weight	Contains
CON0136	CON5102	Poly Drum Funnel w/Screen, 18" x 7"	6.5 lbs.	N/A
CON0137	CON5100	Poly Drum Funnel Cover	1 lb.	N/A





Model #	Mfg #	Description	Weight	Contains
CON0128	CON5301	Drum Bogie on Wheels	30 lbs.	12 gallons
CON0130	CON5622	Single Drum Tray w/Grating, Round, 31" x 6", 18" x 7"	24 lbs.	10 gallons
CON0131	CON5302	Drum Tray Dolly w/3" Casters	32 lbs.	N/A

Single Drum Tray*



*Drum dolly and drum tray sold separately

Spill Containment Trays

Spill trays are made of 100% post-industrial recycled polyethylene. They are ideal for catching drips and leaks from small equipment, vehicle batteries, or pouring and filling activities. Lightweight and durable, these HDPE spill trays have excellent chemical resistance.



Model #	Mfg #	Description	Weight	Contains
OIL745	CON5625	Spill Tray, 46" x 16" x 5.5"	4 lbs.	12 gallons
OIL746	CON5623	Spill Tray, 38" x 26" x 5.5"	5 lbs.	20 gallons
OIL747	CON5624	Spill Tray, 47" x 33" x 5.5"	8 lbs.	29 gallons

Containment Utility Tray

This HDPE tray is an affordable way to contain small spills up to 5 gallons. Ideal for countertop use or as a floor tray under machinery.

Model #	Mfg #	Description	Weight
CON0142	CON5629	Containment Utility Tray, 18" x 36" x 2"	6 lbs.



Poly Drum Funnel with Hinged Lid

Durable polyethylene drum funnel resists rust, corrosion and most chemicals. Lid is attached by hinge to allow for easy use.

Model # Mfg	# Description	1	Weight	Contains
CON0209 COI	N5101 Poly Drum	Funnel w/Attached Lid, 26.5" diameter	17 lbs.	5 gallons



Steel Drum Funnel

10.75" diameter, 10" height, fits into 2" Drum Bung, **6" Brass Flame Arrestor**

- > Easy pouring during liquid waste collection
- > Wide-mouth opening with hinged, stay-open lid
- > Built-in flame arrestor on most models to prevent fire intrusion
- > Self-closing in case of fire

These funnels offer superior safety features that make them ideal for use with solvent, thinner, oil and paint wastes. Heavy 18-gauge galvanized steel with electrostatically applied epoxy powder coat paint provides durability and chemical resistance. Larger funnels accept a lock to prevent unauthorized access. Funnels intended for use with flammables are fitted with a brass flame arrestor that absorbs and dissipates heat, preventing any external ignition source (like sparks from power tools, static electricity or cigarettes) from reaching the drum's flammable contents.

Model #	Mfg #	Description	Weight
CON0173	CON5103	Large Steel Funnel with Self-closing Cover	10 lbs.



RATING	BERM FABRIC	DURABILITY
****	XR5	Extremely durable, very compatible with most chemicals, 32 mil average thickness. Not susceptible to UV damage.
***	XR3*	Very durable, wide chemical compatibility, 30 mil average thickness. Not susceptible to UV damage.
***	40 oz. PVC	Reinforced PVC, very durable fabric, compatible with most chemicals, 42 mil average thickness.
**	22 oz. PVC	Reinforced PVC, durable fabric, very compatible with most chemicals, 24 mil average thickness.
*	18.5 oz. PVC	Reinforced PVC, durable fabric, very compatible with most chemicals, 20 mil average thickness.
*XR3 Fabric is	s our most popular.	The default berm fabric for all of the part numbers below is XR.



Entry and exit walls automatically spring back to their vertical position. No need to manually raise or lower the end walls. Both of the long sidewalls are held upright by PVC side wall assemblies—simply swivel the feet to lower and transport the berm.

Model #	Mfg #	Dimensions	Weight	Contains
BERM1000	BERM1000	12' x 60' x 1'	309 lbs.	5,385 gallons
BERM1001	BERM1001	15' x 50' x 1'	326 lbs.	5,610 gallons
BERM1002	BERM1002	15' x 66' x 1'	405 lbs.	7,405 gallons


Rapid-Rise Containment Berms

Sidewalls stay lowered and out of the way until they are needed. No sidewall set-up or take-down required. In the case of a spill, the foam ring around the top of the side walls will rise with the level of the liquid.

Model #	Mfg #	Dimensions	Weight	Contains
BERM1010	BERM1010	10' x 10' x 1'	63 lbs.	748 gallons
BERM1011	BERM1011	12' x 26' x 1'	149 lbs.	2,333 gallons
BERM1012	BERM1012	15' x 50' x 1'	278 lbs.	5,610 gallons
BERM1013	BERM1013	15' x 66' x 1'	357 lbs.	7,405 gallons







Take care of your berms and prolong their life by using Ground Tarps and Track Guards. Call our office for details.



Compact Containment Berms

Compact design folds into tight package — minimal space required to store on board trucks or hazmat response vehicles. Compact, lightweight, portable design, no inflation required. Just insert sidewall struts into their pockets and berms are ready to go.

Model #	Mfg #	Dimensions	Weight	Contains
BERM1020	BERM1020	10' x 10' x 1'	72 lbs.	748 gallons
BERM1021	BERM1021	12' x 26' x 1'	335 lbs.	5,385 gallons
BERM1022	BERM1022	15' x 50' x 1'	317 lbs.	5,610 gallons
BERM1023	BERM1023	15' x 66' x 1'	404 lbs.	7,405 gallons





Economy Containment Berms

Economical design offers cost savings and secure containment. L-shaped aluminum brackets provide sturdy sidewall support. Brackets are easily inserted into sleeves spaced around the perimeter of the berm. These are available in both XR3 or 18.5 oz. PVC.

Model #	Mfg #	Materials Used	Dimensions	Weight	Contains
BERM1030	BERM1030	22 oz. PVC	4' x 6' x 1'	21 lbs.	179 gallons
BERM1031	BERM1031	22 oz. PVC	6' x 6' x 1'	26 lbs.	269 gallons
BERM1032	BERM1032	22 oz. PVC	10' x 10' x 1'	72 lbs.	748 gallons
BERM1033	BERM1032	22 oz. PVC	12' x 60' x 1'	335 lbs.	5,385 gallons
BERM1034	BERM1034	22 oz. PVC	15' x 50' x 1'	317 lbs.	5,610 gallons
BERM1035	BERM1035	22 oz. PVC	15' x 66' x 1'	404 lbs.	7,405 gallons
BERM1040	BERM1040	18.5 oz. PVC	12' x 12' x 1'	58 lbs.	1,077 gallons
BERM1041	BERM1041	18.5 oz. PVC	12' x 25' x 1'	94 lbs.	2,244 gallons
BERM1042	BERM1042	18.5 oz. PVC	12' x 50' x 1'	166 lbs.	4,488 gallons





Foam Wall "Drive-in/ **Drive-out" Model**

Foam walls allow you to drive over walls without damaging. No set-up necessary.

Foam Wall "Drive-in/Drive-out" Model

Model #	Mfg #	Description	Weight	Contains
OILM7323	BERM1102	10' x 10' x 4", XR3 fabric	58 lbs.	249 gallons
BERM1100	BERM1100	12' x 50' x 4", XR5 fabric	339 lbs.	1,496 gallons



Portable Pop-Up Pools

Pop-Up Pools instantly expand to capture leaks from saddle tanks, pipes, hydraulic lines and many other industrial incidents. Compact folded size stores efficiently inside spill kits. Excellent chemical resistance.

Portable Pop-Up Pools

Model #	Mfg #	Description
CON0810	CON5504	Econo Pop-Up Pool, contains 20 Gallons
OILM7360	CON5506	Econo Pop-Up Pool, contains 66 Gallons
OILM7320	CON5505	Econo Pop-Up Pool, contains 100 Gallons
CON0800	CON5503	Econo Pop-Up Pool, contains 150 Gallons
CON0799	CON5502	100/150 Gallon Pop-Up Pool Canvas Carrying Case
CON0806	CON5500	100/150 Gallon Pop-Up Pool Cab Mount Container





BYOB — Build Your Own Berm

Build a barrier around machinery or equipment that is permanently mounted or cannot easily be moved, or wherever a berm wall is needed. Economical containment for leaks and spills around machinery and equipment — no need to build expensive cement or angle iron curbs. This component system provides flexibility to create a semipermanent, high-visibility custom barrier. Its durable, vinyl covering resists oils, coolants and most chemicals. Cut to length and secure to floor with included sealant, then seal seams with the vinyl adhesive. High-visibility yellow color draws attention to barrier for increased safety. Easy removal requires only a flat-bladed shovel.

Model #	Mfg #	Description	Weight
CON3106	BERMBYOB	BYOB – Build Your Own Berm Component System	22 lbs.
Individual _I	parts are sold	separately. Please call for details.	
	omponent S Berm Walls	System includes:	2
4 – Bern	Corners		

6 - Floor Sealant Tubes

1 - 10' Section Connector Collar

1 - 10.3 oz. Industrial Vinyl Adhesive





Safety Storage Cabinets

Storage cabinets are available from 4 gallons to 120 gallons, with many sizes in between to meet your needs. Whether you're storing flammables, paints, inks, acids, corrosives or pesticides, we'll have a cabinet that will best suit your needs. Cabinets are available in three door styles: 2-door manual close, sliding door self-closing, and 2-door self-closing. If you don't see the cabinet you're looking for, please call customer service for additional specifications.







30-gallon flammable

40-gallon paint and ink

30-gallon acid









45-gallon flammable

60-gallon flammable

60-gallon paint and ink

44-gallon acid

Safety Storage Cabinets

Model #	Mfg #	Capacity	Description	Weight	Color & Storage
PI-32	CAB2000	40 gallon	43" x 18" x 44", Manual Close, 3 Shelves	281 lbs.	Red—Paint & Ink
PI-47	CAB2001	60 gallon	43" x 18" x 65", Manual Close, 5 Shelves	389 lbs.	Red—Paint & Ink
6010	CAB2003	60 gallon	31.25" x 31.25" x 65", Self-Close, 2 Shelves	364 lbs.	Yellow—Flammables
1962	CAB1003	60 gallon	31.25" x 31.25" x 65", Manual Close, 2 Shelves	364 lbs.	Yellow—Flammables
1947	CAB1002	45 gallon	43" x 18" x 65", Manual Close, 2 Shelves	353 lbs.	Yellow—Flammables
4510	CAB2002	45 gallon	43" x 18" x 65", Self-Close, 2 Shelves	353 lbs.	Yellow—Flammables
1932	CAB1000	30 gallon	43" x 18" x 44", Manual Close, 1 Shelf	257 lbs.	Yellow—Flammables
1904	CAB1001	4 gallon	17.5" x 18" x 22.5", Manual Close, 1 Shelf	70 lbs.	Yellow—Flammables
CRA-32	CAB3001	30 gallon	43" x 18" x 44", Steel, Manual Close, 1 Shelf	253 lbs.	Blue—Acids*
CRA-P44	CAB3000	44 gallon	35" x 22" x 65", Poly, Manual Close, 4-Door	130 lbs.	Blue—Acids

^{*}Steel cabinets not recommended for use with Sulfuric, Nitric or Hydrochloric Acid

Grounding Wires

Model #	Mfg #	Description
CON0020	CAB0001	Bonding Wires (3'), helps meet UFC Div8, Sec. 79803



Oil Waste Cans

Oily waste cans offer fire-safe, temporary storage of solvent, waste rags, shavings and other materials subject to spontaneous combustion. Available in either galvanized steel or polyethylene. Cans feature self-closing lid with foot lever. OSHA-compliant cans are essential whenever solvent-soaked cloths and wiping rags are used. Available in many different sizes. Compliance: OSHA 29CFR 1910.108 and OSHA 29 CFR 1910.106

Oil Waste Cans

Model #	Mfg #	Description	Contains	Weight
933-FL	CON5205	Poly, 16.5" x 13.5" x 16"	6 gallons	9 lbs.
935-FL	CON5200	Poly, 22" x 18" x 18"	10 gallons	14 lbs.
937-FL	CON5202	Poly, 22" x 18" x 21"	14 gallons	16 lbs.

Model #	Mfg #	Description	Contains	Weight
CON0411	CON5206	Steel, 11 7/8" x 15 7/8"	6 gallons	10 lbs.
CON0410	CON5201	Steel, 13 15/16" x 18 1/4"	10 gallons	13 lbs.
CON0412	CON5203	Steel, 16 1/16" x 20 1/4"	14 gallons	16 lbs.
CON0413	CON5204	Steel, 18 3/8" x 23 7/16"	21 gallons	22 lbs.



Corrugated Waste Container

Heavy-duty box will hold the equivalent of four 55-gallon drums. This will save you money in transportation and disposal. Corrugated waste containers are rated for packing groups I, II and III. They come complete with a corrugated box, 8 mil liner, pallet and nail kit.



Model #	Mfg #	Description	Packaging
OIL762	CON080	36" x 36" x 36" Corrugated Box,	35/pallet
		8 Mil Liner. Pallet & Nail Kit	

55-Gallon Steel Drums (reconditioned)

Use 55-gallon open top drums to store used sorbents and for use in transportation. Closed head drums are used for storing free-flowing liquids. Drums are UN-rated UN1A2/Y1.2/100.

Model #	Part #	Description	Packaging
OIL760	CON5053	55-Gallon Steel Drum, Open Head, DOT Approved	1
OIL761	CON5052	55-Gallon Steel Drum, Closed Head, DOT Approved	1

Poly-Lined Corrugated Waste Container

These flexible wall bulk bag waste containers are enclosed with layers of polypropylene. UN-approved for Packing Groups I, II & III at 3,000 lbs. X-rated flex pack



includes 6 mil inner polyethylene liner. Has four 10" lifting loops and a 36" x 36" x 36" inner dimension.

Model #	Mfg #	Description	Packaging
OIL776	CON081	36" x 36" x 36", w/4 Lifting Loops	20/pallet



SPECIALTY PRODUCTS

We offer so many cool products when it comes to cleaning spills or maintaining a neat and clean workplace.

This section is our offering of products that work great in certain situations. Please take the time to scan the section—you don't want to miss some of these niche products.



Plug 'n' Dike Tank Repair Compound

Seals off fuels, solvents and many other chemicals. Seals immediately and sticks to dirty, crumpled surfaces, even with the fluid flowing out.

Model #	Mfg #	Description Packag	ing Weight
OILM9100	CON6100	Tank Repair Compound 1 jar	1 lb.
OILM9101*	CON6101	Tank Repair Compound 5-gallo	n pail 48 lbs.

^{*}In powder form; mix and make your own 1 lb. jars.



Epoxy Putty Stick

Repair leaking pipes. Simply pinch off the amount desired, knead to a uniform gray, and press into place.

Model #	Mfg #	Description	Packaging	Weight
OILM9103	CON6102	Epoxy Putty Stick, 7" x 7/8" diameter	12/box	4 lbs.



Non-Sparking and Chemically Resistant Tools

Specially designed for spill kits and environmental and industrial cleanup applications, these tools are rugged, non-sparking and chemically resistant.

Collapsible Shovels

Model #	Mfg #	Description	Weight
OILM7314	T00L1002	2-Piece Shovel, 10.5" x 14" x 38.5"	2 lbs.
OILM7316	T00L1003	Economy Blade Spill Kit Shovel, 2-piece, 11" x 13" x 36"	2 lbs.

Scoops

Model #	Mfg #	Description	Weight
OILM7313	T00L1001	Non-Sparking/Polypropylene, large scoop, 82 oz.	1 lb.
OILM7307	T00L1000	Non-Sparking/Polypropylene, small scoop, 32 oz.	1 lb.





Rescue Tape®

Got a leaking hose? Wrap it up tight with silicone tape! Just stretch, wrap & get rescued™ Seals Leaks Fast!

- > 950 PSI tensile strength
- > Resists fuels, oil, acids, solvents, salt water, road salt, UV rays



- > Resists 500° F
- > Insulates 8,000 volts

Most versatile tape on the market, even better than duct tape. Repair leaking hoses and insulated wires, or use it in place of heat shrink tubing. This is a self-fusing silicone repair product for emergencies and all-purpose repairs. By wrapping it around and onto itself, Rescue Tape® will quickly and easily create a permanent, airtight, watertight seal in just minutes or even seconds. You can repair leaks on hoses, pipes and air lines, or use it on electrical wiring and as shrink wrap.

Model #	Mfg #	Description	Color	Packaging
TPE100	TPE1000	Industrial Size, 2" wide x 36'	Black	6/case
TPE101	TPE1001	Industrial Size, 2" wide x 36'	Clear	6/case
TPE102	TPE1002	Standard Size, 1" wide x 12'	Black	36/case
TPE103	TPE1003	Standard Size, 1" wide x 12'	Clear	36/case
TPE104	TPE1004	Standard Size, 1" wide x 12'	Yellow	36/case
TPE105	TPE1005	Retail Display Pack w/1" Rolls	Assorted	24/case



H20Zorb

Pull water from fuel tanks before it causes damage.

Maintain peak performance and prevent engine failure. H2OZorb sorbent pulls in water that collects in fuel tanks before it can cause damage. Helps preserve engine life and prevent frozen lines by removing water from fuel stores; also minimizes filter-clogging rust and algae. Ballast forces H2OZorb to bottom of tank, where unwanted water settles; highly absorbent filler pulls in water, but repels gas and diesel fuel. The tough nylon line makes deployment and retrieval easy. Choose from four sizes.

Model #	Mfg #	Description	Sorbent Capacity	Packaging
CON2007	CON6001	1" D x 9" L	3 oz. bag	1
CON2006	CON6000	1.5" D x 12" L	8 oz. bag	1
CON2008	CON6002	2" D x 12" L	12 oz. bag	1
CON2009	CON6003	3.5" D x 12" L	36 oz. bag	1



Poly Sheeting

Model #	Mfg #	Description	Packaging
OILM9500	CON6200	6 Mil Poly Sheeting, 20' x 100'	58 lbs.
OILM9502	CON6201	6 Mil Poly Sheeting, 20' x 100', Fire Retardant	58 lbs.
OILM9503	CON6203	6 Mil Poly Sheeting, 40' x 100'	116 lbs.

Poly Liners

Model #	Mfg #	Description	Packaging
OIL620	BAG1003	4 Mil, Yellow Bags, 18" x 30"	250/case
BAG13983	BAG1002	6 Mil, Yellow Bags, 36" x 48"	50/case
BAG13982	BAG1001	6 Mil, Clear Bags, 38" x 60"	50/roll



Chemical Application Guide

The following guide is a list of common industrial fluids. Choose the sorbent that best suits your needs.

CHEMICAL	OIL-ONLY Polypropylene	UNIVERSAL/HAZMAT Polypropylene	UNIVERSAL Organic
Acetaldehyde		•	•
Acetic Acid		•	
Acetic Anhydride		•	
Acetone	•	•	•
Acetyl Chloride		•	
Acrolein	•	•	
Acrylonitrile		•	•
Acrylic Acid Acrylic Emulsions		•	•
Allyl Alcohol		•	•
Aminobenzoic Acid		•	
Ammonia (Anhydrous)	•	•	•
Ammonium Hydroxide	•	•	•
Amyl Acetate	•	•	-
Amyl Alcohol		•	•
Aniline		•	•
Antifreeze		•	•
Aqua Regia		•	
Aviation Fuel	•	•	•
Benzene	•	•	•
Benzoic Acid		•	
Benzonitrile		•	
Benzyl Chloride		•	
Benzyl Alcohol		•	•
Boric Acid		•	
Brake Fluid	•	•	•
Bromine		•	
Butyl Acetate	•	•	
Butyl Alcohol Butyric Acid	•	•	•
Butylamine		•	•
Calcium Hydroxide		•	
Carbolic Acid		•	
Carbon Disulfide		•	
Carbon Tetrachloride	•	•	•
Castor Oil	•	•	•
Chlorine Water		•	
Chloroacetic Acid		•	
Chlorobenzene		•	
Chloroform	•	•	•
Chromic Acid (50%)		•	
Chlorosulfonic Acid		•	
Citric Acid		•	
Clorox (Full-strength Bleach)		•	•
Corn Oil	•	•	•
Cottonseed Oil	•	•	•
Cresol	•	•	•
Cyclohexane	•	•	•
Detergents		•	•
Dichlorobenzene	•	•	
Diethylamine	•	•	_
Diethyl Ether	•	•	•
Dioctyl Phthalate	•	•	•
Dinitrobenzene	•	•	_
Dioxan Ether	•	•	•
Ethyl Acetate	•	•	.
Ethyl Alcohol	•	•	•
Ethyl Benzene	•	•	•
Ethyl Chloride	•	•	
Ethyl Ether	•	•	•
Ethyl Propionate	•	•	•
Ethylene Glycol		•	•
Formaldehyde		•	•
Formic Acid		•	
Fuel Oil	•	•	•
Gasoline	•	•	•
Gearbox Oil	•	•	•
Glacial Acetic Acid		•	
Glycerol		ē	•

CHEMICAL	OIL-ONLY Polypropylene	UNIVERSAL/HAZMAT Polypropylene	UNIVERSAL Organic
Heptane	•	•	•
Hexane	•	•	•
Hydrazine		•	
Hydrochloric Acid		•	
Hydrofluoric Acid		•	
Hydrogen Cyanide	•	•	•
Hydrogen Peroxide Isobutyl Alcohol	•	•	•
Isobutyl Acid	•	•	
Isopropyl Acetate	•	•	•
Isopropyl Alcohol	•	•	•
Kerosene	•	•	•
Ketones	•	•	•
Linseed Oil	•	•	•
Lubricating Oil	•	•	•
Magnesium Hydroxide		•	
Methyl Alcohol Methyl Chloride	•	•	•
Methyl Ether	•	•	•
Methyl Ether Ketone	•	•	•
Methyl Propionate	•	•	•
Mineral Oil	•	•	•
Motor Oil	•	•	•
Naphthalene	•	•	•
Nitric Acid		•	
Nitrobenzene		•	
Nitrobenzoic Acid Nitrotoluene	•	•	•
Octane	•	•	•
Oleic Acid	•	•	
Olive Oil	•	•	•
Paraffin	•	•	•
Perchloroethylene	•	•	•
Petroleum Ether	•	•	•
Phenol		•	•
Phosphoric Acid		•	
Plating Solutions		•	
Propanol Propanol		•	•
Propionic Acid	•	•	
Propyl Alcohol	•	•	•
Propylene Glycol	•	•	•
Quinoline		•	
Resorcinol		•	
Salt Solutions (Metallic)		•	•
Silicone Oil	•	•	•
Silver Nitrate		•	•
Soap Solution (Concentrated)	•	•	•
Sodium Bicarbonate Sodium Chloride		•	•
Sodium Hydroxide		•	
Sodium Hypochlorite		•	•
Sodium Nitrate		•	•
Stannic Chloride		•	
Starch		•	•
Styrene	•	•	•
Sucrose		•	•
Sulfuric Acid		•	
Synthetic Motor Oil Tannic Acid	•	•	•
Toluene	•	•	•
Transformer Oil	•	•	•
Trichloroethylene	•	•	•
Triethylene Glycol	•	•	•
Turpentine	•	•	•
Urine		•	•
Vinyl Acetate	•	•	•
Vinegar Xylene	•	•	•
лутопо		•	•

Height Description Store Pty Color Publish Store Pty Color Publish Store Pty Publish Sto	1100 000 000 000 000 000 000 000				Packaging 100 100 100 100 200 2 2 2 1 1 1 1 1 100 100				
10. universal free methodom pates 15 x 19 yr. 3 page 100 clouder 25 yr. 14 20 yr. 10. universal free methodom pates 15 x 19 yr. 3 page 100 clouder 27 yr. 11 30 yr. 10. universal free methodom pates 15 x 19 yr. 3 page 100 clouder 27 yr. 15 yr. 10. universal free methodom pates 15 x 19 yr. 3 page 100 clouder 27 yr. 15 yr. 10. universal free methodom pates 15 x 15 yr. 3 page 1 clouder 27 yr. 17 yr. 22 yr. 10. universal free methodom cults 15 x 15 yr. 3 page 1 clouder 47 yr. 22 yr. 15 yr. 15 yr. 1 yr. 22 yr. 22 yr.	1.100 0.00			gray	100 100 100 100 100 100 100 100 100 100	double medium medium medium single double medium medium single double double double double double double double double double medium single double double medium single double double medium single double double double high loft	25 20 20 20 27 27 47 47 47 47 47 47 47 47 47 47 47 47 47		
Office of inversal fine ther methods pages 5 x 1-9 3 goay 110 dutiles 25 14 30 CVO universal fine ther methods pages 5 x 1-9 3 goay 110 medium 20 11 30 DO universal fine ther methods pages 15 x 1-9 3 goay 110 medium 20 14 30 DO universal fine ther methods rolls 15 x 1-5 3 goay 100 challe a 20 14 30 20 universal fine ther methods rolls 30 x 1-5 3 goay 100 challe a 2 14 30 20 universal fine ther methods rolls 30 x 1-5 3 goay 100 challe a 2 17 21 20 universal fine ther methods rolls 30 x 50 3 goay 10 challe a 2 17 21 20 10 x 50 3 goay 10 10 challe a 2 17 21 17 21 20 3 x 50 3 goay 10	1300 000 000 000 000 000 000 000			gray	100 100 100 100 100 100 100 100 100 100	medium medium medium single double medium medium single double double double double double double double medium single double double medium single double double medium single double double double high loft	25 20 20 27 27 25 47 47 47 47 47 47 47 47 47 47 47 47 47		
(10) universal file filed methodwn pasts 15 x 19 yr 3 ggy 110 medium 20 11 30 0. universal file filed methodwn pasts 15 x 19 yr 3 ggy 100 medium 27 15 30 0. universal file filed methodwn pasts 15 x 19 yr 3 ggy 100 middle method method 27 15 30 0. universal file filed methodwn rolls 15 x 15 yr 3 ggy 10 middle method 27 17 21 0. universal file filed methodwn rolls 15 x 15 yr 3 ggy 10 medium 37 17 21 0. universal file filed methodwn rolls 15 x 15 yr 3 ggy 10 medium 37 17 21 0. universal file filed methodwn rolls 15 x 15 yr 3 ggy 1 1 10 1 1 1 2 0. minesal file filed methodwn rolls 15 x 15 yr 3 1 1 2 1 1 2 1	1000 000 000 000 000 000 000 000 000 00			gray	100 100 100 100 100 100 100 100 100 100	medium medium single double double medium single double double double double double double double medium single double double high loft high loft	20 27 27 25 47 47 47 47 47 47 47 47 47 47 47 47 47		
(10) universal fire late methown packs 15 x 19 yrs 3 gray 200 middle 75 yrs 11 gray 200 middle 25 yrs 11 gray 30 middle 25 yrs 11 gray 30 middle	(100 00 00 00 00 00 00 00 00 00		15" x 19" 3 15" x 19" 3 30" x 150" 3 15" x 150" 3 30" x 300" 3 15" x 300" 3 15" x 300" 3 15" x 300" 3 15" x 300" 2 15" x 19" 2 15" x 19" 2 15" x 19" 2 15" x 19" 2 15" x 18" 2	gray gray	100 200 200 100 100 100 200 200 200 100 1	medium single double double medium single double double double double double double medium single double double high loft high loft	20 27 27 27 47 47 47 47 47 47 47 47 47 47 47 47 47		
0. Universal fine free free forms and revisition free forms and revisitio	000 000 000 000 000 000 000 000 000 00		15 x 19" 3 30 x 150" 3 15 x 150" 3 30 x 150" 3 30 x 150" 3 15 x 150" 3 30 x 300" 3 15 x 50 3 30 x 150" 2 15 x 19" 2 15 x 19" 2 15 x 19" 2 15 x 18" 2 30 x 150' 2	gray	200 100 100 100 200 200 200 100 100 100	single double double double medium single single double double double double high loft high loft double double	21 25 47 47 47 47 47 47 47 47 47 47 47 47 47		
Out universal fine bilan method motification pass 3 (x x 50°	00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		30"x150" 3 10"x150" 3 10"x150" 3 30"x150" 3 30"x300" 3 15"x300" 3 15"x300" 3 30"x150" 3 15"x30" 3 15"x30" 3 30"x150" 3 15"x19" 2 15"x19" 2 15"x19" 2 15"x18" 2 15"x18" 2 30"x150" 2 30"x150" 2 30"x150" 2	Green	100 200 200 200 200 100 100 100 100 100	double double medium medium single single double double double medium single double high loft high loft	25 47 47 47 37 37 47 47 47 47 47 47 47 47 47 47 47 47 47		
Quinvessal fine flore metabloom roles 15 x 150 3 gay 2 double 41 2.5 15 Quinvessal fine flore metabloom roles 15 x 150 3 gay 2 module 41 2.5 15 Quinvessal fine flore metabloom roles 15 x 150 3 gay 2 module 47 2.5 15 Quinvessal fine flore metabloom roles 15 x 150 3 gay 2 module 47 2.5 15 Quinvessal fine flore metabloom roles 15 x 200 3 gay 2 module 47 2.5 15 Quinvessal fine flore metabloom roles 15 x 200 3 gay 2 module 47 2.5 15 Quinvessal fine flore metabloom roles 15 x 50 2 gay 100 60.0b 47 2.5 18 Quinvessal fine flore metabloom roles 15 x 15 2 gay 100 60.0b 47 2.5 11 Quinvessal SM broaded metabloom roles 15 x 15 2 gay 100 60.0b 4.7 2.5 15 Quinvessal SM broaded metabloom roles 15 x 15 2	2000 000 000 000 000 000 000 000 000 00		15 x 150 3 30 x 150 3 31 x 150 3 31 x 150 3 30 x 300 3 31 x 300 3 31 x 150 3 31 x 150 3 31 x 150 2 15 x 19 2 15 x 19 2 15 x 18 2 15 x 18 2 30 x 30 2 30 x 150 2 30 x 30 2	gray	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	double medium medium single single double double double double high loft high loft double	47 37 37 47 47 47 9 9 47 28 23 30 43 25		
the conversal fine the metaboun rules of x 50 c	20 00 00 00 00 00 00 00 00 00 00 00 00 0		30°×300° 3 30°×300° 3 31°×300° 3 31°×300° 3 31°×300° 3 31°×30° 2 31°×30° 2 31°×30° 2 31°×30° 2 31°×30° 2 31°×30° 2 31°×30° 2 31°×30° 2 31°×30° 2 31°×30° 2 31°×30° 2 31°×30° 2 31°×30° 2 31°×30° 2 31°×30° 2 31°×30° 2 31°×30° 2	gray gray gray gray gray gray gray gray	2 1 1 100 100 200 200 200 200 100 100 10	medium medium single single double double double medium single double high loft high loft double	37 37 47 47 47 47 28 28 28 23 43 43		
0.0 universal free free methodom rolls 15 / 150 9 99 2 readium 37 1 / 21 22 0.0 universal free free methodom rolls 30 / 2800 3 gay 2 ringle 47 • 25 15 0.0 universal free methodom rolls 15 / 360 3 gay 1 500 10 25 15 15 0.0 universal free methodom rolls 15 / 37 2 gay 10 0.00ble 47 • 6 15 15 0.0 universal Meter methodom rolls 15 / 37 2 gay 100 nondiem 28 14 30 15 16 30 14 30 16 30 16 30 16 30 16 30 16 30 16 30 16 30 16 30 16 30 16 30 16 30 30 30 30 30 30 30 30 30 <td>2000 000 000 000 000 000 000 000 000 00</td> <td></td> <td>15 x 150" 3 30 x 300" 3 15 x 50" 3 30 x 150" 3 30 x 150" 2 115 x 19" 2 115 x 19" 2 115 x 19" 2 115 x 19" 2 115 x 18" 2 115 x 18" 2 115 x 18" 2 30 x 30" 2 30 x 150" 2</td> <td>gray gray gray gray gray gray gray gray</td> <td>2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1</td> <td>medium single double double medium single double double high loft high loft</td> <td>37. 47. 47. 9 9 23 30 43 43</td> <td></td> <td></td>	2000 000 000 000 000 000 000 000 000 00		15 x 150" 3 30 x 300" 3 15 x 50" 3 30 x 150" 3 30 x 150" 2 115 x 19" 2 115 x 19" 2 115 x 19" 2 115 x 19" 2 115 x 18" 2 115 x 18" 2 115 x 18" 2 30 x 30" 2 30 x 150" 2	gray gray gray gray gray gray gray gray	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	medium single double double medium single double double high loft high loft	37. 47. 47. 9 9 23 30 43 43		
0. universal fine fiber meliblown rolls 39.7.307 3 gay 1 single 47 6.7.51 15 5.5 du universal fine fiber meliblown rolls 57.530 3 gay 1 coulde 47 6.7.51 6.7.51 5.5 universal fine fiber melibown rolls 57.530 3 gay 1 coulde 47 6.7.51 6.7.51 5.5 universal file fiber melibown rolls 15.7.15 2 gay 100 coulde 47 6.7.51 11 30 1. universal SM bonded melibown pass 15.7.15 2 gay 100 mobile 47 6.7.51 15 15 1. universal SM bonded melibown pass 15.7.15 2 gay 100 mobile 52 15 15 17 21 30 15 17 21 30 10 100 100.00 47 6 15 15 16 10 100.00 47 6 11 30 11 30 11 30 11 30 11	20 00 00 00 00 00 00 00 00 00 00 00 00 0		30° x 300° 3 15° x 300° 3 5° x 50° 3 30° x 150° 2 15° x 19° 2 15° x 19° 2 15° x 19° 2 15° x 19° 2 15° x 18° 2 30° x 150° 2	gray gray gray gray gray gray gray gray	2 1 100 100 200 500 100 100 100	single single double double double medium single double high loft high loft	477 477 9 28 23 30 43 25		
15 15 15 15 15 15 15 15	25 25 27 27 27 27 27 27 27 27 27 27 27 27 27		15" x 300' 3 5" x 50' 3 30" x 150" 3 11" x 19" 2 15" x 19" 2 15" x 19" 2 15" x 18" 2 15" x 18" 2 15" x 18" 2 15" x 18" 2 30" x 150' 2	gray gray graen gray gray gray gray gray gray gray	2 1 100 100 200 50 100 100	single double double double medium single double high loft high loft	47 9 47 28 23 30 43		
g. universal SM bonded meliblown rolls 5 × 50 3 gay 1 double 47 6 18 1 universal SM bonded meliblown pades 15 × 19° 2 gay 100 double 27 14 30 1 universal SM bonded meliblown pades 15 × 19° 2 gay 100 double 28 11 30 1 universal SM bonded meliblown pades 15 × 18° 2 gay 100 mellum 23 15 15 1 universal SM bonded meliblown pades 15 × 18° 2 gay 100 mellum 27 11 30 2 universal SM bonded meliblown pades 15 × 18° 2 gay 200 million 27 12 15 2 universal SM bonded meliblown pades 15 × 18° 2 gay 2 double 52 2 15 15 2 universal SM bonded meliblown pade 15 × 18° 2 gay 2 double 52 2 15 16 17 21 2 universal SM bonded meliblown pade 15 × 18° 2 gay 2 gay 2 17 17 21 3 universal simpled melibown pade	25 27 27 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20		5" x 50" 3 30" x 150" 3 11" x 19" 2 11" x 19" 2 11" x 19" 2 30" x 30" 2 15" x 18" 2 15" x 18" 2 30" x 150" 2	gray green gray gray gray gray gray gray gray gray	1 100 200 50 100 200	double double double medium single double high loft high loft	9 47 28 23 30 43 43		& & O O O O O O O O
6.0 universal SM bonded metibown roles 13 × 15 √ 15 2 gray 100 double 47 • 23 15 30 1 universal SM bonded metibown roles 15 × 19′ 2 2 gray 100 metilum 23 • 11 36 1 universal SM bonded metibown pads 15 × 19′ 2 2 gray 100 metilum 23 • 15 30 1 universal SM bonded metibown pads 15 × 19′ 2 2 gray 100 high loft 27 • 13 36 2 universal SM bonded metibown roles 15 × 15° 2 gray 200 high loft 27 • 13 36 2 universal SM bonded metibown roles 30 × 150 2 gray 2 gray 2 gray 2 gray 1 medium 44 • 17 21 2 universal SM bonded metibown roles 15 × 150 2 gray 2 gray 2 gray 1 medium 44 • 17 21 2 universal SM bonded metibown roles 15 × 150 2 gray 2 gray 2 gray 1 metilum 44 • 17 21 2 universal SM bonded metibown roles 15 × 150 2 gray <	550 100 100 100 100 100 100 100		30" x 150" 3 15" x 19" 2 15" x 19" 2 15" x 19" 2 30" x 30" 2 15" x 18" 2 15" x 18" 2 30" x 150' 2	green gray gray gray gray gray gray gray	1 100 200 50 100 200	double double medium single double high loft high loft	47 28 23 30 43 25		& O O O O O O O O
Universal SM bonded meliblowin pads 15 × 19	22 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2		15" x 19" 2 15" x 19" 2 30" x 30" 2 15" x 18" 2 15" x 18" 2 15" x 18" 2 30" x 150' 2	gray gray	100 200 50 100 200 200	double medium single double high loft high loft double	28 23 30 43 25		0 0 0 0 0 0 0 0
Universal SM bonded metiblown pads 15 x 197 2 gray 200 angle 43 • 11 L universal SM bonded metiblown pads 15 x 197 2 gray 500 double 43 • 15 L universal SM bonded metiblown pads 15 x 187 2 gray 100 high lott 25 • 12 L universal SM bonded metiblown pads 15 x 187 2 gray 10 high lott 25 • 13 2 universal SM bonded metiblown rolls 30 x 150 2 gray 1 double 52 • 23 2 universal SM bonded metiblown rolls 15 x 150 2 gray 1 double 52 • 23 2 universal SM bonded metiblown rolls 15 x 150 2 gray 1 medium 44 • 17 2 universal SM bonded metiblown rolls 15 x 187 2 gray 1 medium 44 •	22 22 22 23 24 25 25 25 27 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28		15" x 19" 2 15" x 19" 2 30" x 30" 2 15" x 18" 2 15" x 18" 2 30" x 150' 2	gray gray gray gray gray gray	100 200 50 100 200	medium single double high loft high loft double double	23 30 43 25		0 0 0 0 0 0 0 0
universal SM bonded meltblown pads 15 × 18° 2 gay 20 gay 20 gay 20 double 30 × 30 15 1 universal SM bonded meltblown pads 15 × 18° 2 gay 10 double 25 • 13 2 universal SM bonded meltblown rolls 15 × 18° 2 gray 20 double 52 • 13 3 universal SM bonded meltblown rolls 15 × 150 2 gray 2 double 52 • 23 2 universal SM bonded meltblown rolls 15 × 150 2 gray 1 medium 44 • 17 2 universal SM bonded meltblown rolls 15 × 150 2 gray 1 medium 44 • 17 2 universal SM bonded meltblown rolls 15 × 150 2 gray 1 medium 44 • 17 2 universal SM bonded meltblown rolls 15 × 18° 1 gray 1 medium 20 • 25 • 25 2 universal dimpled meltblown rolls 15 × 18° 1 gray 1 medium 20	25 25 25 27 27 27 27 27 27 27 27 27 27 27 27 27		15" x 19" 2 30" x 30" 2 15" x 18" 2 15" x 18" 2 30" x 150' 2	gray gray gray gray gray	200 50 100 200	single double high loft high loft double	30 43 25		0 0 0 0 0 0
L universal SM bonded metholown pads 30° x 30° 2 gray 50 double 43 • 23 L universal SM bonded metholown pads 15° x 18° 2 gray 100 high lott 27 • 12 L universal SM bonded metholown rolls 15° x 150° 2 gray 200 high lott 27 • 13 2 universal SM bonded metholown rolls 15° x 150° 2 gray 1 double 52 2 2 universal SM bonded metholown rolls 15° x 150° 2 gray 1 medium 44 • 17 2 universal SM bonded metholown rolls 30° x 150° 2 gray 2 medium 44 • 17 2 universal SM bonded metholown rolls 15° x 150° 2 gray 2 single 55 • 25 2 universal SM bonded metholown rolls 15° x 16° 2 gray 2 gray 2 gray 1 44 • 17 2 universal SM bond	1		30" x 30" 2 15" x 18" 2 15" x 18" 2 30" x 150' 2	gray gray gray gray gray	50 100 200 1	double high loft high loft double	43 25		5 5 5 5 5
L universal SM bonded meliblown pads 15 x 18° 2 gray 100 high lott 25 • 12 L universal SM bonded meliblown pads 15 x 18° 2 gray 200 high lott 27 • 13 2 universal SM bonded meliblown rolls 30 x 15° 2 gray 2 double 52 • 23 2 universal SM bonded meliblown rolls 15 x 15° 2 gray 1 melium 44 • 17 2 universal SM bonded meliblown rolls 30 x 15° 2 gray 1 melium 44 • 17 2 universal SM bonded meliblown rolls 15 x 15° 2 gray 1 melium 44 • 17 2 universal SM bonded meliblown rolls 12 x 15° 2 gray 1 gray 1 melium 44 • 17 2 universal SM bonded meliblown rolls 15 x 18° 1 gray 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		15" x 18" 2 15" x 18" 2 30" x 150' 2	gray gray gray gray	100	high loft high loft double	25		5 5 5 5
L universal SM bonded meliblown rolls 15 × 16° 2 gray 200 high lot 27 • 13 2 universal SM bonded meliblown rolls 30 × 150 2 gray 1 double 52 • 23 2 universal SM bonded meliblown rolls 30 × 150 2 gray 1 medium 44 • 17 2 universal SM bonded meliblown rolls 30 × 300 2 gray 2 medium 44 • 17 2 universal SM bonded meliblown rolls 15 × 150 2 gray 2 medium 44 • 17 2 universal SM bonded meliblown rolls 15 × 150 2 gray 2 medium 44 • 17 2 universal SM bonded meliblown rolls 15 × 150 2 gray 1 medium 44 • 17 2 universal Gimpled melibown pads 15 × 16° 1 gray 100 high loft 26 • 25 1 universal Gimpled melibown rolls 30 × 30° 1 gray 100 high loft 44 • 17 2 universal Gimpled melibown rolls 15 × 18° 1 gray 1 medium	1		15" x 18" 2 30" x 150' 2	gray gray gray	200	high loft double			5 5 5
universal SM bonded meltblown rolls 30° x150° 2 gray 1 double 52 2 2 universal SM bonded meltblown rolls 16° x150° 2 gray 2 double 52 - 23 2 universal SM bonded meltblown rolls 16° x150° 2 gray 2 redium 44 • 17 2 universal SM bonded meltblown rolls 16° x150° 2 gray 2 redium 44 • 17 2 universal SM bonded meltblown rolls 16° x150° 2 gray 1 redium 44 • 17 3 universal dimpled meltplown rolls 16° x18° 2 gray 1 double 55 • 25 4 10° x150° 2 gray 1 redium 44 • 17 4 10° x150° 2 gray 1 redium 44 • 17 4 2 gray 1 gray	2.2 2.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2 3.2		30" x 150' 2	gray gray	.	double	27		o o o
2 universal SM bonded melithown rolls 15 × 150° 2 gray 2 drouble 52 • 23 2 universal SM bonded melithown rolls 15 × 150° 2 gray 1 medium 44 • 17 2 universal SM bonded melithown rolls 15 × 150° 2 gray 1 medium 44 • 17 2 universal SM bonded melithown rolls 15 × 150° 2 gray 1 medium 44 • 75 4 universal SM bonded melithown rolls 15 × 150° 2 gray 1 double 55 • 25 4 universal SM bonded melithown rolls 15 × 18° 1 gray 1 double 55 • 25 4 universal Gimpled melithown rolls 15 × 18° 1 gray 100 high loft 18 • 17 4 15 × 18° 15 × 18° 1 gray 10 high loft 4 • <	2.2 2.2 2.2 2.2 2.2 3.2 3.2 3.2 3.2 3.2			gray			52	• 2	o o
2 universal SM bonded melitblown rolls 30° x 150° 2 gray 1 medium 44 • 17 2 universal SM bonded melitblown rolls 15° x 150° 2 gray 2 medium 44 • 17 2 universal SM bonded melitblown rolls 15° x 150° 2 gray 2 single 55 • 25 2 universal SM bonded melitblown rolls 17° x 20° 2 gray 1 single 55 • 25 1 1° x inversal SM bonded melitplown rolls 15° x 18° 1 gray 1 double 55 • 25 1 1° x inversal dimpled melitplown rolls 15° x 18° 1 gray 100 double 25 • 14 • 17 1 universal dimpled melitblown rolls 15° x 18° 1 gray 100 double 25 • 15 2 universal dimpled melitblown rolls 15° x 18° 1 gray <td< td=""><td>HH.</td><td></td><td>15" x 150' 2</td><td></td><td>2</td><td>qonple</td><td>52</td><td>• 2</td><td>6</td></td<>	HH.		15" x 150' 2		2	qonple	52	• 2	6
12. universal SM bonded meltblown rolls 15° x 150° 2 gray 2 medium 44 • 17 1 universal SM bonded meltblown rolls 30° x 300° 2 gray 1 single 55 • 25 1 universal SM bonded meltblown rolls 15° x 120° 2 gray 1 double 30 • 13 1 L. universal SM bonded meltblown rolls 15° x 18° 1 gray 1 double 30 • 13 1 L. universal dimpled meltblown pads 15° x 18° 1 gray 100 medium 20 • 14 1 universal dimpled meltblown pads 15° x 18° 1 gray 100 medium 20 • 15 2 universal dimpled meltblown rolls 30° x 30° 1 gray 100 medium 20 • 15 3 universal dimpled meltblown rolls 30° x 150° 1 gray 1 qray 1 44 • 23 4 universal dimpled meltblown rolls	HH.		30" x 150' 2	gray	1	medium	44		,
universal SM bonded meliblown rolls 30 x 300 yr 2 gray 1 single 55 • 25 1 universal SM bonded meliblown rolls 15°x 150° 2 gray 2 gray 2 gray 2 gray 1 2 gray 2 gray 2 gray 1 25 1 universal SM bonded meliblown rolls 15°x 18° 1 gray 100 high loft 18 9 15 1 universal dimpled meltblown pads 15°x 18° 1 gray 100 high loft 18 10 1 universal dimpled meltblown pads 15°x 18° 1 gray 200 single 29 15 2 universal dimpled meltblown pads 15°x 18° 1 gray 200 single 29 15 2 universal dimpled meltblown pads 15°x 18° 1 gray 20 double 44 • 23 2 universal dimpled meltblown rolls 30°x 150° 1 gray 2 medium 40 • 17 2 universal dimpled meltblown rolls 15°x 150° 1 gray 2 medium 40 • <td< td=""><td>HH.</td><td></td><td>15" x 150' 2</td><td>gray</td><td>2</td><td>medium</td><td>44</td><td>•</td><td>6</td></td<>	HH.		15" x 150' 2	gray	2	medium	44	•	6
2 universal SM bonded meltblown folls 15° x 150° 2 gray 2 single 55 2 1 universal SM bonded meltblown pads 15° x 18° 15° x 18° 1 4 6ach 1 7 7 1 <td< td=""><td>1</td><td>wn rolls</td><td>30" x 300' 2</td><td>gray</td><td>·- 0</td><td>single</td><td>55</td><td>•</td><td>တ</td></td<>	1	wn rolls	30" x 300' 2	gray	·- 0	single	55	•	တ
Luniversal SMb bonded meltblown rolls 12* wiper/sorbert roll rack on wheels, horizontal 12* x28 x 12* n/a n	1	wn rolls	15" x 150' 2	gray	2	single	55	•	တ
12* Wiper/sor/Dent foli Tack on wheels, horizontal 33* x8x x12* n/a back 1 n/a	22 (HH (wn rolls	12" x 200' 2	gray	-	double	30	•	o
L universal dimpled metblown pads 15 x 18" 1 gray 100 Ingil fort 10 11 0 universal dimpled metblown pads 15 x 18" 1 gray 100 double 25 • 14 0 universal dimpled metblown pads 15 x 18" 1 gray 200 single 29 • 15 1 universal dimpled metblown pads 30"x 150" 1 gray 20 double 44 • 23 2 universal dimpled metblown rolls 30"x 150" 1 gray 2 double 44 • 23 2 universal dimpled metblown rolls 15"x 150" 1 gray 1 medium 40 • 17 2 universal dimpled metblown rolls 15"x 150" 1 gray 2 double 48 • 25 2 universal dimpled metblown rolls 15"x 150" 1 gray 1 medium 40 • 17 3 universal SMS pads 15"x 18" 3 gray 1 double 25 5 4 univ	1 L L L L L L L L L L L L L L L L L L L	i wheels, norizontal	33" X 28" X 12" n/a	DIack	L 00+	n/a bigb loff	<u>n/a</u>		S) C
universal dimpled meltblown pads 15" x 18" 1 gray 100 redune 20 14 universal dimpled meltblown pads 15" x 18" 1 gray 200 single 29 • 15 universal dimpled meltblown pads 30" x 30" 1 gray 200 double 44 • 23 2 universal dimpled meltblown rolls 30" x 150" 1 gray 2 double 44 • 23 2 universal dimpled meltblown rolls 15" x 150" 1 gray 2 double 44 • 23 3 universal dimpled meltblown rolls 30" x 150" 1 gray 1 medium 40 • 17 2 universal dimpled meltblown rolls 15" x 150" 1 gray 2 medium 40 • 17 2 universal dimpled meltblown rolls 15" x 150" 1 gray 1 medium 40 • 17 4 universal dimpled meltblown rolls 15" x 150" 1 gray 1 medium 40 • 17 5	2.5 2.7 3.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	pads	10 A 10 15" v 19" 1	gray	100	IligirToli	10		2 6
universal dimpled metabown pads 15" x 18" 1 gray 200 incubile 20 1 1 universal dimpled metabown pads 30" x 30" 1 gray 500 double 44 • 23 2 universal dimpled metabown rolls 30" x 150" 1 gray 2 double 44 • 23 2 universal dimpled metablown rolls 15" x 150" 1 gray 2 double 44 • 23 2 universal dimpled metablown rolls 30" x 150" 1 gray 1 medium 40 • 17 2 universal dimpled metablown rolls 15" x 150" 1 gray 1 medium 40 • 17 2 universal dimpled metablown rolls 15" x 150" 1 gray 1 medium 40 • 17 2 universal dimpled metablown rolls 15" x 150" 1 gray 1 medium 40 • 17 3 universal SMS pads 15" x 18" 3 gray 100 double 27 • 14	22 22 22 14 14 14 14 14	pade	15" × 18" 1	gray	101	medium	300	•	2 6
universal dimpled meltblown rolls 30° x 30° 1 gray 50 double 36 23 2 universal dimpled meltblown rolls 30° x 150° 1 gray 50 double 44 • 23 2 universal dimpled meltblown rolls 15° x 150° 1 gray 2 double 44 • 23 2 universal dimpled meltblown rolls 30° x 150° 1 gray 1 medium 40 • 17 2 universal dimpled meltblown rolls 15° x 150° 1 gray 1 medium 40 • 17 2 universal dimpled meltblown rolls 15° x 150° 1 gray 1 single 58 • 25 4 universal SMS pads 15° x 150° 1 gray 100 high loft 48 • 22 90 universal SMS pads 30° x 150° 3 gray 1 double 51 • 14 10 </td <td>22 22 22 14 14 14 14 14</td> <td>nads</td> <td>15" x 18" 1</td> <td>gray</td> <td>200</td> <td>single</td> <td>29</td> <td>•</td> <td>9</td>	22 22 22 14 14 14 14 14	nads	15" x 18" 1	gray	200	single	29	•	9
Lear universal dimpled meltblown rolls 30° x 150° 1 gray 1 double 44 • 23 Luniversal dimpled meltblown rolls 30° x 150° 1 gray 2 double 44 • 23 Laniversal dimpled meltblown rolls 30° x 150° 1 gray 1 medium 40 • 17 Laniversal dimpled meltblown rolls 15° x 150° 1 gray 2 medium 40 • 17 Laniversal dimpled meltblown rolls 15° x 150° 1 gray 1 single 58 • 25 Laniversal dimpled meltblown rolls 15° x 150° 1 gray 1 single 58 • 25 Laniversal SMS pads 15° x 150° 1 gray 100 high loft 19 • 11 Laniversal SMS pads 15° x 150° 3 gray 100 double 27 • 14 Laniversal SMS rolls 3 gray 1 double 27 • 14 Laniversal SMS rolls 3 gray 1 double 25 • 14 Laniversal SMS rolls 3 gray 1 double 25 • 14 Laniversal SMS rolls 3 gray 1 double 25 • 14 Laniversal SMS rolls 3 gray 1 double 25 • 14 Laniversal SMS rolls 3 gray 1 double 25 • 14 Laniversal SMS rolls 3 gray 1 double 25 • 14 Laniversal SMS rolls 4 gray 15° x 19° 3 white 100 double 25 • 11 Laniversal SMS rolls 5 • 15° x 19° 3 white 100 goulone 20 • 11 Laniversal SMS rolls 5 • 15° x 19° 3 white 100 goulone 20 • 11 Laniversal SMS rolls 5 • 15° x 19° 3 white 200 single 27 • 15	22 32 32 41 11 11	pads	30" x 30" 1	grav	50	double	36	•	10
tuniversal dimpled meltblown rolls and viversal sMS pads and viversal SMS rolls and viversal rolls and viversal sMS rolls and viversal rolls and viversal roll		rolls	30" x 150' 1	gray	-	double	44	•	10
universal dimpled meltblown rolls 30" x 150" 1 gray 1 medium 40 • 17 universal dimpled meltblown rolls 15" x 150" 1 gray 2 medium 40 • 17 universal dimpled meltblown rolls 15" x 150" 1 gray 1 single 58 • 25 universal SMS pads 15" x 19" 3 gray 100 high loft 19 • 11 universal SMS pads 15" x 19" 3 gray 10 high loft 48 • 22 universal SMS pads 30" x 150" 3 gray 1 high loft 48 • 22 universal SMS rolls 30" x 150" 3 gray 1 high loft 48 • 23 oil-only fine fiber meltblown pads 15" x 19" 3 white 100 double 25 • 14 oil-only fine fiber meltblown pads 15" x 19" 3 white 20 <		rolls	15" x 150' 1	gray	2	qonple	44	•	10
universal dimpled meltblown rolls 15" x 150" 1 gray 2 medium 40 • 17 universal dimpled meltblown rolls 30" x 150" 1 gray 1 single 58 • 25 universal SMS pads 15" x 19" 3 gray 100 high loft 19 • 11 universal SMS pads 15" x 19" 3 gray 10 high loft 48 • 14 universal SMS rolls 30" x 150" 3 gray 1 high loft 48 • 22 universal SMS rolls 30" x 150" 3 gray 1 high loft 48 • 23 oil-only fine fiber meltblown pads 15" x 19" 3 white 100 double 25 • 14 oil-only fine fiber meltblown pads 15" x 19" 3 white 100 single 27 • 11		rolls	30" x 150' 1	gray	-	medium	40	•	10
universal dimpled meltblown rolls 30" x 150" 1 gray 1 single 58 • 25 - universal dimpled meltblown rolls 15" x 150" 1 gray 100 high loft 19 • 17 - universal SMS pads 15" x 19" 3 gray 100 high loft 19 • 14 - universal SMS pads 15" x 19" 3 gray 100 double 27 • 14 - universal SMS rolls 30" x 150" 3 gray 1 high loft 48 • 22 universal SMS rolls 30" x 150" 3 gray 1 double 51 • 14 oil-only fine fiber meltblown pads 15" x 19" 3 white 100 double 25 • 14 oil-only fine fiber meltblown pads 15" x 19" 3 white 200 single 27 • 15		rolls	15" x 150' 1	gray	2	medium	40	•	10
universal dimpled meltblown rolls 15" x 150" 1 gray 2 single 58 • 25 universal SMS pads 15" x 19" 3 gray 100 high loft 19 • 11 universal SMS pads 15" x 19" 3 gray 100 double 27 • 14 universal SMS rolls 30" x 150" 3 gray 1 high loft 48 • 22 universal SMS rolls 30" x 150" 3 gray 1 double 51 • 13 oil-only fine fiber meltblown pads 15" x 19" 3 white 100 medium 20 • 11 oil-only fine fiber meltblown pads 15" x 19" 3 white 200 single 27 • 15		rolls	30" x 150' 1	gray	-	single	58	• 2	10
- universal SMS pads - universal SMS pads - universal SMS pads - universal SMS pads - universal SMS rolls - u		rolls	15" x 150' 1	gray	2	single	58	• 2	10
universal SMS pads 15" x 19" 3 gray 100 double 27 • 14 universal SMS rolls 30" x 150" 3 gray 1 high loft 48 • 22 universal SMS rolls 30" x 150" 3 gray 1 double 51 • 23 oil-only fine fiber meltblown pads 15" x 19" 3 white 100 medium 20 • 14 oil-only fine fiber meltblown pads 15" x 19" 3 white 200 single 27 • 15			15" x 18" 3	gray	100	high loft	19	•	10
universal SMS rolls 30" x 150" 3 gray 1 high loft 48 • 22 universal SMS rolls 30" x 150" 3 gray 1 double 51 • 23 oil-only fine fiber meltblown pads 15" x 19" 3 white 100 medium 20 • 14 oil-only fine fiber meltblown pads 15" x 19" 3 white 100 medium 20 • 11 oil-only fine fiber meltblown pads 15" x 19" 3 white 200 single 27 • 15	_		15" x 19" 3	gray	100	alduob	27	•	10
universal SMS rolls 30" x 150" 3 gray 1 double 51 • 23 oil-only fine fiber meltblown pads 15" x 19" 3 white 100 medium 20 • 14 oil-only fine fiber meltblown pads 15" x 19" 3 white 200 single 27 • 15			30" x 150' 3	gray	-	high loft	48	•	10
oil-only fine fiber meltblown pads 15" x 19" 3 white 100 double 25 • 14 oil-only fine fiber meltblown pads 15" x 19" 3 white 100 medium 20 • 11 oil-only fine fiber meltblown pads 15" x 19" 3 white 200 single 27 • 15			30" x 150' 3	gray	-	alduob	51	• 2	10
oil-only fine fiber meltblown pads 15" x 19" 3 white 100 medium 20 • 11 oil-only fine fiber meltblown pads 15" x 19" 3 white 200 single 27 • 15		fiber meltblown pads		white	100	alduob	25	•	12
oil-only fine fiber meltblown pads 15" x 19" 3 white 200 single 27 • 15		fiber meltblown pads		white	100	medium	20	•	12
		fiber meltblown pads		white	200	single	27	•	12

	Page #	12	12	12	12	12	12	12	13	13	13	133	13	2 5	12	12	2 2	2 2	14	14	14	14	14	14	14	14	14	14	7 7	14	14	14	15	15	15	ರ ಕ	5 5	15	15	15	15	15	15	0 5	0 4	2
	Qty/Pallet	30	15	15	21	21	15	15	30	36	30	15	C 4	21	21	15	5 4	2 6	36	399	300	36	30	15	15	15	77	21	30 03	8 8	18	15	30	39	30	7 4	5 5	15	21	21	15	120	15	71	71	77
ABLE	Ship Wf.	15	23	23	17	17	25	23	14	11	15	23	57	25	17	75	25	3 5	19	13	14	=	15	23	23	23	17	17	3 =	14	22	23	14	=	15	10.5	23	23	17	17	25	4	788	40	90	77
NON-APPLICABLE	Perforated	•	•	•	•	•	•	•	•	•	•	•	• -	•		•	•	•	•	•	•	•	•	•	. -	•	•	•														
NON-	Absorbency Po		47	47	38	38	51	47	28	23	30	43	20	70	44	## 55	55	30	200	286	25	20	29	32	44	44	40	40	100	27	46	51	32	25	30	20	909	09	41	41	89	6	64	65	05 25	00
щ		a)																																												
RESSIV	g Wt. Class	lguis	alduob	double	medium	medium	single	alduob	alduob	medium	single	double	agnop	ilbom	medium	lineuir	oingie	Idiiob	high loff	high	double	medium	singl	qouble	qonple	double	medium	medium	high lof	lduob	high loft	double	double	medium	Single	economy	Idiloh	double	medium	medium	single	double	double	11/4	n/a	n/11
NON-AGGRESSIVE	Packaging	200	-	2	-	-	-	1	100	100	200	20	_ c	7 +	- ~	7 1	- 0	7 -	- 00	200	100	100	200	20	-	2	-	2 +	1001	100		1	100	100	7007	30	-	- 2	-	2	-	25		4 c	7	F
N	Color	plue	white	white	white	white	white	plue	white	white	white	white	wnite	white	white	white	white	white	white	white	white	white	white	white	white	white	white	white	white	white	white	white	white	white	wnite	white	white	white	white	white	white	white	white	white	wille	WILLO
HAZMAT	Ply	လ	က	3	က	က	က	3	2	2	2	2	7 0	7 0	7	7	2 0	40	7 -	- -	-	-	-	1	-	-	-	- -	- c	0 00	(C)	3	-	- -	- -	- -	-	-		1	-	-	- 2	11/a	n/a n/a	ıηα
HAZ	Size	15" x 19"	30" x 150'	15" x 150'	30" x 150'	15" x 150'	30" x 300'	30" x 150'	15" x 19"	15" x 19"	15" x 19"	30" × 30"	30 X 150	13 x 130	30 X 130 15" × 150'	30" × 300'	30 × 300 15" × 300'	12" < 200'	12 × 200 15" × 18"	15" x 18"	15" x 18"	15" x 18"	15" x 18"	30" x 30"	30" x 150'	15" x 150'	30" × 150'	15" x 150"	50 × 500 15" × 18"	15" x 19"	30" x 150'	30" x 150'	15" x 19"	15" x 19"	15" X 19"	30" × 30"	30" x 150"	15" x 150'	30" x 150'	15" x 150'	30" x 300'	15" x 19"	30" x 150'	8" X 1U"	8 x 20 5" × 10'	01 V 0
RSAL																																														
UNIVERSAL									spr	spr	pads	pads	IIIS		SIIIS	rolls	SII SI	SI SI	2																											
		oil-only fine fiber meltblown pads	oil-only fine fiber meltblown rolls	oil-only SM bonded meltblown pads	oil-only SM bonded meltblown pads		neltblown pa	neitblown rolls	melithlown ro			oil-only SM bonded melthlown rolls	oil-only SM bended melthlown rolls	thlown nade	thlown pads	tblown pads	tblown pads	tblown pads	tblown pads	oil-only dimpled meltblown rolls	tblown rolls	tblown rolls	tblown rolls	SIIOI IIMOIOI				tblown pads	tblown pads	tolown pads	thlown pads	thlown rolls	tblown rolls	Itblown rolls	tblown rolls	tblown rolls	oil-only anti-stat meltblown pads	tblown rolls								
OIL	tion	ine fiber me	ine fiber me	ine fiber me	ine fiber me	ine fiber me	ine fiber me	ine fiber me	SM bonded I	SM bonded I	oil-only SM bonded meltblowr	SM bonded	SM honded	SM hondad	dimnled mel	dimpled melt	dimpled mel	dimpled melt	dimpled mell	dimpled mel	dimpled mel	dimpled mell	dimpled mel	oil-only dimpled meltblown ro	oil-only dimpled men	oil-only SMS pads	oil-only SMS rolls	oil-only SMS rolls	standard mel	standard mel	standard mel	standard me	standard me	standard me	standard me	standard me	standard me	anti-stat mel	anti-stat mel	DOOOMS	SIIIOOO	DUULIIS				
	Description	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only:	oil-only:	oil-only	oil-only	oll-only	oil only	oil-only	oil-only	oil-only	oll-only	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only	oll-only	oil-oily	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only	oil-only booms	oil-only booms	UII OIIIJ
Product Specifications	Mfg #	PSBFF200	RHWFF150	RHWFF1502	RMWFF150	RMWFF1502	RSWFF300	RHBFF150	PHWS100	PMWS100	PSWS200	PHWS50	KHWS150	DAMAC1502	RIMWS130	RIVING 300	RSW/S300	RHWS200	PWR100HI	PWR200HI	PHWB100	PMWB100	PSWB200	PHWB50	RHWB150	RHWB1502	RMWB150	RIMWB1502	DWSC100HI	PHWSS100	RWSS150HL	RHWSS150	PHW100	PMW100	PSW200	PW IOURL	RHW150	RHW1502	RMW150	RMW1502	RSW300	PWAS25	RHWAS150	BW8104	BW8202 RW5104	10101
ecific	M																																													
uct Sp	Part #	OILM1011	01LM5095	0ILM5096	01LM5092	OILM5310	01LM5106	01LM5094	01LM1005	OILM1010	OILM1009	OILM10005	REUCINITIO	OILINISUS OII ME112	OILIMD113	OILIMD311	OIL M5191	OILIMS121	OILM3123	OII M1009HP	OILM2300	OILM2301	OILM2302	OILM2303	OILM2304	OILM2305	01LM2306	OILM2307	OILIMESUG OII M5122	OII M1006	01LM5120	OILM5116	OILM1000	01LM1004	UILMTUUZ	OILMIUIS	OII M5100	OILM5097	OILM5112	01LM5125	OILM5110	01LM1008	OILM5104	OILM3000	OILIM3007	OILIVIOUS
Prod	Model #	FFP6B	FFR12W	FFR12W-2	FFR9W	FFR9W-2	FFR6W	FFR12B	BP12W	BP9W	BP6W	BP3030W	BR12W	DDOM/	BROW-2	DD9W-Z	BRGW-2	BR200W	DP12W-HP	NP6W-HP	DP12W	DP9W	DP6W	DP3030W	DR12W	DR12W-2	DR9W	DR9W-2	DPSMSHI	Oll M1006	OILM5120	OILM5116	P12W	P9W	PbW	Pawa Pananw	R12W	R12W-2	R9W	R9W-2	R6W	SRP12W	SRR12W	BB	B820 R5	DO

	Page#	16	16	17	17	17	17	19	19	19	19	19	19	19	19	19	19	19	20	20	20	20	20	20	20	20	21	21	21	71	22	22	22	22	22	23	23	23	23	23	23	24	24	24	24	24	24	24
	Qty/Pallet	20	24	19	2 5	42	42	36	30	30	15	15	30	30	15	15	16	12	36	42	27	36	42	27	36	27	90	12	12	30	12	12	15	24	15	15	15	6	27	10	50	35	50	20	35	50	50	35
ABLE	Ship Wt.	22	=	1 67	24	13	13	8	14	15	23	23	14	15	23	23	22	42	12	10	17	12	10	17	12.5	22	14	83	23	15	20	20	20	34	09	0/	09	41	27	42	21	12	20	21	12	50	21	12
NON-APPLICABLE	Perforated							•	•	•	•	•	•	•	•	•											•	•	•																			
NON NON-	Absorbency P		12	71	35	18	18	18	27	29	47	47	28	30	52	52	30	48	26	23	38	26	20	45	20	35	30	36	36	25	64	09	64	16	50	09	40	82	45	n/a	n/a	17	28	30	17	28	30	17
SIVE	Wt. Class Ak		n/a	II/a n/a	n/a n/a	n/a n/a	n/a	double	double	single	double	double	double	single	double	double	n/a	n/a	double	medium	double	double	medium	double	double	double	double	double	double	double	single	single	double	single	double	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NON-AGGRESSIVE	Packaging W		2				-		100				100			2										-				100	_	_	_	_	_	_	2		2					15				
NON NON-	Color Pa		white	white	white	white	plue	yellow	yellow	yellow	yellow	yellow	yellow	yellow	yellow	yellow	yellow	yellow	natural	natural	natural	gray	gray	gray	gray	gray	camo	camo	camo	gray	gray	gray	gray	gray	gray	black	black	black/white	black/white	black	black	white	white	white	gray	gray	gray	yellow
//AT	Ply	n/a	n/a	11/a 11/a	n/a u/a	11/a 2	2	က	က	က	3	3	2	2	2	2	n/a	n/a	3	က	က	3	3	3	3	3	က	က	က	2	-	-	-	2	-								n/a	n/a	n/a	n/a	n/a	n/a
HAZMAT	9	: 20'	3" x 20'	10.	10,	× 100'	x 100'	x 14"	x 19"	x 19"	x 150'	x 150'	x 19"	x 19"	x 150'	x 150'	: 10'	: 10'	x 18"	x 18"	x 150'	x 18"	x 18"	x 150'	x 18"	x 150'	x 18"	x 150'	x 150'	x 19"	× 300'	× 300'	× 150'	× 100'	× 150'	× 100'	× 100'	x 100'	x 100'	x 50'	x 25'	(15"	x 18"	18" x 24"	(15"	× 18"	×24"	(15"
;AL	Size	2">	3,0	ς α	֖֖֓֞֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	191	19"	101	15"	15"	30	15"	15"	15"	30	15"	2")	8"	16"	16"	28	16"	16"	28	16"	28	15"	15"	30	15"	36"	36"	36	38	38	. 29	19"		19"	15	15'	\	18	18"	6"	18	18.	66
UNIVERSAL																																																
													S	lS	S	S			n pads	n pads	n rolls	on pads	on pads	on rolls	tton pads	tton rolls	iversal	versal	versal	oads		nds)		J rug														
OIL	on	Smoc	Smoo	SIIIIS	SIIIO	Ween	weep	hazmat fine fiber pads	hazmat fine fiber pads	hazmat fine fiber pads	hazmat fine fiber rolls	hazmat fine fiber rolls	hazmat SM bonded pads	hazmat SM bonded pads	hazmat SM bonded rolls	hazmat SM bonded rolls	oms	oms	oil-only cotto	oil-only cotto	oil-only cotto	universal cott	universal cott	universal cott	c universal co	Aqua Lock universal cotton rolls	camo matting pads, universa	camo matting rolls, universa	camo matting rolls, universa	universal poly-backed pads	ch rug	needlepunch rug (seconds)	ch rug	poly-back needle punch rug	extile	Jat	nat	: mat	c mat	ards	ards	-only	-only	-only	iversal	iversal	iversal	zmat
	Description	oil-only booms	oil-only booms	oil-only booms	oil-only hooms	oil-only sween	oil-only sweep	hazmat fin	hazmat fin	hazmat fin	hazmat fin	hazmat fin	hazmat SN	hazmat SN	hazmat SN	hazmat SN	hazmat booms	hazmat booms	Eco-Sop,	Eco-Sop,	Eco-Sop,	Eco-Sop,	Eco-Sop,	Eco-Sop,	Aqua Lock	Aqua Lock	camo mati	camo mati	camo mat	universal	needlepunch rug	needlepun	needlepunch rug	poly-back	recycled textile	RR track mat	RR track mat	SMP track mat	SMP track mat	ground guards	ground guards	pillow, oil-only	pillow, oil-only	pillow, oil-only	pillow, universal	pillow, universal	pillow, universal	pillow, hazmat
ıtions	#1	BW5202	BW3202	BW3104 BW810YT	BW510X1	SHWS100	SHBS100	PHYFF1001014	PHYFF100	PSYFF200	RHYFF150	RHYFF1502	PHYB100	PSYB200	RHYB150	RHYB1502	BY5104	BY8104	PHWC100	PMWC100	RWC28150H	PHGCU100	PMGCU100	RHCU150	PHGSSCA100	RHGSCA150	PHCSF100	RHCSF1502	RHCSF150	PHGB100PB	RMGNP300	RMGNP300S	RHGNP150	RSNPPB100	RHRAG150	RRT59100	RRT191002	RHRR59100	RHRR191002	RHGNP50	RHGNP25	PILW91516	PILW181816	PILW182415	PILG91516	PILG181816	PILG182415	PILY91516
ecifica	Mfg #	BWE	BW					PHY		PSY				PSY			BY5	BY8	PHV	PM	RW																RRI	霊	出									PIL
Product Specifications	Part #	OILM3023	OILM3013	OILIM3024	OILIM3023	OILM3020	OILM2030	OILM1047	OILM1073	OILM1072	OILM5091	OILM5090	OILM1075	OILM1077	01LM5000	OILM4999	OILM3010	OILM3001	OILM1082	OILM1083	01LM1084	OILM1087	OILM1088	OILM1089	OILM1092	OILM1093	OILM6013	OILM6019	OILM6012	OILM1095	0009WTI0	001LM6006	01LM6004	01LM6010	OILM6015	01LM5996	OILM5997	OILM5992	OILM5991	OILM6023	01LM6024	OILM4010	OILM4014	OILM4012	OILM4003	OILM4002	01LM4000	OILM4011
Prod	Model #	B520	B3	BSIU	B5XT	SW100	SW100B	FFP1113Y	FFP12Y	FFP6Y	FFR12Y	FFR12Y-2	BP12Y	BP6Y	BR12Y	BR12Y-2	B5-H	В8-Н	OILM1082	OILM1083	OILM1084	OILM1087	OILM1088	OILM1089	OILM1092	OILM1093	OILM6013	OILM6019	OILM6012	DP12GPB	RNP	RNP-S	OILM6004	PBRNP	RTR-1	OILM5996	OILM5997	OILM5992	OILM5991	OILM6023	OILM6024	915-0	1818-0	1824-0	915-U	1818-U	1824-U	915-H

	let Page#			24															26												88			6	>	30	36			30					30			
	. Oty/Pal		20	15	24	20	09	20	20	20	20	20	20	20	20	20	16	20	09	20	20	32	35	52	16	16	16	16	72	72	72	7.5	را <mark>مرم</mark>	n/a		-	n/a								2			
NON-APPLICABLE	icy Perforated Ship Wt.		21	35	12	35	11	35	35	35	35	35	35	35	47	23	40	35	=	35	35	4	1 0	\ T	10	19	12	12	7	7	3.5	3.5	22		-	245	158	245	158	242	158	116	155	06	155	06	CCI	06
	Absorbency	28	30	37	25	30	10	30	30	30	30	30	30	30	20	30	41	30	10	30	30	5.5	φ	12	12	19	12	12	7	7	3.5	3.5	32	n/a n/a		170	170	170	170	170	170	n/a	108	108	108	108	201	20
NON-AGGRESSIVE	Wt. Class	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a n/a	n/a	n/a	n/a	qonple	alduob	single	single	n/a	n/a n/a	5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	D/3
N-AGGF	Packaging	16	15	10	10	30	10	15	10	9	30	15	10	9	40	30	2	30	10	15	10	50	07	15	16	9	16	16	25	22	25	52	- -		-	-	-	1	-	-	-	_	-	-	-	-	-	
NO	Color	yellow	yellow	plue	white	white	white	white	white	white	gray	gray	gray	gray	gray	gray	gray	yellow	yellow	yellow	yellow	white	white	white	WIIIE	white	gray	white	plue	gray	plue	gray	Wnite	hlack	Nonio (white	n/a	white	n/a	white	n/a	white	white	n/a	white	n/a	white	D/3
IMAT	Ply	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	11/d 3" n/a	3" n/a	n/a	n/a	က	3	က	· ·	n/a	n/a n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	B/U
HAZMAT	Size	18" x 18"	18" x 24"	14" x 24"	15" x 15"	3" x 4"	3" x 4'	3" x 8'	3" x 12'	3" x 20'	3" x 4'	3"×8'	3" x 12'	3" x 20'	3" x 42"	3" x 4'	7" x 8'	3" x 4'	3" x 4'	3" x 8'	3" x 12'	1.5" x 2'	3" × 18"	5" × 15"	105" x 105" x '	10.5" × 10.5" × 3	10" x 10'	10" x 10"	22"	22"	22"	22	n/a	33" x 28" x 17"		χΓ	XL	XL	XL	XL	XL	XL		-	-		_ -	
UNIVERSAL																	polymer blend										WS	WS					oloiton	rack on wheels horizontal	6000	ls, oil-only			ls, universal refill		ls, hazmat refill	ID, 8" pneumatic wheel	oil-only	oil-only refill	universal	universal refill	hazmat	nazmat retil
TIO	Description	pillow, hazmat	pillow, hazmat	mesh bag pillow, oil-only	spaghetti pillows	socks, oil-only PP	socks, universal PP	socks, universal PP	socks, universal PP	socks, universal PP	socks, universal, corn cob	socks, universal super sock	socks, universal cellulose poly	socks, hazmat PP	socks, hazmat PP	socks, hazmat PP	socks, hazmat PP	well sock, oil-only	bilge sock, oil-only	mini boom, oil-only	IIIIIII DOOIII, OII-OIII)	oil-only drip pans	drip pan replacement pillows	drip pan replacement pillows	drum top, oil-only	drum top, universal	drum top, oil-only	drum top, universal	4			X-Large spill cart on wheels, o	X-Large spill cart on wheels, o	X-Large spill cart on wheels, u	X-Large spill cart on wheels, I	X-Large spill cart on wheels, t	X-Large spill cart on wheels,	cart only, 44" x 44" x 29.5" ID, 8" pneumat	Large spill cart on wheels,	Large spill cart on wheels,	Large spill cart on wheels, universal	Large spill cart on wheels,	Large spill cart on wneels,	STORE SOUTH COURT OF WHEELS HOSTING				
Product Specifications	Mfg #	PILY181816	PILY182415	PILWMB142410	PILWMS24245	S0CW34830	S0CW34810	S0CW39615	S0CW314410	S0CW32406	S0CG34830	S0CG39615	S0CG314410	S0CG32406	S0CCC34220	SOCCLU34830	SOCXLDS7965	S0CY34830	S0CY34810	S0CY39615	S0CY314410	S0CW32420	BW31820	BW51512	DP111010	DP01010	DPUR1010	DP0R1010	PHWFFDT25	PHDTGFF25	PSBFFDT25	PSD1GFF25	CDDACK	WRBACK		KIT01026	KIT01027	KITU1024	KITU1025	KITH1016	KITH1017	KITX1101	KIT01035	KIT01036	KITU1031	KITU1032	KIIH1022	KH1073
ict Spec	Part #	OILM4016	OILM4017	OILM3598	OILM3597	OILM2100	OILM2105	OILM2101	OILM2104	OILM2103	OILM2110	OILM2113	OILM2114	01LM2109	OILM2019	OILM2023	OILM2024	OILM2121	OILM2122	OILM2123	OILM2124	OILM206	OIL450	OILM3017	OILM3019	OII M8011	OILM8012	OILM8013	OILM3500	OILM3502	OILM3503	01LM3504	OILM8000	OILIM5040		990ZW10	OILM7066R	OILM7068	OILM7068R	01LM7069	OILM7069R	OILM7067	OILM7092	OILM7092R	OILM7093	OILM7093R	OILM/094	M/034K
Produ	Model #	1818-H	1824-H	OILM3598	OILM3597	S4B	S4B-10	S8B	S12B	S20B	S4G	S8G	S12G	S20G	S4CC	S4CPB	S7CPB	S4Y	S4Y-10	S8Y	S12Y	01LM206	011.450	01LM3017	UILIMISUTS DP-11	DP-0	DPP-U	DPP-0	D22-0	D22-U	DL22-0	DL22-U	PI-U	OILIM3040	SPILL KITS	01LM7066	OILM7066R	OILM7068	OILM7068R	690ZW710	OILM7069R	OILM7067	OILM7092	OILM7092R	OILM7093	OILM7093R	OILM /094	ULM/094K

	Page #	30	36	308	36	31	36	31	36	31	36	31	36	31	38	31	36	31	36	31	36	31	36	32	39	88	8	35	8 8	39	32	36	32	36	32	36	32	36	32	36	32	36	32	36	32	36
	Qty/Pallet	2	4 6/0	4	n/a	-	n/a	1	n/a	-	n/a	- 0	2/0	1/a	2/0	2	n/a	2	n/a	2	n/a	2	n/a	2	n/a	2	n/a	7	1/a	n/a	2	n/a	2	n/a	8	n/a	8	n/a	8	n/a	12	n/a	12	n/a	12	n/a
NON-APPLICABLE	Perforated Ship Wt. (43	43	24	54	19	34	19	54	19	110	6 E	110	61	119	61	77	30	71	30	71	30	104	61	104	10	104 E4	5 &	41	82	41	82	41	49	29	52	49	52	49	32	13	32	13	35	13
NON	Absorbency	n/a	37	37	37	30	30	30	30	30	30	11/d 72	73	73	73	73	73	47	47	47	47	47	47	73	73	23	5 2	72	46	46	46	46	46	46	44	44	44	44	44	44	18	18	18	18	18	18
RESSIVE	Wt. Class		n/a	n/a n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	11/3	11/4	n/a n/a	1/a 1/3	n/a n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	11/4	n/a n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NON-AGGRESSIVE	Packaging		- -	- -	-	1	1	1	-	-	, - ,					- -		-	-	١ - 1	1	۷ 1	1	٧ 1	_	, , ,	- -				\ -	-	۸ 1	1	1	1	1	-	1	.	۷ 1	-		, - ,	_ ,	L
	Color	white	gray	gray	n/a	gray	n/a	gray	n/a	gray	n/a	gray	yellov n/a	vellov	y5110v	vellov	n/a	vellov	n/a	yellov	n/a	yellov	n/a	yellov	n/a	yellov	n/a	yellov n/s	vellov	n/a	yellow	n/a	yellov	n/a	plue	n/a	plue	n/a	plue	n/a	yellov	n/a	yellov	n/a	yellov	n/a
HAZMAT	Ply	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	11/a	11/4	n/a n/a	2/2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	B/II	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
HAZ	Size	1	50 gal	50 gal	50 gal	40" x 20" x 20"	40" x 20" x 20"	40" x 20" x 20"	40" × 20" × 20"	40" × 20" × 20"	40" × 20" × 20"	95 gal	95 gal	OS gal	95 gal	95 gal	95 gal	50 gal	50 gal	50 gal	50 gal	50 gal	50 gal	95 gal	95 gal	95 gal	95 gal	95 gal	65 nal	65 gal	65 gal	65 gal	65 gal	65 gal	55 gal	55 gal	55 gal	55 gal	55 gal	55 gal	30 gal	30 gal	30 gal	30 gal	30 gal	30 gal
OIL UNIVERSAL	ption	y, 43.5" x 29" x 34", 4" rubber casters	50-gallon mobile spill kit, oil-only 50-gallon mobile spill kit, oil-only refill	50-gallon mobile spill kit, universal	50-gallon mobile spill kit, universal refill	Spill kaddie kit, oil-only	Spill kaddie kit, oil-only refill	Spill kaddie kit, universal	Spill kaddie kit, universal refill	Spill kaddie kit, hazmat		Kaudie Olly, 40 - X 20 - X - I Tubbel Castels 05-aallon oil-only with wheels	on on-only, with wheels and only with wheels	on on-only, with wheels remined and one of the control of the cont	on universal, with wheels refill	on hazmat with wheels	n hazmat, with wheels refill	on oil-only, with wheels	50-gallon oil-only, with wheels refill	on universal, with wheels	on universal, with wheels refill	on hazmat, with wheels	50-gallon hazmat, with wheels refill	95-gallon oil-only	95-gallon oil-only refill	95-gallon universal	95-gallon universal refill	90-gallon liazilial 05-asllon bazmat rafill	93-gallon lilazillari ellil 65-allon oil-only	65-gallon oil-only refill	65-gallon universal	65-gallon universal refill	65-gallon hazmat	65-gallon hazmat refill	55-gallon oil-only	55-gallon oil-only refill	55-gallon universal	55-gallon universal refill	55-gallon hazmat	55-gallon hazmat refill	30-gallon oil-only	30-gallon oil-only refill	30-gallon universal	30-gallon universal refill	30-gallon hazmat	30-gallon hazmat retill
so.	Description	cart only	50-gallo	50-gand	50-gallo	Spill kad	Spill kad	Spill kad	Spill kad	Spill kad	Spill kad	Mauule C OF gallo	90-galle	05-dallo	93-galle	95-nall	95-dallc	50-gallc	50-gallc	50-gallc	50-gallc	50-gallc	50-gallc	95-gallc	95-gallc	95-gallc	95-gallo	90-gallc	65-gallc	65-dallc	65-gallc	65-gallc	65-gallc	65-gallc	55-gallc	55-gallc	55-gallc	55-gallc	55-gallc	55-gallc	30-gallc	30-gallc	30-gallc	30-gallc	30-gand	30-gand
ification	Mfg #	KITX1102	KIT01004	KITU1004	KITU1005	KITO1009	KIT01010	KITU1007	KITU1008	KITH1002	KITH1003	KITO1023	KIT01033	KITI11029	KIT111030	KITH1020	KITH1021	KIT01016	KIT01017	KITU1016	KITU1017	KITH1008	KITH1009	KIT01022	KIT01023	KII U1022	KII U 1023	KITH1014	KITO1020	KIT01021	KITU1020	KITU1021	KITH1012	KITH1013	KIT01028	KIT01029	KITU1026	KITU1027	KITH1018	KITH1019	KIT01018	KIT01019	KITU1018	KITU1019	KITH1010	KII H1011
Product Specifications	Part #	01LM7095	KII1040 KIT1040-B	KIT1041	KIT1041-R	OILM6986	OILM6986-R	OILM6987	OILM6987-R	OILM6988	OILM6988-R	OILIMO965	SPK95-0-W OILIM/060	OII M7087	SPK95-II-W-R OII M7087R	OII M7088	SPK95-H-W-R OII M7088R	OILM7031	SPK50-0-W-R 01LM7031R	OILM7032	SPK50-U-W-R OILM7032R	OILM7033	PK50-H-W-R 0ILM7033R	OILM7062	OILM7062R	OILM 7063	OILM/063K	OILM 7064	OILM7064III	OII M7060R	OILM7061	OILM7061R	OILM7059	OILM7059R	OILM7070	OILM7070R	OILM7071	OILM7071R	OILM7084	OILM7084R	OILM7054	OILM7054R	OILM7056	OILM7056R	OILM7055	OILM/055R
Prodi	Model #	OILM7095	KII 1040 KIT 1040-B	KIT1041	KIT1041-R	OILM6986	OILM6986R	OILM6987	OILM6987R	OILM6988	OILM6988R	CDKOK-O-W	SPK95-0-W-C	SPK95-II-W	SPK95-11-W-F	SPK95-H-W	SPK95-H-W-F	SPK50-0-W	SPK50-0-W-F	SPK50-U-W	SPK50-U-W-F	SPK50-H-W	SPK50-H-W-I	SPK95-0	SPK95-0-R	SPK95-U	SPK95-U-R	SPK90-H	SPK65-0	SPK65-0-R	SPK65-U	SPK65-U-R	SPK65-H	SPK65-H-R	SPK55-0	SPK55-0-R	SPK55-U	SPK55-U-R	SPK55-H	SPK55-H-R	SPK30-0	SPK30-0-R	SPK30-U	SPK30-U-R	SPK30-H	SPK30-H-K

	Page #	32	36	32	36	32	36	32	36	32	36	33	33	33	33	33	33	33	33	33	33	34	34	34	34	34	34	34	88	8	8 %	38	35	35	37	37	37	3/	10	39	39	40	40	40	40	41
	Oty/Pallet	18	n/a	18	n/a	18	n/a	27	n/a	27	n/a	n/a	n/a	n/a	n/a	n/a	n/a	48	48	80	80	100	100	100	100	100	n/a	n/a	n/a	2	IV/A	- NA	N/A	N/A	48	N/A	N/A	N/A	N/A	30	30	400,	400	400'	400.	200
NON-APPLICABLE	Perforated Ship Wt.		13	25	13	25	13	22	15	22	15	22	55	25	33	33	33	10	10	7	7	9	9	9 (∞ (∞ (9	9	න 	77	140	71	3	2	10	29	9,	- -	_	19	19	420	245	570	260	740
NO	Absorbency	14	14	14	14	14	14	6	6	6	6	18	18	18	12	12	12	5	5	5	5	5	5	2	5	2	,	7	9 8	3 8	2 8	8 8	n/a	n/a	5	n/a	n/a	n/a	11/4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NON-AGGRESSIVE	Wt. Class	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	11/a 11/a	n/a n/a	n/a	n/a	n/a	n/a	n/a	n/a	11/4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
I-AGGR	Packaging	-	-	-	-	-	1	1	-	1	1	-	-	-	_	-	-	-	-	1	1	-	-	-	_	_	_		_	,	- -	-	1	-	-	-	,		-	30	-	< 100,			< 50.	.001
NON	Color		n/a	yellow	n/a	yellow	n/a	plue	n/a	plue	n/a	white	white	white	white	white	white	white	white	n/a	n/a	white	white	white	yellow	yellow	black	black	blue/yellow	yellow 2/2	II/d white	n/a	green	green	white	white	n/a	n/a	yellow	various	various	orange/black	orange/black	orange/black	orange/black	orange
ИАТ	Ply	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a													7 5"	n/a n/a		n/a		x 30" n/a	n/a	n/a	11/4	n/a	n/a	n/a	n/a	n/a	n/a	n/a
HAZMAT	Size	20 gal	20 gal	20 gal	20 gal	20 gal	20 gal	14 gal	14 gal	14 gal	14 gal	_	_	_	SM	SM	SM	6 gal	6 gal	18" x 15" x 7"	18" x 15" x 7"	20.25" x 20" x 6"	20.25" x 20" x 6"	20.25" × 20" × 6"	22" x 15"	22" x 15"	28" x 21"	28" x 21"	20" × 10" × 12"	65 gal	05 gal 44 25" v 26 5" v 27	n/a	n/a	n/a		'5" x 12.75"	n/a	n/a 14" v 0"	14 A 3	n/a	n/a	18" x 100"	18" x 50'	24" x 100'	24" x 50""	18" x 100'
L UNIVERSAL			efill		refill		ılili		efill		refill	-only	iversal	zmat	l only	niversal	zmat	pail	n pail	bag	n bag			-	t, oil only	t, universal		-	al		ilaniile spiii Kit leiiii	fill, oil-only refill	ı	ər		II/solvent kit		200	ıığıı)/bag	30 snares/50' rope	nent boom, 175 oz PVC	permanent containment boom, 175 oz PVC	permanent containment boom, 175 oz PVC		w/ tension cable
	Description	20-gallon oil-only	20-gallon oil-only refill	20-gallon universal	20-gallon universal refill	20-gallon hazmat	20-gallon hazmat refil	14-gallon oil-only	14-gallon oil-only refil	14-gallon universal	14-gallon universal refil	large cabinet kit, oil-only	large cabinet kit, universal	large cabinet kit, hazmat	small cabinet kit, oil only	small cabinet kit, universal	small cabinet kit, hazma	6-gallon oil only in pail	6-gallon universal in pail	6-gallon oil-only in bag	6-gallon universal in bag	oil-only foil kit	universal foil kit	hazmat foil kit	high-viz bag spill kit, oil only	high-viz bag spill kit, universa	universal spill sack	oil-only spill sack	tote bag kit, universal	marine spill kit	dock hox snill kit nil-only	dock box spill kit refill, oil-onl	large overpack cover	small overpack cover	acid spill kit	wall mount chemical/solvent	mercury spill kit	EK guide book	illio asiindsau ilido no	oil snare singles, 30/bag	oil snare on a rope, 30 snares	permanent containment boor	permanent containn	permanent containn	permanent containn	containment boom, w/ tensior
Product Specifications	Mfg #	KIT01013	KIT01014	KITU1011	KITU1012	KITH1005	KITH1006	KIT01011	KIT01012	KITU1014	KITU1015	KIT01001	KITU1001	KITH1000	KIT01000	KITU1000	KITU1034	KIT01007	KITU1010	KIT01006	KITU1009	KIT01008	KITU1006	KITH1001	KI101015	KITU1013	KI1U1028	KIT01030	KITU1033	KII 01024	KIT01033	KIT01032	KITX1000	KITX1001	KITA1000	KITH1007	KIIM1000	KIIX1003	NIIA1004	MSRSNS30	MSRSNR50	MSRCBP1000	MSRCBP1001	MSRCBP1002	MSRCBP1003	MSRCBR1000
ıct Speci	Part #	OILM7010	OILM7010R	OILM7014	OILM7014R	OILM7015	OILM7015R	OILM7009	01LM7042	01LM7028	OILM7043	KIT1015	KIT1016	KIT1017	KIT1012	KIT1013	KIT1014	OIL714	OILM7004	0IL712	OILM7000	OIL717	OIL718	OIL720	UILM / 026	OILM7027	UILM/0/6	OILM7077	OILM7107	OILM7065	OILIM 7083h	OILM7083R	CON0210	CON0211	OILM7005	OILM7021	KII 7006	OILMOOT	MARINE CDII I RECDONCE	OILM6050	OILM6052	OILM092	01LM094	01LM262	OILM263	OILM099
Produ	Model #	SPK20-0	SPK20-0-R	SPK20-U	SPK20-U-R	SPK20-H	SPK20-H-R	SPK14-0	SPK14-0-R	SPK14-U	SPK14-U-R	KIT1015	KIT1016	KIT1017	KIT1012	KIT1013	KIT1014	SK5-0	SK5-U	SKB-0	SKB-U	SKFB-0	SKFB-U	SKFB-H	SKYB-U	SKYB-U	01LM/0/6	OILM7077	OILM7107	OILM7065	OILIM/063-h	OILM7083-R	CON0210	CON0211	OILM7005	OILM7021	KII 7006	OILMOOT OIL M 2006	MARINE SPI	OILM6050	OILM6052	OILM092	OILM094	OILM262	OILM263	OILM099

Prod	uct Spec	Product Specifications	OIL UNIVERSAL	HAZMAT		NON-AGGRESSIVE	RESSIVE	NON-APPLICABLE	ICABLE		
Model #	Part #	Mfa #	Description	Size	Ply Color	r Packaging	g Wt. Class	Absorbency Perforated	1 Ship Wt.	Qty/Pallet	Page #
OILM097	OILM097	MSRCBR1001	containment boom, w/ tension cable			a 2				200,	41
OILM100	OILM100	MSRCBR1003	containment boom, no tension cable),	n/a orange		n/a	n/a	220	500'	41
OILM200	OILM200	MSBCBA1000	bulk head riser 18" fiberalass			ge 100	n/a	11/d n/a	120	000	41
OILM259	OILM259	MSRCBA1001	bulkhead riser, 24", fiberglass	24" x 16" x 16" r		Je 1	n/a	n/a n/a	40	n/a n/a	42
B00M1035	B00M1035	MSRCBS1500	boom in a bag		1/a orange	je 1	n/a	n/a	40	n/a	42
B00M1036	B00M1036	MSRCBS1501	PVC bag for boom in a bag			ge 1	n/a	n/a	10	n/a	42
OILM090	OILM090	MSRCBA1004	Danforth anchor, 22 lbs.	22 lbs		-	n/a	n/a	22	n/a	43
OILM087	OILM087	MSRCBA1005	anchor chain, 3/8"	aid	1/a metal	63.	n/a	n/a	20	n/a	43
OILM089	OILIMO89	MSRCB41003	galvallized Sliachles nolvform anchor bilovs			1 Jr	n/a n/a	11/d n/a	- 6	n/a n/a	43
01L753	OIL753	MSRCBA1008	polypropylene line, 3-strand	ار		W 1	n/a	n/a	32	n/a	43
B00M1008	B00M1008	MSRCBA1007	containment boom tow bridal		v/a orange	ge 1	n/a	n/a	2	n/a	43
WIPERS & RAGS	RAGS										
NWP400	NWP400	WIP1100	Red Spunlace, Flatlay				n/a	n/a	19	54	45
NWP401	NWP401	WIP1101			ı/a red		n/a	n/a	27	32	45
NWP381	NWP381	WIP1105					n/a	n/a	12	72	45
NWP402	NWP402	WIP1102					n/a	n/a	18	54	45
NWP403	NWP403	WIP1103	lay			500	n/a	n/a	52	32	45
NWF 300	INVIPSOU OII MEDA1	WIP I 104	lotactized alcodure	12				- P/II	0 1	00	40
NWP398	NIM/P398	WINTACK	Rue Soundse Boll	_	1/a DIACK			• • • • • • • • • • • • • • • • • • •	0	11/d 64	45
NWP351	NWP351	WIP1000	fold					n/a n/a	10	5 8	48
NWP356	NWP356	WIP1500	(oil-only)	40" x 72"	n/a blue	72	n/a	n/a	22	8 8	46
NWP02311	NWP02311	WIP1302						n/a	18	32	46
NWP0252	NWP0252	WIP1301	ull in box					n/a	3	160	46
NWP026	NWP026	WIP1300	all-purpose wetlay, 1/4 fold					n/a	21	32	46
NWP395	NWP395	WIP1200	ers					n/a	10	09	46
WIP900	WIP900	RAG1006	white I-shirt, new					n/a	51	16	47
WIP500	WIP500	KAG1003	colored I-shirt (polo)					n/a	[6]	07	47
WIP75U	WIP/50	KAG1004	White underwear					n/a	10	9 9	47
WIF 00	WIFOU	RAG1001	colored flannel	Various	1/a Various			n/a	20	1 10	47
WIP502	WIP502	RAG1204	colored T-shirt (bolo), compressed brick					n/a	9	160	47
WIP508	WIP508		colored T-shirt (polo), compressed brick					n/a	26	32	47
WIP6008	WIP6008	RAG1200	colored sweatshirt, compressed brick		1/a various			n/a	22	32	47
WIP352	WIP352		colored terry rags, compressed brick					n/a	9	160	47
WIP358	WIP358		colored terry rags, compressed brick	various				n/a	27	40	47
WIP6010	WIP6010		sweatshirt rags in a dispenser box, 10 lbs.					n/a	10	800	94
10W802	10W802	KAG100/	new shop rags, red					n/a	33	n/a	4/
OII 040	OII 040	GRANDLARS/NEO! KALIZERS/BIOKEMEDIALION	Oil-Dritt absorbent clay		vern e/r		n/a	n/a	27	50	49
OII 046	OII 046	GRAN1001	Floor-Dry diatomaceous earth			-	n/a n/a	n/a n/a	22	84	49
011 051	011 051	GRAN1002	Perlite floor sween			- -	n/a n/a	n/a	28	30	49
011067	01067	GRAN1003	Perlite floor sweep	ter	1/a white	8	n/a	n/a	2	240	49
OIL052	01L052	GRAN1004	Vermiculite			n T	n/a	n/a	24	30	49
OILM7911	OILM7911	GRAN2000	Cellulose floor sweep, 2ft ³	25 lb bag r	n/a gray	1	n/a	n/a	29	80	50
011057	01057	GRAN2001	Absorbent W, oil-only cellulose			n 1	n/a	n/a	12	35	20

Mfa #	Description	Size	Plv	Color Packaging	aina Wt. Class	Absorbency Perforated	d Ship Wt.	Otv/Pallet
GRAN2003	Dri-Zorb TM , corn cob	40 lb bag				n/a		20
GRAN2005	Gransorb™	30 lb bag		gray 1	n/a	n/a	32	65
HCSP1000	hc polymer, boom	2.25" x 150'			n/a	from 3:1 to 8:1	158	n/a
HCSP1002	hc polymer, boom	2.25" x 25"	n/a v	hite 2	n/a	from 3:1 to 8:1	20	n/a
HCSP1003	hc polymer, booms	3" x 10"				from 3:1 to 8:1	37	n/a
HCSP1004	hc polymer, bilge sock	3" x 18"		white 20		from 3:1 to 8:1	12	n/a
HCSP1005	hc polymer, pillows	12" x 12"				from 3:1 to 8:1	3	n/a
HCSP1006	hc polymer, granular	2.75 lb shaker		white 1	n/a	from 3:1 to 8:1	4	n/a
HSCP1007	hc polymer, granular	20 lb drum		hite 1	n/a	from 3:1 to 8:1	25	n/a
HCSP1008	hc polymer, granular	100 lb drum		white 1	n/a	from 3:1 to 8:1	117	n/a
AQP1000	aqueous polymer	50 lb bag		white 1	n/a	up to 275 X	52	40
AQP1001	aqueous polymer/bentonite blend	50 lb bag		brown 1	n/a	varies	54	40
OILM280020 NEUT1000	acid Neutralizing Polymer	2 lb shaker		off-white 10		varies	22	n/a
NEUT1001	acid Neutralizing Polymer, 40 lbs	5 gal pail		ff-white 1	n/a	varies	20	n/a
OILM280025 NEUT1002	acid Neutralizing Pads, 10pads/pack, 10 packs/case	11" x 12"				varies	10	n/a
	acid Neutralizing Socks	2" x 4'		off-white 4	n/a	varies	8	n/a
OILM280023 NEUT1004	acid Neutralizing Pillows	12" x 12"		off-white 4	n/a	varies	7	n/a
NEUT2000	base neutralizing polymer	2 lb shaker	n/a (off-white 10		varies	23	n/a
NEUT2001	base neutralizing polymer, 36 lbs	5 gal pail		off-white 1	n/a	varies	37	n/a
NEUT2002	base neutralizing pads, 10 pads/pack, 10 packs/case	11" x 12"		off-white 10	n/a	varies	9	n/a
NEUT2003	base neutralizing socks	2" x 4'	n/a (off-white 4	n/a	varies	7	n/a
NEUT2004	base neutralizing pillows	12" x 12"		off-white 4	n/a	varies	7	n/a
NEUT3000	hydrofloric acid neutralizer	10 lb shaker		off-white 1	n/a	varies	#	n/a
KITA1001	acid neutralizing spill kit	26"		n/a 1	n/a	4	=	n/a
NEUI 1501	acid neutralizer, liquid form	1 gal		n/a 4	n/a	n/a	39	48
NEUT1502	acid neutralizer, liquid form	5 gal		n/a 1	n/a	n/a	47	36
NEUT1503	acid neutralizer, liquid form	55 gal		n/a 1	n/a	n/a	525	4
NEUT3500	hydrofloric acid neutralizer	5 gal	n/a r	n/a 1	n/a	n/a	45	48
NEUT3600	mercury decontaminant powder	5 lbs		n/a 1	n/a	n/a	7	n/a
NEUT3601	mercury decontaminant powder	20 lbs	n/a r	n/a 1	n/a	n/a	22	n/a
NEUT3601		1.5 lbs						
BIOR1000		5 gal pail	n/a r	n/a 1	n/a	n/a	40	n/a
BI0R1001	Remediact, 5-gallon container, liquid	5 gal pail		/a 1	n/a	n/a	45	n/a
								1
CDSG1000	24-oz bottle simple green w/sprayer	24 oz		n/a 12	n/a	n/a	23	78
CDSG1001	1-gallon bottle simple green, liquid	1 gal		n/a 6	n/a	n/a	56	35
CDSG1002	5-gallon pail, simple green,liquid	5 gal pail		n/a 1	n/a	n/a	49	48
CDSG1003	55-gallon drum, simple green, liquid	55 gal	n/a r	n/a 1	n/a	n/a	495	4
CDSG1004	1-gallon bottle simple green, crystal	1 gal		/a 6	n/a	n/a	49	35
CDSG1005	5-gallon pail, simple green, crystal	5 gal pail		n/a 1	n/a	n/a	49	48
CDSG1006	55-gallon drum, simple green, crystal	55 gal		n/a 1	n/a	n/a	495	4
CDSG1007	1-gallon bottle simple green, extreme	1 gal		n/a 4	n/a	n/a	49	36
CDSG1008	5-gallon pail, simple green, extreme	5 gal pail	n/a r	/a 1	n/a	n/a	49	32
CDSG1009	55-gallon drum, simple green, extreme	55 gal	n/a r	/a 1	n/a	n/a	495	4
CDSG1010	safety towels, simple green, 75 wipes	n/a	n/a r	/a 6	n/a	n/a	15	45
CDKK1001	Oil Osobbas oil ofoils sometimes							

Model # Part # STORM WATER MANAGEMENT OIL812 OIL812 OIL813 OIL813 OIL810 OIL810 OIL810										
01L812 01L812 01L813 01L813 01L810 01L810	Mfg #	Description	Size	Ply Color	Packaging	Wt. Class	Absorbency Perforated 8	Ship Wt. Qt	Oty/Pallet P	Page#
	SWMDS1300	reversible drain cover, red, square	18" x 18" n,	a red	-	n/a	n/a	2	n/a	09
	SWMDS1301	10,	24" x 24" n,	a red	-	n/a	n/a	9	n/a	90
	SWMDS1000	reversible drain cover, red, square	36" x 36" n,	a red	-	n/a	n/a	13	n/a	90
	SWMDS1201	reversible drain cover, red, square			1	n/a	n/a	18	n/a	09
OIL811 0IL811	SWMDS1009	reversible drain cover, red, square		n/a red	1	n/a	n/a	23	n/a	09
OIL824 0IL824	SWMDS1006	reversible drain cover, red, rectangle			1	n/a	n/a	27	n/a	90
OIL816 0IL816	SWMDS1002	drain cover, round		n/a red	1	n/a	n/a	2	n/a	09
OIL815 0IL815	SWMDS1003	drain cover, round			1	n/a	n/a	9	n/a	09
OIL818 0IL818	SWMDS1004	drain cover, round	30" n,	n/a red	1	n/a	n/a	6	n/a	90
	SWMDS1005	drain cover, round		n/a red	1	n/a	n/a	18	n/a	09
	SWMDS1100	drain cover, orange/yellow			orange/yellow 1	n/a	n/a	8	n/a	09
	SWMDS1101	drain cover, orange/yellow			/yellow 1	n/a	n/a	13	n/a	09
011800 011800	SWMDS1102	drain cover, orange/yellow	36" x 36" n,	n/a orange,	orange/yellow 1	n/a	n/a	27	n/a	09
OIL803 OIL803	SWMDS1103	drain cover, orange/yellow			orange/yellow 1	n/a	n/a	47	n/a	09
	SWMDS1008	drain protector +		n/a orange,	orange/yellow 1	n/a	n/a	28	n/a	09
OIL835 OIL835	SWMDS1011	drain protector +			orange/yellow 1	n/a	n/a	38	n/a	09
OIL808 OIL808	SWMDS1200	drain cover carrying case, 36" wall mount		n/a yellow	1	n/a	n/a	7	n/a	09
OIL842 0IL842	SWMDS1010	drain cover carrying case, 48" wall mount		a yellow	1	n/a	n/a	6	n/a	09
	SWMSS1002	2" Plug			-	n/a	n/a	3	n/a	61
	SWMSS1003	3" Plug			-	n/a	n/a	3	n/a	61
	SWMSS1004			n/a yellow		n/a	n/a	4	n/a	61
	SWMSS1008	= 1.3	3", 4"		σ,	n/a	n/a	=	n/a	61
	SWMSS1000			n/a yellow	_,	n/a	n/a ,	m (n/a	[0]
	SWMSS1001	1" x 5" x /", barrel patch w/ 6' strap			_,	n/a	n/a ,	m	n/a	19
l	SWMSD1000	2 1/4" x 10' spill dam	n 2.25" x 10"			n/a	n/a	87.	n/a	19
	SWMSD1002			n/a black		n/a	n/a	-:	n/a	61
	SWMSD1001	Connectable spill dam, 10' x 2 1/4" x 1 3/8"	(10,		-	n/a	n/a	11	n/a	61
	SWM1211	tall spill dam, 5' x 4" x 4.5"				n/a	n/a	17	n/a	61
	SWM1101				- ,	n/a ,	n/a ,	= 0	n/a	27 8
	SWM1102	-1			curb-inset style 1	n/a ,	n/a ,	.7.	n/a	20 65
OILM/330 OILM/330	SWM1103	oli & sediment drain guard, curb-inset style	42 - b0 n	n/a curo-in:	CUro-Inset style 1	n/a n/a	n/a n/a	200	n/a n/a	20
	SWM1204	dewatering bags		a black		n/a	n/a	2 2	n/a	62
	SWM1205	dewatering bags			-	n/a	n/a	25	n/a	62
	SWM1206	dewatering bags			-	n/a	n/a	30	n/a	62
	SWMSS1009	inflatable pipe plugs			-	n/a	n/a	12	n/a	62
	SWMSS1006	inflatable pipe plugs	12" - 21" n			n/a	n/a	20	n/a	62
CON2012 CON2012	SWMSS1007	inflatable pipe plugs				n/a	n/a	25	n/a	62
CON2013 CON2013	SWM1252	single fitting controller, 36 psi			-	n/a	n/a	8	n/a	62
CON2014 CON2014	SWM1250	inflation lift hose, 16"		a n/a	1	n/a	n/a	5	n/a	62
	SWM1251	inflation lift hose, 32"			-	n/a	n/a	8	n/a	62
~	SWM1210	H20 dam, 12" x 24"			20	n/a	4	14	144	63
	SWM1207	flood barrier			26	n/a	4	21	26	63
	SWM1208	flood barrier	3.5" x 10' n,	n/a gray	12	n/a	8	20	56	63
g g	SWM1209	flood barrier			80 -	n/a	13.5	23	56	63
KIT8001 KIT8001	SWM1210	grab & go flood control kit	5 gal bucket n	a orange	,—	n/a	09	15	45	63

Produ	ct Speci	Product Specifications	OIL UNIVERSAL	HAV	HAZMAT	NON	NON-AGGRESSIVE		NON-APPLICABLE		
Model #	Part #	Mfg #	Description	Size	Ply	Color P	Packaging Wt. Class	s Absorbency Perforated	Ship Wt.	Oty/Pallet	Page#
PERSONAL PROTECTION PCI 0583 PCI 0583	OTECTION PCI 0583	PPFB1000	latex chicken boots 1		u/a	wellow	50 n/a	e/u	30	36	65
	PCL0585	PPEB1001	latex chicken boots, XL	XL	n/a	yellow	50 n/a	n/a	28	36	65
PCL0584 P	PCL0584	PPEB1002	latex chicken boots, 2XL	2XL	n/a	yellow	50 n/a	n/a	31	36	65
PCL0976 P	PCL0976	PPEH1100	clear goggles	n/a	n/a	clear	1 n/a	n/a	1	n/a	65
	PCL0978	PPEH1101	clear goggles, anti-fog lens	n/a	n/a	clear		n/a	-	n/a	65
	GL01421	PPEG1000	spider-grip work gloves	n/a	n/a	blue/gray		n/a	3	n/a	99
GL01420 G	GL01420	PPEG1001	spider-grip work gloves	n/a	n/a	blue/gray	Zop	n/a	3	n/a	99
	GL01217	PPEG1100	PVC, black 12" rough, jersey lining	n/a	n/a	black		n/a	7	32	99
	GL01221	PPEG1101		n/a	n/a	orange	12 n/a	n/a	6	32	99
	GL01049	PPEG1200	blue full-dipped nitrile gloves w/safety cuff	n/a	n/a	plue		n/a	2	32	99
	GL00500	PPEG1300	leather palm w/safety cuff	n/a 5/5	n/a	gray/green		n/a	9 0	7.4	99
GLU1055 C	GLU1055 GL01059	PPEG1210	nitille, unsuppolled gloves, 13	II/a	II/a n/a	hlip	12 11/3 1000 n/a	11/d n/a	2 0	55	99
	GL01065	PPEG1221	nitrile, disposable, powder-free, 4 mil	XL	n/a	plue		n/a	2	55	99
GL01062 C	GL01062	PPEG1222	nitrile, disposable, powder-free, 6 mil	XL	n/a	black	1000 n/a	n/a	2	55	99
SECONDARY CONTAINMENT	ONTAINMENT										
OILM7304 C	OILM7304	CON5075	6-gallon bucket w/screw-on lid	6 gal	n/a	white	1 n/a	9	4	96	89
	CON0176	CON5000	14-gallon lab pack w/lid & lever lock	14 gal	n/a	plue	1 n/a	14	10	54	68
	CON0159	CON5001	20-gallon lab pack w/lid & plastic lever lock	20 gal	n/a	yellow	1 n/a	20	13	40	89
	CON0158	CON5002	on lid	20 gal	n/a	yellow	1 n/a	20	12	24	89
	CON0217	CON5009	30-gallon lab pack w/lid & plastic lever lock, yellow	30 gal	n/a	yellow	1 n/a	30	19	40	89
1600SL C	CON0154	CONSOUS	30-gallon lab pack W/ screw on IId	30 gal	n/a	yellow	1 n/a	30	61	24	200
2002	CONUCAS	CONSOUS CONSOUS	55 college open bood poly dring blue	55 gal	11/4	yellow	1 1/4	33	47 VG	000	00
	OILM7318	CON5051	55-gallon closed head poly drum, translucent	55 gal	n/a n/a	translucent	1 n/a	55	24	0 00	89
	CON0160	CON5006	65-gallon overpack w/screw-on lid	65 gal	n/a	vellow	1 n/a	65	44	က	89
1690 C	CON0161	CON5008	95-gallon overpack w/screw-on lid	95 gal	n/a	yellow	1 n/a	96	51	3	89
CON0171 (CON0171	CON5007	95-gallon overpack on wheels	95 gal	n/a	yellow	1 n/a	92	29	3	89
1698 (OILM7315	CON5300	dolly for 65- & 95-gallon overpacks	27.5" x 7"	n/a	black	1 n/a	n/a	23	n/a	89
	CON0112	C0N5601	1-drum spill pallet, 15-gallon	1 drum	n/a	yellow	1 n/a	15	19	99	69
1637 C	CONOTTI CONOTTO	CONS606	2-drum spill pallet, 10W-profile, 3U-gailon 2-drum spill pallet 66-nallon	2 drum	n/a	yellow	1 n/a	30	& F.	20	60
	CON0120	CON5615	4-drum spill pallet, low-profile, 66-gallon	4 drum	n/a	yellow	1 n/a	99	29	6	69
1647 (CON0115	CON5614	4-drum spill pallet, in-line, 60.5-gallon	4 drum	n/a	yellow	1 n/a	60.5	64	10	69
1640 (CON0180	CON5613	4-drum spill pallet, high profile, 132-gallon			yellow	1 n/a	132	104	9	69
	CON0114	CON5619	<u>≂ı</u>		n/a	yellow	1 n/a	n/a	39	15	69
	CON0126-3	CON5618	IBC containment unit, 6" x 6/" x 26", 400-gallon	.92 ×/9	n/a	yellow	1 n/a	400	245	- 5	69
	CONOTTO	CONSOUS	Z-arum budget basin	2 drum	n/a	yellow	1 n/a	34	02.	2 4	60
CON3012	CONOTO4	CONSOLO	4-didili budget basili 1-drim roll-ton spill pallet	4 drum	n/a n/a	yellow	1 11/d 1 n/a	00	23	- -	60
	CON3007	CON5604	2-drum roll-top spill pallet	2 drum	n/a	yellow	1 n/a	99	260		70
CON3008 C	CON3008	CON5611	4-drum roll-top spill pallet	4 drum	n/a	yellow	1 n/a	75	440	-	70
)11	CON3011	CON5620	ramp for roll-top spill pallets	55.5" x 28.5" x	8.75" n/a	yellow	1 n/a	n/a	43	10	70
	BERM1060	BERM1060	2-drum spill nest	32.25" x 57.75	n/a	yellow	1 n/a	15	4	n/a	70
	BERM1061	BERM1061	4-drum square spill nest	57.75" × 57.75	n/a	yellow	1 n/a	30	∞ α	n/a	70
18104 E	BERM 1062	BERM1062	4-drum ın-line spill nest	32.25" x 107.75	o" n/a	yellow	T n/a	30	æ	n/a	Ω/

	Page#	70	71	71	71	71	71	71	71	71	71	71	71	71	71	72	72	72	72	72	72	73	73	73	73	73	33	7.4	7.4	74	7.4	74	74	74	74	74	74	74	74	74	7.5	75	75	75	75	72	75	77	76
	Qty/Pallet	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	4	240	40	n/a	20	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	II/a	n/a	1/4	11/d	n/a n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	11/4	n/a n/a								
ABLE	Ship Wt.	11	169	254	82	82	108	108	255	44	3	10	27	39	27	4	5	8	4	17	10	306	326	405	103	149	2/8	35/	7.7	191	317 AOA	75	29	57	353	344	417	28	94	166	52	284	2	4	2	9 ,	1	01	253
NON-APPLICABLE	Perforated																																																
NON	Absorbency	n/a	74	95	275	275	220	550	1000	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	5385	5610	7405	748	2333	5610	740	748	3383	2010	179	269	748	5385	5610	7405	1077	2244	4488	249	1496	n/a	n/a	n/a	n/a	n/a	11/8	11/d 11/a
SSIVE	Wt. Class A		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a = /=	n/a 5/5	11/4	11/3	n/a n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	11/a /	fı/a n/a								
NON-AGGRESSIVE	Packaging	1	-	1	-	1	1	+	1	-	-	1	-	-	-	+	-	1	1	-	_	-		-	-	-		- -	- -				-	.	1	-	-	-	-	,_ ,		-	-	-	-	-		- +	-
NON	Color P	yellow	gray	gray	black	black	black	black	black	yellow	yellow	yellow	yellow	yellow	black	black	black	black	black	yellow	red	black	black	black	black	black	black	Diack	DIACK	DIACK	DIACK	black	black	black	black	black	black	black	black	black	black	black	yellow	yellow	yellow	yellow	yellow	gray	yellow
ИАТ	Ply	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	II/a	n/a	11/9	11/d	n/a n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a 75" n/a	/2 II/a	11/a 11/a								
HAZMAT	Size	25.25" x 51.25"	2 drum	4 drum	275 gal	275 gal	550 gal	550 gal	1000 gal	1 drum	18"	18" x 7"	10 gal	12 gal	31" x 7"	46" x 16" x 5.5"	38" x 26" x 5.5"	47" x 33" x 5.5"	18" x 36" x 2"	26.5" diameter	10.75" x 10"	12' x 60' x 1'	15' x 50' x 1'	15' x 66' x 1'	10' × 10' × 1'	12' x 26' x 1'	15' x 50' x 1'	15 X 66 X I	10 × 10 × 1	12 X 20 X I	15 × 30 × 1 15' × 66' × 1'	13 x 00 x 1 4' x 6' x 1'	6' x 6' x 1'	10' x 10' x 1'	12' x 60' x 1'	15' x 50' x 1'	15' x 66' x 1'	12' x 12' x 1'	12' x 25' x 1'	12' × 50' × 1'	10' × 10' × 4"	12' x 50' x 4"	20 gal	66 gal	100 gal	150 gal	150 gal	28.25 X 13 X 10.	25 × 5.5 × 2 43" × 18" × 44"
UNIVERSAL			FOB from the Mfr.)	FOB from the Mfr.)		vith drain	vith drain (drop-ship only)	to drain (drop-ship only)	lon, with drain (drop-ship only)	it, 65-gallon			round, 10-gallon	allon						lid		ш	ш	ш																	, made w/22 oz PVC	, made w/XR5				-	0 gal pop up pool	Cab mount comainer	system -dallon naint & ink
OIL OIL	Description	grate-only for spill nest	steel spill pallet (this ships F	S	275-gallon sump, 360 gal	275-gallon sump, 360 gal, w	550-gallon sump, 605 gal, with drain (drop-ship only)	550-gallon sump, 605 gal, no drain (drop-ship only)	1000-gallon sump, 1100-galle	single drum containment unit,	poly drum funnel cover	poly drum funnel screen	single-drum tray w/grating, ı	drum bogie on wheels, 12-gallon	drum tray dolly w/casters	spill containment trays	spill containment tray	spill containment tray	containment utility tray	ged	steel safety drum funnel	drive in/out containment ber	drive in/out containment berm	drive in/out containment ber	rapid-rise containment berm	rapid-rise containment berm	rapid-rise containment berm	rapid-rise containment perm	compact containment perm	compact containment berm	compact containment berm	economy containment herm	economy containment berm	foam wall containment berm, made w/22 oz PVC	foam wall containment berm, made w/XR5	econo, pop-up pool	econo, pop-up pool	econo, pop-up pool	econo pop-up pool	canvas, carrying case for 150 gal pop up pool	IUU/ IDU galluli pup-up puul	manual close 3 shelves 40							
Product Specifications	Mfg #	BERM1063	CON5627	CON5628	CON5608	CON5609	CON5617	CON5616	CON5602	CON5621	CON5100	CON5102	CON5622	CON5301	CON5302	CON5625	CON5623	CON5624	CON5629	CON5101	CON5103	BERM1000	BERM1001	BERM1002	BERM1010	BERM1011	BERM1012	BERIVI 1013	BERM 1020	DEDM1021	BERM1022	BERM1030	BERM1031	BERM1032	BERM1033	BERM1034	BERM1035	BERM1040	BERM1041	BERM1042	BERM1102	BERM1100	CON5504	CON5506	CON5505	CON5503	CON5502	CUNSSUO	CAROUD
ıct Speci	Part #	BERM1063	CON1011	CON1012	CON0801	CON0803	CON0804	CON0814	CON0815	CON0118	CON0137	CON0136	CON0130	CON0128	CON0131	OIL745	OIL746	0IL747	CON0142	CON0209	CON0173	BERM1000	BERM1001	BERM1002	BERM1010	BERM1011	BERM1012	BERIMIO13	BERM1020	DEPM1021	BERM1022	BERM1023	BERM1031	BERM1032	BERM1033	BERM1034	BERM1035	BERM1040	BERM1041	BERM1042	OILM7323	BERM1100	CON0810	01LM7360	OILM7320	CON0800	CON0799	CONOSOB	CONSTUG CONOD1
Produ	Model #	1642-B	CON1011	CON1012	CON0801	CON0803	CON0804	CON0814	CON0815	1612	1664	1662	1615	1613	1618	<u>01L745</u>	OIL746	OIL747	1677	0499	CON0173	BERM1000	BERM1001	BERM1002	BERM1010	BERM1011	BERM1012	BERIM 1013	BERM 1020	DEBM 1021	BERIVI 1022	BERM1023	BERM1031	BERM1032	BERM1033	BERM1034	BERM1035	BERM1040	BERM1041	BERM1042	OILM7323	BERM1100	CON0810	OILM7360	OILM7320	CON0800	CON0799	CON0806	CUN3100 PI-32

Product Specifications		OIL UNIVERSAL	HAZMAT	NON	NON-AGGRESSIVE	NON-APPLICABLE	ABLE	
Part # Mfg # Description	Description		Size	Color Pa	Packaging Wt. Class	Absorbency Perforated	Ship Wt. Q	Oty/Pallet
CON0003 CAB2001 manual close, 5 shelves, 60-gallon, paint &	manual close, 5 shelves, 60-gallor	ı, paint & ink	43" x 18" x 65" n/a	red	1 n/a	n/a	351	n/a
CON0024 CAB2003 self close, 2 shelves, 60-gallon, flammables	self close, 2 shelves, 60-gallon,flam	mables	31.25" x 31.25" x 65" n/a	yellow	1 n/a	n/a	332	n/a
CAB1003	manual close, 2 shelves, 60-gallon,f	lammables	"× 65"	yellow	1 n/a	n/a	332	n/a
3 CAB1002	manual close, 2 shelves, 45-gallon, i	lammables	x 65"	yellow	1 n/a	n/a	312	n/a
CAB2002	sell-crose, 2 snelves, 45-gallon, flan	ımables		yellow	1 n/a	n/a	312	n/a
CONDOCS CABIOO Mainal close, 1 shelf, 30-gailon, llarminables	manual close, i sileli, su-galion, lian	IIIIdules	43 X 18 X 44 II/8 17 5" x 18" x 22 5' II/8	yellow	1 n/a	n/a n/a	231	n/a n/a
CAR3001	manual close steel 1 shelf 30-nallor	acids/corrosives	5	hlie	1 n/a	n/a n/a	234	n/a n/a
CAB3000	manual close, poly, 4-door, 44-dallon			plue	1 n/a	n/a	178	n/a
CAB0001	3' bonding wires		3' n/a	n/a	1 n/a	n/a	1	n/a
CON0401 CON5205 6-gallon	6-gallon		6 gal n/a	red	1 n/a	n/a	6	n/a
CON5200	10-gallon			red	1 n/a	n/a	14	n/a
CON0402 CON5202 14-gallon	14-gallon		14 gal n/a	red	1 n/a	n/a	15	n/a
CON5206	6-gallon			red	1 n/a	n/a	11	n/a
CON5201	10-gallon			red	1 n/a	n/a	14	n/a
C0N5203	14-gallon		14 gal n/a	red	1 n/a	n/a	17	n/a
13 CON5204	21-gallon			red	1 n/a	n/a	23	n/a
CONU80 corrugated disposal container			(3"	brown	1 n/a	n/a	65	52
CONO81	poly-lined corrugated disposal contain		36" x 36"	white	1 n/a	n/a	50	70
CUNSUS3 55-gallon steel drum, open ne	55-gallon steel drum, open nead		55 gal N/a	DIACK	1 n/a	n/a	35	∞ α
UL/61 UL/61 CUNSUSZ SS-gallon Steel drum, closed nead SPECIALTY PRODUCTS	_		55 gal n/a	Diack	I n/a	n/a	34	χ
OILM9100 CON6100 Tank repair compound, 1-lb jar	Tank repair compound, 1-lb jar		1 lb n/a	gray	1 n/a	n/a	4	n/a
CON6101	ound, 5-gall	premix		gray		n/a	20	n/a
C0N6102	epoxy putty stick			putty	12 n/a	n/a	4	n/a
100L1002 2-piece shovel	- 1-		1" x 38.5"	green/black	1 n/a	n/a	2	n/a
100L1003	2-piece, economy blade, spin kil si		10 X 30.3	gray/leu	1 11/4	II/d	4 c	11/8
	22 UZ, Idige SCUUP, HUII Sparking pu			gaean	1 11/4	1/4	7 +	11/4
	industrial size 2" v 36" black		32.02 2" v 36" n/a	black	6 n/a	11/d n/s	- α	11/a 11/a
TPE1001	industrial size, 2" x 36", clear			clear		n/a	6	n/a
TPE1002	standard size, 1" x 12', black			black		n/a	7	n/a
	standard size, 1" x 12', clear		1" x 12' n/a	clear	36 n/a	n/a	7	n/a
TPE104 TPE1004 standard size, 1" x 12', yellow	standard size, 1" x 12', yellow			yellow		n/a	7	n/a
TPE1005				assorted		n/a	6	n/a
CON6001	H20Zorb			n/a	1 n/a	n/a	1	n/a
CON2006 CON6000 H20Zorb	H20Zorb		1.5" x 12" n/a	n/a	1 n/a	n/a	-	n/a
CON2008 CON6002 H20Zorb	H20Zorb		2" x 12" n/a	n/a	1 n/a	n/a	1	n/a
CON2009 CON6003 H20Zorb	H20Zorb			n/a	1 n/a	n/a	-	n/a
OILM9500 CON6200 6 Mil clear poly sheeting	6 Mil clear poly sheeting		20' x 100' n/a	clear	1 n/a	n/a	56	25
, fire r	fire r	etardant		clear	1 n/a	n/a	58	25
OILM9503 CON6203 6 Mil clear poly sheeting	6 Mil clear poly sheeting		40' x 100' n/a	clear	1 n/a	n/a	65	25
BAG1003	4 Mil yellow bags			yellow	250 n/a	n/a	37	36
BAG1002	6 Mil yellow bags		× 4"	yellow		n/a	34	25
BAG13982 BAG1001 6 Mil clear bags	6 Mil clear bags		38" x 60" n/a	clear	50 n/a	n/a	48	25

Special Order & Discontinued Products

The following items were removed from the last catalog, which means we will no longer be stocking them. Some of the items are discontinued and no longer available, and some of the items still will be available through special orders only. Special order only products also will be considered web-only products, and we will indicate this on the website as well. Please allow up to 5-10 days for delivery on all special orders. Shipping costs will all be FOB the manufacturing facilities on all special orders. We apologize for any inconvenience.

SPECIAL ORDER ITEMS

31 LUIAL UNDL	II II LIVIO
Absorbents	
SW100	white oil-only sweep
OILM1080	cellulose pads, general purpose
OILM5002	cellulose rolls, general purpose
OILM1057	all-in-one matting, oil only
OILM1067	all-in-one matting, universal
OILM5998	blue RR track matting
OILM5999	blue RR track matting
OILM7369	spill bucket socks

Spill Kits

KIT1018 universal cab mount spill kit KIT1022 oil-only cab mount spill kit

Wipers & Rags

NWP101 oi-only airlay, poly 1/4 fold

WIP6010 sweatshirt rags in a dispenser box, 10 lbs.

Granulars/Neutralizers/Bioremediation

OIL056	Peat Moss
OIL059	Gator-sorb
OIL930	Battery Acid Eater

OILM9030 BioRem2000 Surface Cleaner, 1 gal BioRem2000 Surface Cleaner, 5 gal OILM9031 BioRem2000 Surface Cleaner, 55 gal OILM9032

OILM9025 Oil Vanish stain remover

Cleaners/Degreasers

KK32/12 Krud Kutter cleaner/degreaser, 32 oz. KK01/6 Krud Kutter cleaner/degreaser, 1 gal Krud Kutter cleaner/degreaser, 5 gal KK05 Krud Kutter cleaner/degreaser, 55 gal KK55

Storm Water Management

OILM7327 gutter guard

Personal Protection

PCL0587	slush boots, 11
PCL0588	slush boots, 12
PCL0589	slush boots, 13
PCL0586	slush boots, 14
PCL0709	safety glasses

PCL0710 mask, 50 /box, 20 boxes/case

PCL0974 white, w/ratchet PCL0975 yellow, w/ratchet PCL0971 green, w/ratchet

PCL1000 rain gear, blue, 3-piece, S rain gear, blue, 3-piece, M PCL1001 PCL1002 rain gear, blue, 3-piece, L rain gear, blue, 3-piece, XL PCL1003 PCL1004 rain gear, blue, 3-piece, 2XL PCL1005 rain gear, blue, 3-piece, 3 XL PCL1006 rain gear, blue, 3-piece, 4XL

TPE400 silver duct tape TPE401 black duct tape

Secondary Containment

CON2000	12" x 15", pipe kit
CON2001	5' x 5', roof kit
CON2002	5' x 10', roof kit
CON2003	10' x 10', roof kit

1208BEIGE 17.25" dia x 43.25"h, beige 1206BEIGE 15.25" dia x 43.75" h, beige

1202BEIGE 2 gal, metal/poly 1202 2 gal, metal/poly

DISCONTINUED ITEMS (no longer available)

Absorbents

OILM1007	oil-only airlaid pads
OILM1049	universal airlaid pads
OILM5115	oil-only airlaid rolls
OILM5025	universal airlaid rolls
PBFFP12G	universal poly-backed pads
PBFFR12G	universal poly-backed rolls
S4UC	socks, universal cellulose
S8UC	socks, universal cellulose
OILM5005	sorbent roll rack, up to 32" wide

Spill Kits

eco-friendly 95 gal oil-only spill kit KIT1030 eco-friendly 95 gal universal spill kit KIT1031

large mercury spill kit OILM7006 OILM7007 small mercury spill kit

Marine Spill Response

The Eliminator Boom Jacket BOOM1030 The Eliminator Boom Jacket BOOM1031

The Eliminator Sorbent Boom Insert BOOM1032 BOOM1033 The Eliminator Sorbent Boom Insert

Wipers & Rags

WIP350 colored terry

Granulars/Neutralizers/Bioremediation

OILM280019 Chemical Classifier Kit

Cleaners/Degreasers

Odorgon, 25 oz. 988-8168 Odorgon, 1 gal 988-8167 988-8166 Odorgon, 5 gal 988-8165 Odorgon, 55 gal

Personal Protection

PCL4000 10-Person First Aid Kit PCL4001 25-Person First Aid Kit

Secondary Containment

2-drum Spill Pal, 2' x 4' x 4" OILM7357 OILM7358 4-drum Spill Pal, 4' x 4' x 4"

Specialty Products

BAG1180 6 mil clear poly bags

Product Index

New Products	4
Sorbents: Clay vs Poly	
Quality Rating of Pads & Rolls	
Chemical Application Guide	
Product Specifications	
Troduct optomodiono	. 00
ABSORBENTS7	-28
Booms, Hazmat	
Booms	19
Booms, Oil-Only	
Booms	16
Boom XT	
Sweeps	
Earth Friendly	
Aqua Lock	20
ECO-SOP Pads & Rolls	20
Hazmat Pads & Rolls	
Bonded Meltblown Pads & Rolls (SM)	19
Fine Fiber Meltblown Pads & Rolls (FMF)	
Industrial Rugs	
Needle-Punch	22
Poly-backed Needle-Punch	
Rag Rug	
Oil-Only Pads & Rolls	
Anti-Static Meltblown Pads	15
Bonded Meltblown Pads & Rolls (SM)	13
Dimpled Meltblown Pads & Rolls	14
Fine Fiber Meltblown Pads & Rolls (FMF)	12
SMS Bonded Meltblown Pads & Rolls	14
Standard Meltblown Pads & Rolls	15
Pillows	
Mesh Bag Pillow	24
Pillows	24
Spaghetti Pillow	24
Railroad Track Mat	
Ground Guards	23
Railroad Track Matting	23
SMP Track Mat	23
Socks	
Corn Cob	26
Hazmat	26
Oil-Only	
Roll-Off Super Sock	26
Universal/Maintenance	
Universal Super Sock	26
Sorbent Accessories	
Drip Pans	
Drum Tops	
Particulate	
Roll RackS), 28
Specialty Socks	
Bilge Boom (Mini Boom)	27
Bilge Sock	
Well Sock	27
Universal Pads & Rolls	
Bonded Meltblown Pads & Rolls (SM)	9

Camo Matting.....21

CLEANERS/DEGREASERS	56-58
Oil Grabber	58
Simple Green	57
Simple Green Safety Towels	58
GRANULARS, NEUTRALIZERS	40 55
& BIOREMEDIATION Biodegradable Granulars	48–55
Absorbent W	EC
ADSOIDER W	
Cellulose	
Dri-Zorb	
Gran-sorb TM	50
Bioremediation	
Remediact	55
Mineral-based Granulars	4.0
Floor-Dry	
Oil-Dri	49
Perlite	
Vermiculite	49
Neutralizers	
Acid & Base Neutralizers	53, 54
Acid Neutralizing Spill Kit	53
Aqueous Polymer	52
Aqueous Polymer/Bentonite Blend	
Hydrocarbon Solidifying Polymers	51
Mercury Decontaminant Powder	54
MARINE SPILL RESPONSE	. 38–43
Boom Accessories	
Boom Accessories Anchor	
Anchor	43
AnchorAnchor Buoys, Polyform	43
Anchor	43 43
Anchor. Anchor Buoys, Polyform. Anchor Chain. Bulkhead Risers.	43 43 43
Anchor. Anchor Buoys, Polyform. Anchor Chain. Bulkhead Risers Polypropylene Line	43 43 42
Anchor. Anchor Buoys, Polyform. Anchor Chain. Bulkhead Risers Polypropylene Line. Shackles.	43 43 42 43
Anchor. Anchor Buoys, Polyform. Anchor Chain. Bulkhead Risers Polypropylene Line. Shackles Tow Bridal	43 43 42 43
Anchor	43 43 43 43 43
Anchor	43 43 43 42 43 43 43
Anchor	43 43 43 42 43 43 43 43 42 42
Anchor	43 43 43 42 43 43 43 43 42 42
Anchor	43 43 43 42 43 43 43 43 42 40 41
Anchor. Anchor Buoys, Polyform. Anchor Chain. Bulkhead Risers. Polypropylene Line. Shackles. Tow Bridal. Containment Booms Boom in a Bag Permanent Containment Boom. Response Boom. Skimmers Drum Skimmers.	43 43 43 43 43 43 43 42 40 41
Anchor. Anchor Buoys, Polyform. Anchor Chain Bulkhead Risers Polypropylene Line. Shackles Tow Bridal Containment Booms Boom in a Bag Permanent Containment Boom Response Boom Skimmers Drum Skimmers Weir Skimmers	43 43 43 43 43 43 43 42 40 41
Anchor. Anchor Buoys, Polyform. Anchor Chain. Bulkhead Risers. Polypropylene Line. Shackles. Tow Bridal. Containment Booms Boom in a Bag Permanent Containment Boom. Response Boom. Skimmers Drum Skimmers.	43 43 43 42 43 43 43 43 44 40 41 39
Anchor. Anchor Buoys, Polyform. Anchor Chain. Bulkhead Risers. Polypropylene Line. Shackles. Tow Bridal. Containment Booms Boom in a Bag. Permanent Containment Boom. Response Boom. Skimmers Drum Skimmers. Weir Skimmers. Snares Oil Snare (pom poms).	43 43 43 43 43 43 43 44 40 41 38 38
Anchor	43 43 43 43 43 43 43 43 43 40 41 39 39
Anchor	43 43 43 43 43 43 43 43 44 40 41 41 41 41 41 41 41 41 41 41 41 41 41
Anchor	43 43 43 43 43 43 43 44 40 41 39 39 39
Anchor. Anchor Buoys, Polyform. Anchor Chain Bulkhead Risers Polypropylene Line. Shackles Tow Bridal Containment Booms Boom in a Bag Permanent Containment Boom Response Boom Skimmers Drum Skimmers Weir Skimmers Weir Skimmers Snares Oil Snare (pom poms) PERSONAL PROTECTION Boots Chemical Goggles Gloves	43 43 43 43 43 43 43 44 40 41 39 39 39
Anchor	43 43 43 43 43 43 43 43 40 40 41 41 39 39 65 65 65
Anchor	43 43 43 43 43 43 43 43 43 40 40 41 41 39 65 65 65 66
Anchor	43 43 43 43 43 43 43 43 43 40 41 41 39 65 65 65 66 66
Anchor	43 43 43 43 43 43 43 43 43 40 41 41 41 65 65 65 65

6–58	SECONDARY CONTAINMENT	67–77
58	Berms	
57	Containment Sumps	71
58	Containment Trays	71, 72
	Drum Bogie on Wheels	
	Drum Containment Unit (single drum)	
3-55	Drum Funnels	71, 72
	Grounding Wires	76
50	Overpacks and Lab Packs	68
50	Pop-Up Pools	75
50	Safety Storage Cabinets	76
50	Single Drum Containment Unit	
	Sorbent Disposal	
55	Spill Nest	
	Spill Pallets	
49	•	
49	SPECIALTY PRODUCTS	78–80
49	Epoxy Putty Stick	
49	H2OZorb	
	Non-Sparking Tools	
3, 54	Plug 'n' Dike Tank Repair Compound	79
53	Poly Sheeting and Poly Liners	
52	Rescue Tape	
52	Tioodd Tupo	
51	SPILL KITS	29-37
54	Marine Spill Kits	
01	Mobile Spill Kits on Wheels	30 31
3–43	Overpack Spill Kits	32
, 40	Portable Spill Kits	33 34
43	Specialty Spill Kits	
43	Spill Kit Refills	
43	Opin Nit nomis	00
42	STORM WATER MANAGEMENT	50_63
43	Dewatering Bags	
43	Drain Guards	
43	Drain Protectors	
40	Flood Control	
42	Inflatable Pipe Plugs	
42	Safety Seals	
40	Salety Seals	01
41	WIPERS & RAGS	44 47
39		
	Rags and Wiping Cloths	
39	Red Shop Towels	4/
20	Wipers	40
39	DRC Wetlay	46
	Polypropylene	46
l-66	Spunlace (Blue)	46
65	Spunlace (Red or White)	45
65	Wiper Roll Stand on Wheels	45



Many Chemtex Items Are Available On

GSA: GS-07F-9521S

Certified MBE-SDB-WBE-DBE

1-800-783-5272

info@ASAenvironmental.com



Looking for a mobile spill kit?Check out our Spill Kaddie on Wheels on page 31.

Warranty and Disclaimer: There are no express warranties which extend beyond the description on the face hereof. Seller disclaims any implied warranties of merchantability or of fitness for any particular purpose. Since seller cannot control the use of its products after their resale, seller will not be responsible for any consequential or indirect damages. Rather, seller will, at its option, either replace the products sold or refund the purchase price. No warranties will apply if the products are in any way altered or modified after delivery by seller. Sorbent capacities vary depending on the types of fluids being absorbed.

Handling, Storage, and Disposal: Handling, storage, and disposal of products must be carried out in compliance with all local, state, and federal regulations. Various sorbed fluids may be toxic or hazardous in nature and should be disposed of in the approved manner.

Warning: Flammable and other hazardous liquids when contaminated in any sorbent material continue to be unsafe and are subject to spontaneous ignition. Appropriate respiratory devices and protective clothing should be worn. Exercise extreme care when handling, storing, and disposing of absorbent materials containing such liquids to avoid personal injury and environmental pollution.



DISTRIBUTED BY:

ASA ENVIRONMENTAL PRODUCTS, INC. 22 BAYVIEW AVENUE / P.O. BOX 789 STONINGTON, CT 06378

- (T) 860-535-3931 / 800-783-5272
- (E) info@ASAenvironmental.com
- (W) www.ASAenvironmental.com